


MATERIAL:

CONNECTOR - SMT
 PLASTIC HOUSING:
 LCP, FLAMMABILITY RATING UL94-V0
 CONTACT:
 PHOSPHOR BRONZE
 PLATING: SEE AMPHENOL PART
 NUMBER

PACKAGING: TAPE AND REEL (500 PER)

TEMPERATURE RANGE: -40°C TO +85°C



REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PRELIMINARY	X	
B		PRELIMINARY STAMP REMOVED	OCT24/14	
C		UPDATED	NOV11/14	

AMPHENOL PART NUMBER CONFIGURATION

UE76 - 3GA 20 - X 6 0 0 T

PACKAGING

T = TAPE AND REEL PACKAGING

PLATING

- 2 = 0.76um GOLD AT MATING AREA
GOLD FLASH IN TERMINATION
- 3 = 0.76um GOLD AT MATING AREA
3.0-7.62um MATTE TIN IN
TERMINATION
- 5 = 0.38um GOLD AT MATING AREA
GOLD FLASH IN TERMINATION
- 6 = 0.38um GOLD AT MATING AREA
3.0-7.62um MATTE TIN IN
TERMINATION

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE	Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenol-highspeed.com	
DECIMALS	ANGLES	DRAWN	J.S	JUL19/13	TITLE	
X.X ± 0.25	± 1°	DESIGNED			1X1 ULTRA PORT SFP CONNECTOR (25/32G)	
X.XX ± 0.15		CHECKED				
MATERIAL AND FINISH		QA APPD				
SEE NOTES		IE APPD			SIZE	REV. C
REF.	X	DWG APPD			A4	
CODE IDENT. NO.	03554				SCALE	PROJECT
					4:1	1 OF 3

A

B

C


D

A



B

C


D



REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PRELIMINARY	X	
B		PRELIMINARY STAMP REMOVED	OCT24/14	
C		UPDATED	NOV11/14	



SECTION A-A



DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.25 ± 1° X.XX ± 0.15	APPROVALS	DATE	Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenol-highspeed.com	
	DRAWN	J.S		JUL19/13
	DESIGNED			
	CHECKED			
MATERIAL AND FINISH	SEE NOTES		TITLE	
REF.	X		1X1 ULTRA PORT SFP CONNECTOR (25/32G)	
CODE IDENT. NO.	03554	DWG APPD	SIZE A4 DWG. NO. P-UE76-3GA20-X600T REV. C	
			SCALE 5:1 PROJECT SHEET 2 OF 3	

NOTE:

SOME OF ULTRAPORT CAGES PCB LAYOUT NOT ALLOWED HAVING SIGNAL TRACES ON THE TOP OF THE SURFACE. PLEASE CONTACT AMPHENOL HIGH SPEED INTERCONNECTS FOR CAGES AVAILABILITY FOR THE APPLICATIONS.

REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PRELIMINARY	X	
B		PRELIMINARY STAMP REMOVED	OCT24/14	
C		UPDATED	NOV11/14	



DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.25 ± 1° X.XX ± 0.15	APPROVALS	DATE	Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenol-highspeed.com	
	DRAWN JS	JUL19/13	TITLE	
	DESIGNED		1X1 ULTRAPORT SFP CONNECTOR (25/32G)	
	CHECKED		SIZE A4	
MATERIAL AND FINISH SEE NOTES	QA APPD		DWG. NO.	P-UE76-3GA20-X600T
REF. X	IE APPD		SCALE	2:1
CODE IDENT. NO. 03554	DWG APPD		PROJECT	
			SHEET	3 OF 3