

AMP | AMPSEAL 16 TE Internal #: 2302494-3 Automotive Connector Caps & Covers, Backshell, Black, PA, 8 Position, -40 – 257 °F [-40 – 125 °C], AMPSEAL 16 View on TE.com > connectivity

Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers >

AMPSEAL 16 Connectors Backshell



Protection & Strain Relief Accessory Type: Backshell

Strain Relief: With

Primary Product Color: Black

Primary Product Material: PA

Number of Positions: 8

All AMPSEAL 16 Connectors Backshell (82)

Features

Product Type Features

Protection & Strain Relief Accessory Type	Backshell				
Configuration Features					
Number of Positions	8				
Body Features					
Primary Product Color	Black				
Primary Product Material	PA				
Mechanical Attachment					
Strain Relief	With				
Usage Conditions					
Compatible With Connector Style	Housing For Female Terminals, Plug				
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C[158 °F][167 ° F][176 °F][185 °F][194 °F][212 °F][221 °F][230				

2302494-3

Automotive Connector Caps & Covers, Backshell, Black, PA, 8 Position, -40 – 257 °F [-40 – 125 °C], AMPSEAL 16



	°F][248 °F][257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Bag & Box
Other	
Serviceable	Yes
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


2302494-3

Automotive Connector Caps & Covers, Backshell, Black, PA, 8 Position, -40 – 257 °F [-40 – 125 °C], AMPSEAL 16






Also in the Series AMPSEAL 16



Connector Seals & Cavity Plugs(4)	Data Connectivity Headers(2)	Data Connectivity Housings(3)	Other Automotive Connector
			Accessories(11)

Customers Also Bought



2302494-3

Automotive Connector Caps & Covers, Backshell, Black, PA, 8 Position, -40 – 257 °F [-40 – 125 °C], AMPSEAL 16





CU ALLOY, SHIELD ASSY, CONN HSG, DATA DT

Documents

Product Drawings

SOC CONN CVRASSY,2POS,AMPSEAL16,90DEG,MC

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2302494-3_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2302494-3_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2302494-3_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages ICT Terminals and Connectors Catalogue

English

Product Specifications Product Specification

English

Instruction Sheets Instruction Sheet (U.S.)

English