



External insulated cross-connector, No. of poles: 2, Mounting type: Plug in, Width: 9.26 mm, Rated current: 27 A; Colour: Yellow

RAL: 1026

Business data

Article number	<u>2032.0</u>
Article name	AQI 2/5/11 YE
GTIN (EAN)	4044211048341
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	0.56 g
Weight per piece (including packaging)	0.57 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	External insulated cross-connector
Colour	Yellow



Technical data

Dimensions	
Width	9.26 mm
Pitch size	5 mm
Ratings	
Rated current	27 A
Contamination degree	3
Connection data	
No. of poles	2
Materials	
Material	Copper
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	\checkmark
Touch protection is available	\checkmark
Number of bridged terminals	2
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2023-01-17
REACH Candidate Substance Note	No
RoHS Conform	yes

Media



ZCONTACLIP

Accessories

##INVERSE##CONTA-CONNECT

THIN.	•	erminal for direct mount, Screw connectors-section: 2.5 mm², Colour: Beig		ounting
And and and a	Article number	Article name	GTIN (EAN)	Packaging unit
	1337.2	BKA 2,5/3 e.B. BG	4044211043858	50 ST
all the second	•	erminal for direct mount, Screw conn cross-section: 2.5 mm², Colour: Beig	••••	ounting
	Article number	Article name	GTIN (EAN)	Packaging unit
	1342.2	BKA 2,5/10 e.B. BG	4044211043902	20 ST
11111	•	erminal for direct mount, Screw connectors-section: 2.5 mm², Colour: Beig		ounting
ALL AND AND A	Article number	Article name	GTIN (EAN)	Packaging unit
	1349.2	BKA 2,5/20 e.B. BG	4044211043971	10 ST
unn	•	erminal for direct mount, Screw connectors-section: 2.5 mm², Colour: Beig	••••	ounting
ATT ANALANA	Article number	Article name	GTIN (EAN)	Packaging unit
	1362.2	BKA 2,5/16 b.B. BG	4044211044107	20 ST
THE PARTY OF	•	erminal for direct mount, Screw connectors-section: 2.5 mm², Colour: Beig	••••	ounting
	Article number	Article name	GTIN (EAN)	Packaging unit
V	1336.2	BKA 2,5/2 e.B. BG	4044211043841	50 ST
	Feed-through t	erminal for direct mount. Screw conne	ection Mounting type: M	ounting



Article number	Article name	GTIN (EAN)	Packaging unit
1348.2	BKA 2,5/18 e.B. BG	4044211043964	20 ST



##INVERSE##CONTA-CONNECT

111111				_
ATT AND A REAL	Article number	Article name	GTIN (EAN)	Packaging unit
*	1356.2	BKA 2,5/8 b.B. BG	4044211044046	20
Therein	•	terminal for direct mount, Screw of cross-section: 2.5 mm², Colour:	• • • • •	e: Mounting
FIF ananaa.	Article number	Article name	GTIN (EAN)	Packaging unit
~	1357.2	BKA 2,5/10 b.B. BG	4044211044053	20 ST
ninini	•	terminal for direct mount, Screw of cross-section: 2.5 mm ² , Colour:		: Mounting
STELLE MANAGE	Article number	Article name	GTIN (EAN)	Packaging unit
×	1323.2	BKA 2,5/4 BG	4044211043278	50 ST
And	Article number	d cross-section: 2.5 mm ² , Colour: Article name	GTIN (EAN)	Packaging unit
	1324.2	BKA 2,5/5 BG	4044211043360	50 ST
11 mm	Feed-through	BKA 2,5/5 BG terminal for direct mount, Screw of cross-section: 2.5 mm ² , Colour:	connection, Mounting type	
in the second	Feed-through	terminal for direct mount, Screw	connection, Mounting type	
	Feed-through surface, Rated	terminal for direct mount, Screw of cross-section: 2.5 mm², Colour:	connection, Mounting type Beige	: Mounting Packaging
	Feed-through surface, Rated Article number 1334.2 Feed-through	terminal for direct mount, Screw of cross-section: 2.5 mm², Colour: Article name	connection, Mounting type Beige GTIN (EAN) 4044211043827 connection, Mounting type	e: Mounting Packaging unit 10 ST
	Feed-through surface, Rated Article number 1334.2 Feed-through	terminal for direct mount, Screw of d cross-section: 2.5 mm ² , Colour: Article name BKA 2,5/20 BG terminal for direct mount, Screw of	connection, Mounting type Beige GTIN (EAN) 4044211043827 connection, Mounting type	e: Mounting Packaging unit 10 ST
	Feed-through surface, Rated Article number 1334.2 Feed-through surface, Rated	terminal for direct mount, Screw of d cross-section: 2.5 mm², Colour: Article name BKA 2,5/20 BG terminal for direct mount, Screw of d cross-section: 2.5 mm², Colour:	connection, Mounting type Beige GTIN (EAN) 4044211043827 connection, Mounting type Beige	E: Mounting Packaging unit 10 ST E: Mounting Packaging Packaging
	Feed-through surface, Rated Article number 1334.2 Feed-through surface, Rated Article number 1326.2 Feed-through	terminal for direct mount, Screw of d cross-section: 2.5 mm², Colour: Article name BKA 2,5/20 BG terminal for direct mount, Screw of d cross-section: 2.5 mm², Colour: Article name	connection, Mounting type Beige GTIN (EAN) 4044211043827 connection, Mounting type Beige GTIN (EAN) 4044211043568 connection, Mounting type	e: Mounting Packaging unit 10 ST e: Mounting Packaging unit 20 ST
	Feed-through surface, Rated Article number 1334.2 Feed-through surface, Rated Article number 1326.2 Feed-through	terminal for direct mount, Screw of d cross-section: 2.5 mm², Colour: Article name BKA 2,5/20 BG terminal for direct mount, Screw of d cross-section: 2.5 mm², Colour: Article name BKA 2,5/8 BG terminal for direct mount, Screw of	connection, Mounting type Beige GTIN (EAN) 4044211043827 connection, Mounting type Beige GTIN (EAN) 4044211043568 connection, Mounting type	e: Mounting Packaging unit 10 ST e: Mounting Packaging unit 20 ST

1331.2

BKA 2,5/15 BG

4044211043797



##INVERSE##CONTA-CONNECT

11111	•	l cross-section: 2.5 mm ² , Colour: I	onnection, Mounting type Beige	: Mounting
annanan.	Article number	Article name	GTIN (EAN)	Packaging unit
	1333.2	BKA 2,5/18 BG	4044211043810	20 ST
11111	•	terminal for direct mount, Screw c l cross-section: 2.5 mm², Colour: l	• • • •	e: Mounting
The analogan	Article number	Article name	GTIN (EAN)	Packaging unit
	1360.2	BKA 2,5/14 b.B. BG	4044211044084	20 ST
unam.	•	terminal for direct mount, Screw c I cross-section: 2.5 mm², Colour: I	• • • •	·
ATT ANALY	Article number	Article name	GTIN (EAN)	Packaging unit
	1361.2	BKA 2,5/15 b.B. BG	4044211044091	20 ST
The management	•	terminal for direct mount, Screw c I cross-section: 2.5 mm ² , Colour: I Article name	Beige	
	Article Humber	Article name	GTIN (EAN)	Packaging unit
and the second sec	<u>1363.2</u>	BKA 2,5/18 b.B. BG	4044211044114	
Turn	1363.2 Feed-through		4044211044114 connection, Mounting type	unit 20 ST
	1363.2 Feed-through	BKA 2,5/18 b.B. BG terminal for direct mount, Screw c	4044211044114 connection, Mounting type	unit 20 ST
	1363.2 Feed-through surface, Rated	BKA 2,5/18 b.B. BG terminal for direct mount, Screw c d cross-section: 2.5 mm², Colour: I	4044211044114 connection, Mounting type Beige	unit 20 ST Mounting Packaging
	1363.2Feed-through surface, RatedArticle number1365.2Feed-through	BKA 2,5/18 b.B. BG terminal for direct mount, Screw c d cross-section: 2.5 mm², Colour: I Article name	4044211044114 connection, Mounting type Beige GTIN (EAN) 4044211044138 connection, Mounting type	unit 20 ST Mounting Packaging unit 10 ST
	1363.2Feed-through surface, RatedArticle number1365.2Feed-through	BKA 2,5/18 b.B. BG terminal for direct mount, Screw c d cross-section: 2.5 mm², Colour: I Article name BKA 2,5/24 b.B. BG terminal for direct mount, Screw c	4044211044114 connection, Mounting type Beige GTIN (EAN) 4044211044138 connection, Mounting type	unit 20 ST Mounting Packaging unit 10 ST
	1363.2 Feed-through surface, Rated Article number 1365.2 Feed-through surface, Rated	BKA 2,5/18 b.B. BG terminal for direct mount, Screw of d cross-section: 2.5 mm ² , Colour: I Article name BKA 2,5/24 b.B. BG terminal for direct mount, Screw of d cross-section: 2.5 mm ² , Colour: I	4044211044114 connection, Mounting type Beige GTIN (EAN) 4044211044138 connection, Mounting type Beige	unit 20 ST Mounting Packaging unit 10 ST Mounting Packaging
	1363.2Feed-through surface, RatedArticle number1365.2Feed-through surface, RatedArticle number1325.2Feed-through	BKA 2,5/18 b.B. BG terminal for direct mount, Screw of d cross-section: 2.5 mm ² , Colour: I Article name BKA 2,5/24 b.B. BG terminal for direct mount, Screw of d cross-section: 2.5 mm ² , Colour: I Article name	4044211044114 connection, Mounting type Beige GTIN (EAN) 4044211044138 connection, Mounting type Beige GTIN (EAN) 4044211043476	unit 20 ST 20 ST 20 ST 20 ST 20 ST 20 ST 20 ST 20 ST

Creation	date	21	05	2023	09.42.01	
orcation	aalo	~ .	.00	.2020	00.42.01	

1329.2

BKA 2,5/13 BG

4044211043773



##INVERSE##CONTA-CONNECT

TUN!	•	terminal for direct mount, Screw conr d cross-section: 2.5 mm², Colour: Bei	• • • •	: Mounting
ALL MANAGEMENT	Article number	Article name	GTIN (EAN)	Packaging unit
	1344.2	BKA 2,5/13 e.B. BG	4044211043926	20 ST
al traini	•	terminal for direct mount, Screw conr d cross-section: 2.5 mm², Colour: Beig	• • • •	: Mounting
The analysis	Article number	Article name	GTIN (EAN)	Packaging unit
	1347.2	BKA 2,5/16 e.B. BG	4044211043957	20 ST
TITUT	•	terminal for direct mount, Screw conr d cross-section: 2.5 mm², Colour: Bei	• • • •	, , , , , , , , , , , , , , , , , , ,
ATT AND	Article number	Article name	GTIN (EAN)	Packaging unit
×.	1364.2	BKA 2,5/20 b.B. BG	4044211044121	10 ST
ALL COLOR	•	terminal for direct mount, Screw conr d cross-section: 2.5 mm², Colour: Beig Article name	• • • •	: Mounting Packaging unit
	1335.2	BKA 2,5/24 BG	4044211043834	10 ST
11111	•	terminal for direct mount, Screw conr d cross-section: 2.5 mm², Colour: Beig		: Mounting
Billi ananana	Article number	Article name	GTIN (EAN)	Packaging unit
	1338.2	BKA 2,5/4 e.B. BG	4044211043865	50
11000	•	terminal for direct mount, Screw conr d cross-section: 2.5 mm², Colour: Beig	• • • •	: Mounting
illi ananana	Article number	Article name	GTIN (EAN)	Packaging unit
	1346.2	BKA 2,5/15 e.B. BG	4044211043940	20 ST
1 unit	•	terminal for direct mount, Screw conr d cross-section: 2.5 mm², Colour: Beig	• • • •	: Mounting
The ananan	Article number	Article name	GTIN (EAN)	Packaging unit

1351.2

BKA 2,5/2 b.B. BG

4044211043995



##INVERSE##CONTA-CONNECT

		I cross-section: 2.5 mm ² , Colour: I	Beige	: Mounting
ALL HUMAN	Article number	Article name	GTIN (EAN)	Packaging unit
	1353.2	BKA 2,5/4 b.B. BG	4044211044015	50 ST
Thun	•	terminal for direct mount, Screw c l cross-section: 2.5 mm², Colour: l	• • • • •	: Mounting
And an and a second	Article number	Article name	GTIN (EAN)	Packaging unit
	1354.2	BKA 2,5/5 b.B. BG	4044211044022	50 ST
u tatan	•	terminal for direct mount, Screw c l cross-section: 2.5 mm², Colour: l		0
	Article number	Article name	GTIN (EAN)	Packaging unit
	1359.2	BKA 2,5/13 b.B. BG	4044211044077	20 ST
A summer	surface, Rated	terminal for direct mount, Screw c I cross-section: 2.5 mm ² , Colour: I	Beige	: Mounting Packaging
	Article number	Article name	GTIN (EAN)	unit
	1321.2	BKA 2,5/2 BG	4044211043070	50 ST
ann.	•	terminal for direct mount, Screw c l cross-section: 2.5 mm², Colour: l	• • • • •	: Mounting
The summer	Article number	Article name	GTIN (EAN)	Packaging unit
adaddaaa	Article number	Article name BKA 2,5/14 BG	GTIN (EAN) 4044211043780	
	<u>1330.2</u> Feed-through		4044211043780 onnection, Mounting type	unit 20 ST
	<u>1330.2</u> Feed-through	BKA 2,5/14 BG terminal for direct mount, Screw c	4044211043780 onnection, Mounting type	unit 20 ST
	1330.2 Feed-through surface, Rated	BKA 2,5/14 BG terminal for direct mount, Screw c I cross-section: 2.5 mm², Colour: I	4044211043780 onnection, Mounting type Beige	unit 20 ST : Mounting Packaging
	1330.2Feed-through surface, RatedArticle number1339.2Feed-through	BKA 2,5/14 BG terminal for direct mount, Screw c I cross-section: 2.5 mm², Colour: I Article name	4044211043780 onnection, Mounting type Beige GTIN (EAN) 4044211043872 onnection, Mounting type	unit 20 ST :: Mounting Packaging unit 50 ST

1327.2

BKA 2,5/10 BG

4044211043650



##INVERSE##CONTA-CONNECT

11111	-	terminal for direct mount, Screw I cross-section: 2.5 mm², Colour		: Mounting
ALL HUMAN	Article number	Article name	GTIN (EAN)	Packaging unit
	1332.2	BKA 2,5/16 BG	4044211043803	20 ST
in the second second	•	terminal for direct mount, Screw I cross-section: 2.5 mm², Colour	• • • • •	: Mounting
Bull and and an	Article number	Article name	GTIN (EAN)	Packaging unit
*	1345.2	BKA 2,5/14 e.B. BG	4044211043933	20 ST
in the second second	•	terminal for direct mount, Screw I cross-section: 2.5 mm², Colour	• • • • •	: Mounting
a.b.				Packaging
	Article number	Article name	GTIN (EAN)	unit
	Article number	Article name BKA 2,5/24 e.B. BG	GTIN (EAN) 4044211043988	
	1350.2 Feed-through surface, Rated	BKA 2,5/24 e.B. BG terminal for direct mount, Screw I cross-section: 2.5 mm ² , Colour	4044211043988 connection, Mounting type : Beige	unit 10 ST : Mounting
	1350.2 Feed-through	BKA 2,5/24 e.B. BG terminal for direct mount, Screw	4044211043988 connection, Mounting type	unit 10 ST
	1350.2 Feed-through surface, Rated	BKA 2,5/24 e.B. BG terminal for direct mount, Screw I cross-section: 2.5 mm ² , Colour	4044211043988 connection, Mounting type : Beige	unit 10 ST : Mounting Packaging
	<u>1350.2</u> Feed-through surface, Ratec <u>Article number</u> <u>1328.2</u> Ex feed-throug	BKA 2,5/24 e.B. BG terminal for direct mount, Screw I cross-section: 2.5 mm ² , Colour Article name	4044211043988 connection, Mounting type : Beige GTIN (EAN) 4044211043742 :X-certified, Screw connection	unit 10 ST : Mounting Packaging unit 20 ST on, Mounting
	<u>1350.2</u> Feed-through surface, Ratec <u>Article number</u> <u>1328.2</u> Ex feed-throug	BKA 2,5/24 e.B. BG terminal for direct mount, Screw I cross-section: 2.5 mm ² , Colour Article name BKA 2,5/12 BG gh terminal for direct mount ATE	4044211043988 connection, Mounting type : Beige GTIN (EAN) 4044211043742 :X-certified, Screw connection	unit 10 ST : Mounting Packaging unit 20 ST on, Mounting
	1350.2 Feed-through surface, Rated Article number 1328.2 Ex feed-through type: Mounting	BKA 2,5/24 e.B. BG terminal for direct mount, Screw I cross-section: 2.5 mm ² , Colour Article name BKA 2,5/12 BG gh terminal for direct mount ATE surface, Rated cross-section: 2	4044211043988 connection, Mounting type : Beige GTIN (EAN) 4044211043742 :X-certified, Screw connection 2.5 mm², Width: 5 mm, Colo	unit 10 ST : Mounting Packaging unit 20 ST on, Mounting our: Beige Packaging
	1350.2 Feed-through surface, Rated Article number 1328.2 Ex feed-through surface, Rated Article number 1328.2 Article number 1328.2 Feed-through surface Article number 1405.2 Feed-through surface	BKA 2,5/24 e.B. BG terminal for direct mount, Screw I cross-section: 2.5 mm ² , Colour Article name BKA 2,5/12 BG gh terminal for direct mount ATE surface, Rated cross-section: 2 Article name	4044211043988 connection, Mounting type : Beige GTIN (EAN) 4044211043742 :X-certified, Screw connection 2.5 mm², Width: 5 mm, Colo GTIN (EAN) 4044211044527 connection, Mounting type	unit 10 ST : Mounting Packaging unit 20 ST on, Mounting our: Beige Packaging unit 100
	1350.2 Feed-through surface, Rated Article number 1328.2 Ex feed-through surface, Rated Article number 1328.2 Article number 1328.2 Feed-through surface Article number 1405.2 Feed-through surface	BKA 2,5/24 e.B. BG terminal for direct mount, Screw I cross-section: 2.5 mm ² , Colour Article name BKA 2,5/12 BG gh terminal for direct mount ATE surface, Rated cross-section: 2 Article name BKA 2,5/1 Ex BG terminal for direct mount, Screw	4044211043988 connection, Mounting type : Beige GTIN (EAN) 4044211043742 :X-certified, Screw connection 2.5 mm², Width: 5 mm, Colo GTIN (EAN) 4044211044527 connection, Mounting type	unit 10 ST : Mounting Packaging unit 20 ST on, Mounting our: Beige Packaging unit 100

Article number	Article name	GTIN (EAN)	Packaging unit
1322.2	BKA 2,5/3 BG	4044211043186	50 ST



##INVERSE##CONTA-CONNECT

A MILL	•	terminal for direct mount, Screw of cross-section: 2.5 mm², Colour:		: Mounting
anananana ana	Article number	Article name	GTIN (EAN)	Packaging unit
	1341.2	BKA 2,5/8 e.B. BG	4044211043896	20 ST
unn.	•	terminal for direct mount, Screw of cross-section: 2.5 mm², Colour:		: Mounting
				Packaging
	Article number	Article name	GTIN (EAN)	unit
	Article number	Article name BKA 2,5/3 b.B. BG	GTIN (EAN) 4044211044008	unit 50 ST
	1352.2 Feed-through		4044211044008 connection, Mounting type	50 ST
	1352.2 Feed-through	BKA 2,5/3 b.B. BG terminal for direct mount, Screw o	4044211044008 connection, Mounting type	50 ST
	1352.2 Feed-through surface, Rated	BKA 2,5/3 b.B. BG terminal for direct mount, Screw of cross-section: 2.5 mm ² , Colour:	4044211044008 connection, Mounting type Beige	50 ST : Mounting Packaging
	<u>1352.2</u> Feed-through f surface, Rated Article number <u>1358.2</u> Feed-through f	BKA 2,5/3 b.B. BG terminal for direct mount, Screw of cross-section: 2.5 mm ² , Colour: Article name	4044211044008 connection, Mounting type Beige GTIN (EAN) 4044211044060 connection, Mounting type	50 ST : Mounting Packaging unit 20 ST
	<u>1352.2</u> Feed-through f surface, Rated Article number <u>1358.2</u> Feed-through f	BKA 2,5/3 b.B. BG terminal for direct mount, Screw of d cross-section: 2.5 mm ² , Colour: Article name BKA 2,5/12 b.B. BG terminal for direct mount, Screw of	4044211044008 connection, Mounting type Beige GTIN (EAN) 4044211044060 connection, Mounting type	50 ST : Mounting Packaging unit 20 ST

##INVERSE##CONTA-CONNECT




Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1329.2	BKA 2,5/13 BG	4044211043773	20 ST

##INVERSE##CONTA-CONNECT





##INVERSE##CONTA-CONNECT

10101	Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm ² , Colour: Beige			
anananan an	Article number	Article name	GTIN (EAN)	Packaging unit
	1324.2	BKA 2,5/5 BG	4044211043360	50 ST

##INVERSE##CONTA-CONNECT



Article number	Article name	GTIN (EAN)	Packaging unit
1357.2	BKA 2,5/10 b.B. BG	4044211044053	20 ST

##INVERSE##CONTA-CONNECT



Article number	Article name	GTIN (EAN)	Packaging unit
1364.2	BKA 2,5/20 b.B. BG	4044211044121	10 ST



##INVERSE##CONTA-CONNECT

11 MIL	U	Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm ² , Colour: Beige				
FFF ananana.	Article number	Article name	GTIN (EAN)	Packaging unit		
	1342.2	BKA 2,5/10 e.B. BG	4044211043902	20 ST		

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1353.2	BKA 2,5/4 b.B. BG	4044211044015	50 ST

##INVERSE##CONTA-CONNECT



Article number	Article name	GTIN (EAN)	Packaging unit
1358.2	BKA 2,5/12 b.B. BG	4044211044060	20 ST