
1393454-6 - ACTIVE

TE Internal #: 1393454-6 Automotive Connector Caps & Covers, Cover - Cable Exit, Black, PBT GF, 52 Position, -40 – 284 °F [-40 – 140 °C] View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: Cover - Cable Exit

Strain Relief: Without

Primary Product Color: Black

Primary Product Material: **PBT GF**

Number of Positions: 52

Features

Product Type Features

Protection & Strain Relief Accessory Type

Cover - Cable Exit

52

Configuration Features

Number of Positions

Body Features

Primary Product Color	Black
Primary Product Material	PBT GF
Mechanical Attachment	
Strain Relief	Without
Dimensions	
Compatible Cable Bundle Diameter Range	11.25 mm[.443 in]
Usage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 ° C[158 °F][167 °F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F] [284 °F]
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Industry Standards	
UL Flammability Rating	UL 94HB
Packaging Features	

C For support call+1 800 522 6752

1393454-6

Automotive Connector Caps & Covers, Cover - Cable Exit, Black, PBT GF, 52 Position, -40 – 284 °F [-40 – 140 °C]



Packaging Quantity	660	
Packaging Method	Box	
Other		
Serviceable	Yes	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023	

Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Halogen Content


Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought





TE Part #1393454-1 V23542C1028Z100=28P ABDECKKAPP





1393454-6

Automotive Connector Caps & Covers, Cover - Cable Exit, Black, PBT GF, 52 Position, -40 – 284 °F [-40 – 140 °C]



	TE TE		O TE
TE Part #1813112-1 MCP 1.5&2.8 HYB 28P PLUG ASS`Y	TE Part #1338664-1 GUIDE, UPPER STRIP	TE Part #2161328-1 HEX HEAD, FLANGED, M5x8mm LONG	TE Part #346102-2 RING TONGUE 0.5-1.0 MM2 0.6 X 15.2 CUSN



Documents

Product Drawings V23542C1052Z100=52P COVER

English

V23542C1052Z100=52P COVER

English

CAD Files

3D PDF

English

Customer View Model

ENG_CVM_1393454-6_A1.2d_dxf.zip

English

Customer View Model

ENG_CVM_1393454-6_A1.3d_igs.zip

English

Customer View Model

ENG_CVM_1393454-6_A1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.