

環境管理物質材料成份宣告書Declaration of Environment-Related Substances Use/Nonuse

Vender : CHIA CHERNE INDUSTRY CO.,LTD.
 Responsible Person : Y.P.Kuo
 Company Address : No.55, Alley 121 ,Lane 175,Kousheng Rd., Changhua City,Taiwan

All components of RoHS or Green sold to buyer and the utilized raw materials, dyes, accessories, packaging materials and manufacturing process contain no hazardous substances which are prohibited by the DIRECTIVE 2002/95/EC OF THE EUROPEAN PARLIAMENT.

P/N : SEA-A (mfg:JACG9CC-2-081)

Product Name : HEATSINK

Heatsink/FAN

NO.	Part Name	Material Vender	Material Composition	Report
1	Sink / JAH9CC	Cooljag	Copper C1020	CE_2005_86484
2	Screw / JAS102C-1	皇銘五金有限公司	Lead less free cutting brass	CE_2005_50713
3	Spring / JAS102C-2	有澤金屬有限公司	SUS 304	CE_2004_90213
4	Grease / JAP001A	Dow Corning	SC102	CE_2004_71778
5	Cover / JAW102	中國鋼鐵	Al alloy	THJ0013373
6	Screw / JAS003C JAS078C	中國鋼鐵	SAE1018	CE_2005_33614A
7	Back plate / JAT053	春源鋼鐵工業股份有限公司	冷軋鋼捲	CE_2005_11173
8	Back plate mylar / JAT053	敏豐隆	SR53	CE_2004_72868A
9	Fan / JAF404010H1G	Everflow	--	R124010BMAI8A501

Packing

NO.	Part Name	Material Vender	Material Composition	Report
1	Blue Box / PBJA08	九禾	--	CE_2004_C1594
2	Fan label / PTJA02	春明印刷	---	CE_2004_82170
2	EPE protected packing JAX0015 JAX0016	光輪	EPE	CE_2005_76060A

Product Photo



**C O P Y**

13.05.2002

Le/i

Page 1

CERTIFICATE OF ANALYSIS**Customer:**

GWO Chem Industrial Co., Ltd.
No. 186-28 Hai Hu Hai Hu Vill
Lu Chu Hsiang, Taoyuan
TAIWAN R.O.C.

	Net Weight	Gross Weight
342 Billets =	108.284 mts	108.440 mts

Irrevocable Doc. Credit Number 2AEJR27004701059 dated 020419
of Bank of Taiwan 248, Chungshan North Road Taipei Taiwan
Quantity: 108.284 mts
Trade Terms: CIF Keelung

The above mentioned Electrolytic Copper Continuous Cast Billets
Brand „NA-Cast“ 150mm x 2000mm Quality: BE58,
are conform to Cu-PHC according to DIN EN 1976 and Copper OFXLP
according to ASTM B 379, however with an electrical conductivity
of 100 % IACS.

Chemical Composition

Copper content min. 99.95 % (incl. Ag).

Electrical Conductivity

Electrical conductivity min. 100 % IACS.

Dimensions and Tolerances

According to ASTM B 379 and NA's catalogue.

.../2



13.05.2002

Lefi

Page 2

C O P Y**CERTIFICATE OF ANALYSIS****Freedom of Embrittlement**

The freedom of embrittlement is tested according to ASTM B 577
(Closed Bend Test)

Typical Analysis (ppm):

Pb	Bi	As	Sb	Sn	Zn	Fe	Ni	Ag	Se	Te	S	P
4	<1	3	3	<1	<3	8	8	10	1	<1	8	appr. 30

The requirements are met.

The aforesaid data are given for purposes of technical quality
description only and do not constitute guaranteed properties in legal terms.

Copper Products Division
Marketing and Sales

A handwritten signature in cursive script, appearing to read 'S. Lehmann'.

i.A. S. Lehmann

Test Report

CHIA CHERNE INDUSTRY CO., LTD.
NO. 55, ALLEY 121, LANE 175, KOUSHENG RD.,
CHANGHUA CITY, TAIWAN

Report No. : CE/2005/86484
Date : 2005/09/05
Page : 1 of 2

The following merchandise was (were) submitted and identified by the client as :

Type of Product : COPPER HEATSINK
Sample Received : 2005/08/29
Testing Date : 2005/08/29 TO 2005/09/05

Test Result

PART NAME NO.1 : GOLDEN COLORED METAL (PLEASE REFER TO THE PHOTO ATTACHED)
PART NAME NO.2 : GOLDEN COLORED CLADDING MATERIAL (PLEASE REFER TO THE PHOTO ATTACHED)

Test Item (s):	Unit	Method	MDL	Result	
				No.1	No.2
Cadmium (Cd)	ppm	ICP-AES after reference to EN 1122, method B:2001 or other acid digestion.	2	N.D.	---
Mercury (Hg)	ppm	ICP-AES after reference to US EPA 3052 or other acid digestion.	2	N.D.	---
Lead (Pb)	ppm	ICP-AES after reference to US EPA 3050B or other acid digestion.	2	N.D.	---
Chromium VI (Cr+6)	ppm	UV-VIS after reference to US EPA 3060A.	2	---	N.D.

NOTE: (1) N.D. = Not detected (<MDL)
(2) ppm = mg/kg
(3) MDL = Method Detection Limit
(4) " - " = No Regulation
(5) " --- " = Not Applicable


Daniel Yen, M.R. / Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.

Test Report

CHIA CHERNE INDUSTRY CO., LTD.
NO. 55, ALLEY 121, LANE 175, KOUSHENG RD.,
CHANGHUA CITY, TAIWAN

Report No. : CE/2005/86484
Date : 2005/09/05
Page : 2 of 2





Test Report

皇銘五金有限公司

*248 台北縣五股鄉成泰路3段548巷5號

報告號碼 : CE/2005/50713

日期 : 2005/05/12

頁數 : 1 of 2

以下測試樣品乃供應廠商所提供及確認：

樣品名稱	1	LEAD LESS FREE CUTTING BRASS
產品型號	1	TB3
收件日期	1	2005/05/03.
測試日期	1	2005/05/05 TO 2005/05/12

測試結果

測試單位 NO.1

銅合金壓件(請參照附件圖片)

測試項目	單位	測試方法	偵測極限值	結果
六價鉻	ppm	依照US EPA 3060A方法,用UV-VIS 微分析	2	N.D.
鎘	ppm	依照 EN1122 方法B:2001或其他酸 消化方法,用感應耦合電漿原子發 射光譜儀(ICP-AES)做分析	2	N.D.
汞	ppm	依照 US EPA 3052 方法或其他酸 消化方法,用感應耦合電漿原子發 射光譜儀(ICP-AES)做分析	2	N.D.
鉛	ppm	依照 US EPA 3050B 方法或其他酸 消化方法,用感應耦合電漿原子發 射光譜儀(ICP-AES)做分析	2	23.4

備註：(1) N.D. = Not detected. (<MDL) / 未檢出(低於偵測極限/1)

(2) ppm = ug/kg / 百萬分之一

(3) MDL = Method Detection Limit (偵測極限值)

Daniel Yen
Daniel Yen, M.R. / Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.



TW 1827316

2AS102C-2

有澤金屬股份有限公司
YEOUTZER METALS CO., LTD 品質報告書

DATE OF ISSUE October 5, 2000
發行日 NO.00044

CONTRACTOR 合約編號			CUSTOMER 客戶名稱 : 敏豐隆企業有限公司			
DESCRIPTION 品名		STAINLESS STEEL WIRE	TYPE OF STEEL 鋼種名稱	SUS 304	SIZE 尺寸	0.81mm
NET MASS 淨重		KG	ORDER NO. 訂單編號			

ELEMENTS 成分	CHEMICAL COMPOSITION 化學成分 (%)													
	C X100	Si X100	Mn X100	P X1000	S X1000	Ni X100	Cr X100	Mo X100	N X100	CU X100				
SPECIFICATION 規格	7	42	129	26	2	329	1823	19	4.4	42				
HEAT NO. 爐號														

INSPECTION ITEMS 檢查項目	INSPECTION RESULTS 檢查結果						
	SIZE 尺寸	TENSILE STRENGTH 抗張強度	OUT OF ROUNDNESS 外徑				
SPECIFICATION 規格	Mm 0.8±0.015	N/mm2 1863 2103	Mm 0.015 MAX				
Steel Grade 鋼種名稱	0.796 END	198	0.004				

YEOUTZER METALS CO., LTD.



CHUNG YIN SPRIN CO.

SGS

Test Report

報告號碼 : CB/2004/90218

日期 : 2004/09/08

頁數 : 1 of 2

以下測試樣品乃供應廠商所提供及確認 :

樣品名稱	: AISI SUS 304
收件日期	: 2004/09/02
測試日期	: 2004/09/02 TO 2004/09/08

測試結果 : 請見下一頁 -


Daniel Yan, M.P., Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification, and jurisdictional issues defined therein. The results shown in this test report refer only to the samples tested under the conditions stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. 本報告係根據客戶提供之樣品所製成，其內容僅供參考，不得作為其他用途。本公司之服務範圍、免責、賠償及管轄等事項，請參閱本報告背面之一般條款。本報告之內容僅供參考，不得作為其他用途。本公司之服務範圍、免責、賠償及管轄等事項，請參閱本報告背面之一般條款。

TW1078747

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No. 136-1 Wu Kong Road, Wuku Industrial Zone, Taipei County, Taiwan / 台北縣五股工業區五工路136-1號
TEL: 886-21 2289-8909 FAX: 886-21 2289-3737
WWW.M.sgs.com

LOCAL NAME:

NO:

10-05-2004-10-22 0.003

Test Report

報告號碼 : CE/2004/80213

日期 : 2004/09/08

頁數 : 2 of 2

測試結果

測試部位 NO.1

： 鋁包金屬線

測試項目:	單位	測試方法	偵測極限值	結果			
				NO.1			
多環芳烴(PBBs)	%	參考USEPA8060或USEPA8850方法, 以氣相層析儀/電子捕捉偵測器/質譜儀(GC/ECD/MS)或高效液相層析儀/二極體陣列偵測器/質譜儀(HPLC/DAD/MS)檢測(參考2002/93/EC (RoHS), 83/266/EEC, 76/769/EEC法規)	0.0005	N.D.			
多環芳烴(PBREs/PRDEs)	%	參考USEPA8060或USEPA8850方法, 以氣相層析儀/電子捕捉偵測器/質譜儀(GC/ECD/MS)或高效液相層析儀/二極體陣列偵測器/質譜儀(HPLC/DAD/MS)檢測(參考2002/93/EC (RoHS), 83/266/EEC, 76/769/EEC法規)	0.0005	N.D.			

測試項目:	單位	測試方法	偵測極限值	結果			
				NO.1			
六價鉻	ppm	依照US EPA 7196A及8060A方法	3	N.D.			
鎘	ppm	依照 EN1122 方法B:2001或其他酸消化方法, 用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.			
汞	ppm	依照 US EPA 8052 方法或其他酸消化方法, 用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.			
鉛	ppm	依照 US EPA 3050B 方法或其他酸消化方法, 用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	53.2			

備註: (1) N.D. = Not detected. (MDL) / 未檢出(低於偵測極限值)

(2) ppm = mg/kg / 百萬分之一

(3) MDL= Method Detection Limit(偵測極限值)

This Test Report is issued by the Company subject to its General Conditions of Service printed elsewhere. Attention is drawn to the limitations of liability, indemnification, and jurisdiction clauses contained therein. The results shown in this test report refer only to the material tested and no other material or product. The test report is not to be used for any other purpose without the prior written consent of the Company. 此測試報告係根據SGS之一般服務條件所發出, 該等條件載於別處。報告中所示之測試結果僅指所測試之材料, 並不包括其他材料或產品。未經本公司事先書面同意, 不得將此測試報告用於任何其他目的。本公司不對此報告之使用負責。SGS Taiwan Ltd. No. 136-1 Wu Kong Road, Wuku Industrial Zone, Taipei County, Taiwan. / 台北縣五股工業區五工路136-1號 (886-2) 2293-8999 www.tw.sgs.com

TW 1042770

SC102**HEAT-TRANSFER COMPOUND**

SC102 heat-transfer compound is a grease like silicone material heavily filled with heat-conductive metal oxide.

SC102 heat-transfer compound is an improved product that can be used in touch with silicone JCR, where most of silicone heat-transfer compounds cause swelling of JCR. SC102 also shows excellent heat conductivity as well very little oil bleed. SC102 has rather high consistency and it is easy to handle and can be used in many appliances.

Properties of SC102

Properties	Unit	SC102
Consistency, penetration un-worked	--	300
Oil bleed (120°C / 24hrs)	%	0.00
Specific Gravity	--	2.45
Thermal Conductivity	Cal / cm ² sec. C	0.0019
Arc Resistance	sec.	123
Dielectric Constant 60 Hz	--	4.6
1000 Hz	--	4.4
Dissipation Factor 60 HZ	--	0.034
1000 HZ	--	0.024
Volume Resistivity	ohm ² cm	4.8 x 10 ¹⁴
Dielectric Strength	kV / 2.5mm	22

Properties of SC102 in comparison with SH340

Properties	SC102	SH340 ^{a)}
Swelling of Silicone JCR ^{b)}		
Volume increase	0.9%	3.0%
Oil bleed on alminum plate		
120°C / 24hrs	None	observed
Appearance after heating		
150°C / 24hrs	No change	No change

a) Conventional silicone heat-transfer compound

b) Cured silicone JCR (SH6101) was immersed in heat-transfer compound at 120°C for 120hrs.

Dow Corning Toray Silicone Co., Ltd.

AIG Bldg. 1-3, Marunouchi 1-chome, chiyoda-ku

Tokyo 100-0005, Japan

TEL: 03-3287 8300

IMPORTANT NOTICE :Dow Corning Toray Silicone neither represents nor tests this material for medical device applications or for pharmaceutical end-use.

NOT FOR HUMAN INJECTION !

This product is made to industrial grade standards. It is not intended for nor should it be used in medical device applications and pharmaceutical end-use.



Test Report

SIL-MORE INDUSTRIAL LTD.
16F, NO. 100, HSIN TEH ROAD, SAN CHUNG CITY,
TAIPEI COUNTY TAIWAN, R. O. C.

Report No : CE/ 2004/ 71778A
Date : 2004/ 07/ 21
Page : 1 of 10

The following merchandise was(were) submitted and identified by the client as :

Type of Product : HEAT TRANSFER COMPOUND
Style/ Item No : DOW CORNING TORAY SC102
Information Need to be : BATCH:000/ 893164
Printed on Report
Sample Received : 2002/ 12/ 30 & 2004/ 07/ 14.
Testing Date : 2002/ 12/ 30 TO 2003/ 01/ 09 & 2004/ 07/ 14 TO 2004/ 07/ 21

=====

Test Result : - Please see the next page -

* This report is combine with CY/ 2002/ C2491 report *


Daniel Yeh, M.R. / Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.



Test Report

SIL-MORE INDUSTRIAL LTD.
16F, NO. 100, HSIN TEH ROAD, SAN CHUNG CITY,
TAIPEI COUNTY TAIWAN, R. O. C.

Report No : CE/2004/71778A

Date : 2004/07/21

Page : 2 of 10

Test Result

PART NAME NO.1 : WHITE PASTE

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Carbon tetrachloride	ppm	With reference to US EPA 8260. Analysis was performed by GC/ MS linked Headspace.	1	N.D.				

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
CFC's(Chlorofluorocarbons)		With reference to US EPA 8260.						
Group I								
Chlorofluorocarbon-11(CAS No:000075-69-4)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-12(CAS No:000075-71-8)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-113(CAS No:000076-13-1)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-114(CAS No:000076-14-2)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-115(CAS No:000076-15-3)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Group III								
Chlorofluorocarbon-13(CAS No:000075-72-9)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-111(CAS No:000354-56-3)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SIL-MORE INDUSTRIAL LTD.
16F, NO. 100, HSIN TEH ROAD, SAN CHUNG CITY,
TAIPEI COUNTY TAIWAN, R. O. C.

Report No : CE/2004/71778A

Date : 2004/07/21

Page : 3 of 10

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Chlorofluorocarbon-112(CAS No:000076-12-0)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-211(CAS No:135401-87-5)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-212(CAS No:076564-99-3)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-213(CAS No:060285-54-3)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-214(CAS No:002268-46-4)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-215(CAS No:000076-17-5)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-216(CAS No:001652-80-8)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-217(CAS No:000422-86-6)	ppm	Analysis was performed by GC/ MS.(CFC's(Chlorofluorocarbons))	1	N.D.				
Methyl chloroform(CAS No.:000071-55-6)	ppm	With reference to US EPA 8260. Analysis was performed by GC/ MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Chlorinated Paraffin (C10~C13) (CAS NO:010871-26-2)	%	With reference to 83/264/EEC & EPA 8270D. Analysis was performed by GC/ MS.	0.01	N.D.				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SIL-MORE INDUSTRIAL LTD.
16F, NO. 100, HSIN TEH ROAD, SAN CHUNG CITY,
TAIPEI COUNTY TAIWAN, R. O. C.

Report No : CE/2004/71778A

Date : 2004/07/21

Page : 4 of 10

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Halon		With reference to US EPA 8260.						
Halon-1211(CAS No:000353-59-3)	ppm	Analysis was performed by GC/ MS	1	N.D.				
Halon-1301(CAS No:000075-63-8)	ppm	Analysis was performed by GC/ MS	1	N.D.				
Halon-2402(CAS No:000124-73-1)	ppm	Analysis was performed by GC/ MS	1	N.D.				

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
PBBs(Polybrominated biphenyls)(CAS NO:67774-32-7)	%	With reference to 83/264/EEC. Analysis was performed by GC/ MS.	0.0005	N.D.				

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
PBBEs(PBDEs)(Polybrominated biphenyl ethers)	%	With reference to 83/264/EEC. Analysis was performed by GC/ MS.	0.0005	N.D.				

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
PCBs(Polychlorinated Biphenyls)(CAS NO:001336-36-3)	ppm	With reference to US EPA 8082,89/677/EEC. Analysis was performed by GC/ ECD/ MS.	0.5	N.D.				

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Polychlorinated Naphthalene	ppm	With reference to 83/264/EEC & EPA 8270D. Analysis was performed by GC/ MS.	5	N.D.				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SIL-MORE INDUSTRIAL LTD.
16F, NO. 100, HSIN TEH ROAD, SAN CHUNG CITY,
TAIPEI COUNTY TAIWAN, R. O. C.

Report No : CE/ 2004/ 71778A

Date : 2004/ 07/ 21

Page : 5 of 10

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
PCTs(Polychlorinated Terphenyls)	ppm	With reference to US EPA 8082,89/ 677/ EEC. Analysis was performed by GC/ ECD/ MS.	0.5	N.D.				

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Halogen		As per prEN14582 method B.						
Halogen-Chlorine (Cl)(CAS No:007782-50-5)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it , The absorb solution was analyzed by IC method	50	N.D.				
Halogen-Fluorine (F)(CAS No:007782-41-4)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it , The absorb solution was analyzed by IC method	50	N.D.				
Halogen-Bromine (Br)(CAS No:007726-95-6)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it , The absorb solution was analyzed by IC method	50	N.D.				
Halogen-Iodine (I)(CAS No:007553-56-2)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it , analyzed by ICP	50	N.D.				

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
PVC free(CAS No:9002-86-2)	**	With reference to ASTM E1252 method. Analysis was performed by FTIR/ ATR AND Pyro-GC/ MS.	-	Negative				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SIL-MORE INDUSTRIAL LTD.
16F, NO. 100, HSIN TEH ROAD, SAN CHUNG CITY,
TAIPEI COUNTY TAIWAN, R. O. C.

Report No : CE/ 2004/ 71778A

Date : 2004/ 07/ 21

Page : 6 of 10

Test Item (s):	Unit	Method	MDL	Result				
				NO.1				
HCFC's(Hydrogenated chlorofluorocarbons)		With reference to US EPA 8260.						
Hydrochlorofluorocarbon-21(CAS No.:000075-43-4)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-22(CAS No.:000075-45-6)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-31(CAS No.:000593-70-4)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-121(CAS No.:000354-14-3)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-122(CAS No.:000354-21-2)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-123(CAS No.:000306-83-1)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-124(CAS No.:002837-89-0)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-131(CAS No.:000359-28-4)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-131b(CAS No.:000471-43-2)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-133a(CAS No.:000075-88-7)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-141b(CAS No.:001717-00-6)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SIL-MORE INDUSTRIAL LTD.
16F, NO. 100, HSIN TEH ROAD, SAN CHUNG CITY,
TAIPEI COUNTY TAIWAN, R. O. C.

Report No : CE/ 2004/ 71778A

Date : 2004/ 07/ 21

Page : 7 of 10

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Hydrochlorofluorocarbon-221	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-222(CAS No.:000422-30-0)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-223	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-224	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-225ca(CAS No.:000422-56-0)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-225cb(CAS No.:000507-55-1)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-226(CAS No.:000431-87-8)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-231	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-232	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-233	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-234	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SIL-MORE INDUSTRIAL LTD.
16F, NO. 100, HSIN TEH ROAD, SAN CHUNG CITY,
TAIPEI COUNTY TAIWAN, R. O. C.

Report No : CE/ 2004/ 71778A

Date : 2004/ 07/ 21

Page : 8 of 10

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Hydrochlorofluorocarbon-235(CAS No.:013838-16-9)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-241	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-242	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-243(CAS No.:000338-75-0)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-244	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-251	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-252	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-253(CAS No.:000354-06-1)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-261(CAS No.:000420-97-3)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-262(CAS No.:000420-97-3)	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-271	ppm	Analysis was performed by GC/ MS.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SIL-MORE INDUSTRIAL LTD.
16F, NO. 100, HSIN TEH ROAD, SAN CHUNG CITY,
TAIPEI COUNTY TAIWAN, R. O. C.

Report No : CE/2004/71778A

Date : 2004/07/21

Page : 9 of 10

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Chromium VI (Cr+6)	ppm	As per US EPA 7196A and US EPA 3060A.	2	N.D.				
Cadmium (Cd)	ppm	ICP-AES After As per EN 1122, Method B:2001 or other acid digestion.	2	N.D.				
Mercury (Hg)	ppm	ICP-AES After As per US EPA 3052 or other acid digestion.	2	N.D.				
Lead (Pb)	ppm	ICP-AES After As per US EPA 3050B or other acid digestion.	2	17.6				


NOTE : (1) N.D. = Not detected.(<MDL)
(2) ppm = mg/ kg
(3) MDL= Method Detection Limit
(4) " ---" = Not Applicable
(5) " -" = Not Regulation
(6) * = Results shown are of the adjusted analytical results.
(7) **= Qualitative analysis(No Unit)
(8) Negative = Undetectable / Positive = Detectable.



Test Report

SIL-MORE INDUSTRIAL LTD.
16F, NO. 100, HSIN TEH ROAD, SAN CHUNG CITY,
TAIPEI COUNTY TAIWAN, R. O. C.

Report No : CE/2004/71778A
Date : 2004/07/21
Page : 10 of 10





Test Report

SIL-MORE INDUSTRIAL LTD.
16F, NO. 100, HSIN TEH ROAD, SAN CHUNG
CITY, TAIPEI COUNTY, TAIWAN, R. O. C.

Report No. : CM/ 2004/ B0080
Date : 2004/ 11/ 16
Page : 1 of 1

The following merchandise was (were) submitted and identified by the client as :

Type of Product : DOW CORNING TORAY SC102
Sample Received : 2004/ 11/ 08
Testing Date : 2004/ 11/ 08 TO 2004/ 11/ 16

Test Result

PART NAME NO.1 : PLEASE REFER TO THE SAMPLE CARD(S).

Test Item (s):	Unit	Method	MDL	Result				
				No.1				
Bismuth (Bi)	ppm	ICP-AES	2	N.D.				
Indium (In)	ppm	ICP-AES	2	N.D.				

NOTE : (1) N.D. = Not detected (<MDL)
(2) ppm = mg/ kg
(3) MDL = Method Detection Limit
(4) " --- " = Not Applicable
(5) " - " = No Regulation
(6) * = Results shown are of the adjusted analytical results
(7) ** = Qualitative analysis (No Unit)
(8) Negative = Undetectable / Positive = Detectable


Daniel Yeh, M.R. / Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company

Taiwell

NO:900411

90年03月11

品質證明書

客 戶	台輝企業有限公司		
合 金	鍊 度	尺 寸 mm	重 量 Kg
1050	H14	1.0*916*Coil	5397.5

機 械 性 能 MECHANICAL PROPERTIES

厚度 mm	鑑 別 號	拉力強度 kg/mm ²	延 伸 率 %
1.0	6030402	12.17	7
1.0	6030314	12.28	7
1.0	6030401	12.39	8

化 學 成 份 CHEMICAL COMPOSITION

厚度 mm	鑑 別 號	Si	Fe	Cu	Mn	Mg	Zn	Cr	Ti	Al
1.0	6030402	0.10	0.26	<0.05	<0.05	<0.05	<0.05	<0.05	0.01	99.6
1.0	6030314	0.10	0.26	<0.05	<0.05	<0.05	<0.05	<0.05	0.01	99.6
1.0	6030401	0.09	0.29	<0.05	<0.05	<0.05	<0.05	<0.05	0.01	99.6

台輝鋁業股份有限公司
 TAIWELL ALUMINUM CORPORATION
 總公司：台南縣官田鄉工業路18號
 TEL: (06)6984525-8 FAX: (06)6985822



TEST REPORT

NUMBER : THJ0013373

APPLICANT: TONG YU INDUSTRY CO., LTD
NO2-32 LANE 518
SEC 3 CHUNGSHAN RD
CHANGHUA CITY CHANGHUA COUNTY 500
TAIWAN R.O.C.

DATE : JAN 06, 2006

SAMPLE DESCRIPTION:

ONE (1) GROUP OF SUBMITTED SAMPLES SAID TO BE :

SAMPLE DESCRIPTION : A5052 SERIES + ANODIZING NATURAL COLOR

DATE SAMPLE RECEIVED : DEC 30, 2005

DATE TEST STARTED : DEC 30, 2005

TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS PLEASE REFER TO ATTACHED PAGES.

PREPARED AND CHECKED BY:
FOR INTERTEK TESTING SERVICES
TAIWAN LIMITED



JACOB LIN
GENERAL MANAGER

TESTS CONDUCTED

(A) TEST RESULT SUMMARY :

<u>TESTING ITEM</u>	<u>RESULT (ppm)</u>
	<u>SUBMITTED SAMPLES</u>
CADMIUM (Cd) CONTENT	ND
LEAD (Pb) CONTENT	ND
MERCURY (Hg) CONTENT	ND
CHROMIUM VI (Cr ⁶⁺) CONTENT	ND

REMARKS : ppm = PARTS PER MILLION
ND = NOT DETECTED

(B) TEST METHOD :

<u>TESTING ITEM</u>	<u>TESTING METHOD</u>	<u>REPORTING LIMIT</u>
CADMIUM (Cd) CONTENT	WITH REFERENCE TO USEPA 3052, BY MICROWAVE DIGESTION AND DETERMINED BY ICP-OES	2 ppm
LEAD (Pb) CONTENT	WITH REFERENCE TO USEPA 3052, BY MICROWAVE DIGESTION AND DETERMINED BY ICP-OES	2 ppm
MERCURY (Hg) CONTENT	WITH REFERENCE TO USEPA 3052, BY MICROWAVE DIGESTION AND DETERMINED BY ICP-OES	2 ppm
CHROMIUM VI (Cr ⁶⁺) CONTENT	WITH REFERENCE TO USEPA 3060A & 7196A, BY ALKALINE DIGESTION AND DETERMINED BY UV-VIS	1 ppm

REMARK : REPORTING LIMIT = QUANTITATION LIMIT OF ANALYTE IN SAMPLE

END OF REPORT

TESTS CONDUCTED



品質證明書
TEST CERTIFICATE

(INSPECTION CERTIFICATE)

中國鋼鐵股份有限公司
CHINA STEEL CORPORATION
中華民國高雄市小港區中興路1號
1 CHUNG KANG ROAD HSIAO KANG KAOHSIUNG
TAIWAN, REPUBLIC OF CHINA
TEL: (07)892-1111 FAX: (07)892-2511

30021-01 1095

客戶名稱 CUSTOMER	CHUN YU (DONGGUAN) METAL PRODUCTS CO. LTD SONG-MU-SHAN INDUSTRIAL	廠址 ZONE, DALANG COUNTY, DONG GUAN, GUANGDONG, CHINA TEL: 769-3310921	產品名稱 PRODUCT	ROD-CARBON STEEL	
規格名稱 SPEC.	SAE 1018, AL-KILLED (H0M01)		發票號碼 INVOICE NO.	892596/ED0092	證明書編號 CERTIFICATE NO.
			客戶編號 CUSTOMER NO.	89187100	中鋼訂單編號 CSC ORDER NO.
			交運日期 SHIPPING DATE	ON/ABOUT	證明書日期 DATE OF ISSUE
檢驗 TEST	CSC MILL INSPECTION.		T/C	01 - 00	
			客戶訂單編號 CSC ORDER NO.		

項目 ITEM NO.	產品序號 SEQ. NO.	尺寸及規格 MATERIAL DESCRIPTION					爐號 HEAT NO.	拉伸試驗 G.L. 降伏 Y.S.			抗拉 T.S.	伸長 E.L.	化學成份 CHEMICAL ANALYSIS %										備註 REMARKS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
		直徑/厚 DIA/THICK	寬度 WIDTH	長度 LENGTH	數量 QTY	質量 MASS KGS		C	MN	P			S	SI	CU	NI	CR	MO	Ti	AL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
		MM		MM				Y.S.	T.S.	E.L.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											</

註釋

NOTES

(1) CHEMICAL ANALYSIS IS CARRIED OUT BY CSC IN ACCORDANCE WITH TEST METHOD ASTM E415 AND E1019 WHICH CONFORM TO METAL STANDARDS AND SPECIFICATIONS.
(2) TEST SAMPLES ARE DISC TYPE (3) TEST REPORT RELATES ONLY TO THE SAMPLES BEING TESTED AND THAT SHALL NOT BE PARTIALLY REPRODUCED

CHIEFMAN TO

WE HEREBY CERTIFY THAT MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.

冶金技術處處長
GENERAL MANAGER, METALLURGICAL DEPARTMENT

Yang Jie Chang

Test Report

文豪工業有限公司

*242 台北縣新莊市中正路508巷35弄66-16號

報告號碼 : CE/2005/33614A

日期 : 2005/03/23

頁數 : 2 of 3

測試結果

測試部位 NO.1

鍍色金屬螺絲(請參照附件圖片)

測試項目:	單位	測試方法	偵測極限值	結果 NO.1
多溴聯苯(PBBs)	%	本測試參考USEPA3540C 或 USEPA3550C方法,以氣相層析儀/質譜儀(GC/MS)或高效液相層析儀/二極體陣列偵測器/質譜儀(HPLC/DAD/MS)檢測之(參考歐盟規範 2002/95/EC (RoHS), 83/264/EEC, 76/769/EEC)	0.0005	N.D.
多溴聯苯醚(PBBEs/PBDEs)	%	本測試參考USEPA3540C 或 USEPA3550C方法,以氣相層析儀/質譜儀(GC/MS)或高效液相層析儀/二極體陣列偵測器/質譜儀(HPLC/DAD/MS)檢測之(參考歐盟規範 2002/95/EC (RoHS), 83/264/EEC, 76/769/EEC)	0.0005	N.D.

測試項目:	單位	測試方法	偵測極限值	結果 NO.1
六價鉻	ppm	依照US EPA 7196A及3060A方法	2	N.D.
鎘	ppm	依照 EN1122 方法B:2001或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.
汞	ppm	依照 US EPA 3052 方法或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.
鉛	ppm	依照 US EPA 3050B 方法或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	18.1

備註: (1) N.D. = Not detected. (<MDL) / 未檢出(低於偵測極限值)

(2) ppm = mg/kg / 百萬分之一

(3) MDL= Method Detection Limit(偵測極限值)



Test Report

文豪工業有限公司

*242 台北縣新莊市中正路508巷35弄66-16號

報告號碼 : CE/2005/33614A

日期 : 2005/03/23

頁數 : 3 of 3

CE / 2005
/ 33614

JAT055
JAT066

材料保證書

0908



中國鋼鐵

CHINA STEEL CORPORATION

1 Chung Kang Road, Haiao Kang, Kaohsiung 81233, Taiwan

高雄市中港區中興路1號

Tel: 886 (7) 802-1111 轉 3821 Fax: 886 (7) 806-1292

e-mail address: t2051391@mail.csc.com.tw

To: 春源鋼鐵工業股份有限公司

日期: 2004/9/6

「有害物質」化學成分證明書

本公司對於供應貴公司之下列產品，其有害物質含量之狀況，經分析、確認，保證如下表所示。

產品名稱: 冷軋鋼捲

材質符號: SPCC-SD; SPCC-SD; SPCE-SD; SPCE (EDD); SPCC-2D; CM-1; CF370R;
CF390R; CF440R; SPFC490; SPFC590; S35CM; S50CM; SAE1060; SAE4130;
SAE4135; SPP

有害物質名稱		含有量(mg/kg)
重金屬	1). 鎘及鎘化合物(Cadmium and its compounds)	N.D.
	2). 鉛及鉛化合物(Lead and its compounds)	Max. 70
	3). 汞及汞化合物(Mercury and its compounds)	N.D.
	4). 六價鉻化合物(Hexavalent Chromium comp.)	N.D.
有機溴系化合物	5). 多溴聯苯(PBB)	0
	6). 多溴二苯醚(PBDE)	0

註: 1. 上表中 1). ~ 6). 項為歐盟 RoHS 指令限制禁用之物質，RoHS 指令對鉛、汞、六價鉻、PBB 及 PBDE 之濃度建議為 Max. 1000ppm，鎘為 Max. 100ppm。

2. N.D. = Not detected (小於檢測極限值 2ppm 以下，ppm = mg/kg)

林建安

冶金技術處
冶金規範及試驗組組長



IAI003
IAI004
IAT063
IAT066

Test Report

金瑋鍍金工業有限公司

*241 台北縣三重市光華路35號

報告號碼 : CE/2005/11173

日期 : 2005/01/17

頁數 : 1 of 2

以下測試樣品乃供應廠商所提供及確認：

樣品名稱 : 零件、配件
收件日期 : 2005/01/10.
測試日期 : 2005/01/10 TO 2005/01/17

測試結果


測試部位 NO.1 : 銀灰色金屬(請參照附件圖片)

測試項目:	單位	測試方法	偵測極限值	結果
				NO.1
六價鉻	ppm	依照US EPA 7196A及3060A方法	2	N.D.
鎘	ppm	依照 EN1122 方法B:2001或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.
汞	ppm	依照 US EPA 3052 方法或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.
鉛	ppm	依照 US EPA 3050B 方法或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.

備註:(1) N.D. = Not detected.($<$ MDL) / 未檢出(低於偵測極限值)

(2) ppm = mg/kg / 百萬分之一


(3) MDL= Method Detection Limit(偵測極限值)


Daniel Yeh, M.R., Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.

★ Sample to be returned as requested ★

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification, and Jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. 此報告是遵照本公司訂定之通用服務條款所製作發放。請注意此條款列印於背面。將本公司之義務、免責、管轄權皆明確規範之。此報告結果除非另有說明僅對檢驗之樣品負責。本報告未經本公司書面許可,不可部份複製。

TW 1443039

**SKC****"Skyro[®]"****" SKC Polyester Film****SR53****Product Information****a Product Description**

"Skyro[®]" SR53 is a milky white and hazy polyester film for general motor, hermetic motor, compressor sealed units, fractional horsepower motors, diaphragms and industrial laminations.

SR53 has outstanding mechanical and dielectric strength, durability, dimensional stability, low water absorption, good resistance to chemical attack.

SR53 retains these properties over a wide range of temperature and humidity.

b Typical Properties

Property	Unit	Value										Test Method
General												
Nominal Thickness	Gauge ()	300 (75)	400 (100)	500 (125)	600 (150)	752 (188)	900 (225)	1000 (250)	1200 (300)	1400 (350)		SKC Method
Mechanical												
Tensile Strength	MD (Kg/mm ²)	20	20	22	20	20	18	18	18	17		ASTM D 882
Elongation At Break	TD %	26	25	24	22	22	22	21	20	19		ASTM D 882
	MD	200	210	200	200	240	250	250	250	250		ASTM D 882
	TD	120	120	120	120	130	150	150	170	170		
Electrical												
Dielectric Strength	Kv	13	15	16	17	19	21	21	24	25		ASTM D 149
Optical												
Haze	%	35	43	49	50	55	77	77	85	89		ASTM D 1003
Thermal												
Heat Shrinkage	%	150°C x 30min					190°C x 20min					
	MD	1.5	1.5	1.5	2.5	2.5	2.5	2.5	2.0	2.0		SKC Method
	TD	0.5	0.5	0.5	1.0	1.0	1.0	1.0	1.0	1.0		

Unit Correlation : N/mm² = Kg/mm² X 9.8

psi = Kg/mm² X 1422.3

SKC-TPS-F-0

Information is the best currently available on the subject. The results should, however, only be regarded as a general guide to material properties and not as a guarantee. Some of the properties can be changed by the supplier's efforts to improve the quality or production efficiency of the subject.

7A7063 PM 144 LAB
7A7066 PM 144 LAB
7A7067 ML LAB

Test Report

敏豐隆企業有限公司

報告號碼：CE/2004/72868A

日期：2004/07/28

頁數：1 of 1

以下測試樣品乃供應廠商所提供及確認：

樣品名稱：MYLAR
 產品型號：S10
 收件日期：2004/07/21
 測試日期：2004/07/21 TO 2004/07/28

測試結果


測試部位 NO.1：透明白色塑膠片

測試項目：	單位	測試方法	偵測極限值	結果				
				NO.1				
六價鉻	ppm	依照US EPA 7196A及3060A方法	2	N.D.				
鎳	ppm	依照 EN1122 方法B:2001或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.				
汞	ppm	依照 US EPA 3052 方法或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.				
鉛	ppm	依照 US EPA 3050B 方法或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.				
硫	%	元素分析儀	0.01	0.33				

備註：(1) N.D. = Not detected.($<$ MDL) / 未檢出(低於偵測極限值)

(2) ppm = mg/kg / 百萬分之一

(3) MDL= Method Detection Limit(偵測極限值)


 Daniel Yen, M.P., Operation Manager
 Signed for and on behalf of
 SGS TAIWAN LTD.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company

SPECIFICATIONS


TYPE DC BRUSHLESS FAN	MODEL NO. R124010BM AI	PAGE: 1 OF 4
--	---	-------------------------------

THESE SPECIFICATIONS DEFINE ELECTRICAL AND MECHANICAL CHARACTERISTICS OF THE DC BRUSHLESS FAN.

1. MECHANICAL SPECIFICATIONS

1-1	EXTERNAL DIMENSIONS	: REFER TO DWG. NO. HT-001
1-2	HOUSING MATERIAL	: LEAD-FREE PLASTIC {UL 94V-0}
	IMPELLER MATERIAL	: LEAD-FREE PLASTIC {UL 94V-0}
1-3	BEARING	: TWO BALL BEARINGS
1-4	NET WEIGHT	: 15g

2.ELECTRICAL SPECIFICATIONS

NO	ITEMS	STANDARD	REMARKS
2-1	RATED VOLTAGE	12 V DC	
2-2	START VOLTAGE	7 V DC	POWER ON/OFF
2-3	OPERATING RANGE	7 V~13.2 V DC	
2-4	CONSUMING CURRENT	0.12 Amp (MAX. 0.14 Amp)	IN FREE AIR AT RATED VOLTAGE
2-5	CONSUMING POWER	1.44 W (MAX. 1.68 W)	IN FREE AIR AT RATED VOLTAGE
2-6	RATED SPEED	6000rpm $\pm$ 10%rpm	IN FREE AIR AT RATED VOLTAGE
2-7	AIRFLOW	MAX. 4.64 CFM MAX. 0.13 m ³ /min	AT RATED VOLTAGE AT ZERO STATIC PRESSURE
2-8	STATIC PRESSURE	MAX. 2.87 mmH ₂ O	AT RATED VOLTAGE AT ZERO AIRFLOW
2-9	SOUND LEVEL	26.9 dB(A)	IN FREE AIR AT RATED VOLTAGE 

EVERFLOW PRECISION ELECTRON CO., LTD	APPROVAL	CHECK	DESIGN
	LIU CHUN XIANG 2005/08/08	LIANG HAI HU 2005/08/08	HAI YING YANG 2005/08/08

SPECIFICATIONS

TYPE		MODEL NO.		PAGE:	
DC BRUSHLESS FAN		R124010BM AI		2 OF 4	
2-10	OPERATING TEMPERATURE	-10℃~70℃ (NORMAL HUMIDITY)			
2-11	STORAGE TEMPERATURE	-20℃~75℃ (NORMAL HUMIDITY)			
2-12	DIRECTION OF ROTATION	CLOCKWISE FROM LABEL SIDE			
2-13	DIRECTION OF AIRFLOW	LABEL SIDE DISCHARGE			
2-14	INSULATION STRENGTH	10 MEG OHM MIN.		AT 500 VDC (BETWEEN FRAME AND (+) TERMINAL)	
2-15	DIELECTRIC STRENGTH	MUST WITHSTAND 500 VAC 1min		MAX 1mA BETWEEN FRAME AND LEADS	
2-16	PROTECTION	IMPEDANCE PROTECTION			
2-17	DROP TEST	IN MINIMUM PACKAGING CONDITION,FAN WITHSTANDS EACH ONE DROP OF THREE FACES FROM 30cm DISTANCE HEIGHT ON TO 10mm THICKNESS OF WOODEN BOARD.			
2-18	MECHANICAL SHOCK	TEMPERATURE : +25℃. ORIENTATION : X , Y , Z . POWER : NON-OPERATING., ACCELERATION : 20G MIN. PULSE : 11 MS HALF-SINE WAVE. NUMBER OF SHOCKS : 5 SHOCKS FOR EACH DIRECTION.			
NOTE 1. THE ABOVE STANDARD SHOULD BE THE SPECIFIED VALUE AT NORMAL TEMPERATURE (25℃) AND NORMAL HUMIDITY (60~65%) UNLESS OTHERWISE NOTICED.					
EVERFLOW PRECISION ELECTRON CO., LTD		APPROVAL	CHECK	DESIGN	
		LIU CHUN XIANG 2005/08/08	LIANG HAI HU 2005/08/08	HAI YING YANG 2005/08/08	

SPECIFICATIONS

TYPE DC BRUSHLESS FAN	MODEL NO. R124010BM AI	PAGE: 3 OF 4
--	---	-------------------------------

3.LIFE EXPECTANCE (MTBF)

MORE THAN 90% SHALL KEEP RUNNING AFTER CONTINUOUS OPERATION OF 50,000 HOURS AT RATED VOLTAGE IN 25°C AMBIENT TEMPERATURE AND 65% RELATIVE HUMIDITY CONDITION.

FAN LIFE SHOULD BE REDEFINED WHEN ABOVE CONDITIONS ARE CHANGED.

4.LOCKED ROTOR

THIS DC FAN CAN NOT BE LOCKED WHEN IT IS RUNNING.

5.SPECIAL ITEMS

5-1 SPECIFICATION CHANGE

ANY CHANGES TO THE PARAMETERS SPECIFIED IN THIS DOCUMENT WILL BE DETERMINED BY MUTUAL AGREEMENT ON BOTH PARTIES.

5-2 UNCERTAINTY

IN THE EVENT THAT ANY QUESTIONS MAY ARISE ABOUT THIS DOCUMENT OR ANY STATEMENTS NOT SPECIFIED IN THIS DOCUMENT BOTH PARTIES WILL DISCUSS AND DETERMINE A SOLUTION FAITHFULLY.

5-3 NOTE

1.PLEASE CONSIDER HAVING AN INDEPENDENT PROTECTION SYSTEM IN THE EVENT THAT THE FAN SHOULD STOP OPERATING.

2.PLEASE MAKE REFERENCE TO ATTACHED IMPORTANT NOTES & GENERAL INSTRUCTIONS AND DWG.No.:HT-001 TOGETHER WITH THIS SPECIFICATION.

EVERFLOW PRECISION ELECTRON CO., LTD	APPROVAL	CHECK	DESIGN
	LIU CHUN XIANG 2005/08/08	LIANG HAI HU 2005/08/08	HAI YING YANG 2005/08/08

SPECIFICATIONS

TYPE DC BRUSHLESS FAN	MODEL NO. R124010BM AI	PAGE: 4 OF 4
--	---	-------------------------------


6. PROVISION OF REVOLUTION SIGNAL

6-1 OUTPUT OF REVOLUTION SIGNAL

.OUTPUT TYPE

.ELECTRICAL SPECIFICATION

OPEN COLLECTOR TYPE



TRANSISTOR Q1 AT "ON" POSITION
COLLECTOR CURRENT
SATURATION VOLTAGE
BETWEEN COLLECTOR AND EMITTER
AT $I_c = 10\text{mA MAX.}$
TRANSISTOR Q1 AT "OFF" POSITION
RELEASE VOLTAGE

$I_c = 10\text{ mA MAX.}$
 $V_{OL} = 0.5\text{V MAX.}$



$V_{OH} = 12\text{V MAX}$

6-2 OUTPUT WAVEFORM

(ACCORDING TO INPUT VOT.)

(AT REVOLUTION)

(AT LOCKED POSITION)



REMARK: AT LOCKED POSITION, OUTPUT BECOMES V_{OH} OR V_{OL}

$T = T_1 + T_2 + T_3 + T_4 = 60/N \text{ (SEC)}$ N : FAN SPEED (r.p.m)

$$\text{DUTY} = \frac{T_1}{T_1 + T_2} = 50 \pm 10\%$$


EVERFLOW PRECISION ELECTRON CO., LTD	APPROVAL	CHECK	DESIGN
	LIU CHUN XIANG 2005/08/08	LIANG HAI HU 2005/08/08	HAI YING YANG 2005/08/08

SPECIFICATIONS

IMPORTANT NOTES & GENERAL INSTRUCTIONS

1. Customer shall confirm the matching and reliability of fan on actual set or unit application.
This include confirmation on set or unit life, electrical noise, mechanical noise, vibration, static electricity, electric power noise, drift, electric resonance between motor and control circuit, mechanical resonance between motor and chassis, irregular movement of set due to motor noise, irregular movement of set in strong electromagnetic field, damaged by lightning surge earthing method etc.
2. Any revisions on the specification shall be done based on mutual discussion and agreement.
3. In order to improve the performance within the scope of specification, parts or material changes are subject to prior notice to customer.
4. Any item which is needed to add into specification shall be determined on customer's prior written request. If no information given, fan will be delivered based on our standard judgment.
5. When any trouble occurs, both parties shall discuss on this specification to solve the matters. In this case, our guarantee is only limited to fans.

EVERFLOW PRECISION ELECTRON CO., LTD	APPROVAL	CHECK	DESIGN
	LIU CHUN XIANG 2005/08/08	LIANG HAI HU 2005/08/08	HAI YING YANG 2005/08/08



NOTES:

1. LEAD WIRE UL 1007 28AWG OR EQUIVALENT
PIN 1: BLACK WIRE---(-)
PIN 2: RED WIRE---(+)
PIN 3: YELLOW WIRE---(SIGNAL)
2. HOUSING: 2510-3P OR EQUIVALENT
3. TERMINAL: 2515T OR EQUIVALENT

TRCANGLE METHOD		UNIT: mm		MODEL NO.	R124010BM (AI8A501)				
APPROVE	LIU CHUN XIANG	2005/08/08	✗	PART NAME	DC FAN				
CHECK	LIANG HAI HU	2005/08/08		DRAWING NAME	OUTLINE				
DRAWING	HAI YING YANG	2005/08/08							
EVERFLOW PRECISION ELECTRON CO.,LTD.			CODE		HT	-	001		PAGE: 1

E001
H0007000

0004 2005 18:48 FAX

SGS

97-1

70. 47/200. 漢文
大正

附註

Test Report

No.: SET YR0504112481P

Date: APR 20, 2005

Page 1 of 2

POWER LOGIC ELECTRONIC FACTORY
NORTH AREA, TIANMEI INDUSTRIAL DISTRICT,
HUANGJIANG TOWN, DONGGUAN CITY, GUANGDONG, CHINA.

Report on the submitted sample said to be BOBBIN UPPER & BOBBIN LOWER

SGS Ref. No.	: GZSCRC50421686/LP
Item No.	: PBT 4833 (BK)
Buyer	: EVERFLOW
Seller	: POWER LOGIC
Manufacturer	: CHANG CHUN PLASTICS CO., LTD.
Region of Origin	: TAIWAN
Sample Receiving Date	: APR 13, 2005
Testing Period	: APR 13, 2005 TO APR 19, 2005

Test Requested : 1) To determine the Lead Content in the submitted sample.
2) To determine the Cadmium Content in the submitted sample.
3) To determine the Mercury Content in the submitted sample.
4) To determine the Hexavalent Chromium Content in the submitted sample.
5) Determination of PBBs (polybrominated biphenyls), PBDEs (Polybrominated diphenylethers) in the submitted sample.

Test Method : 1) With reference to EPA Method 3050B: 1996 / other acid digestion.
2) With reference to EPA Method 8 / other acid digestion.
3) With reference to EPA Method 3052: 1996 / other acid digestion.
4) With reference to EPA Method 3050A: 1996 / other wet digestion.
Analysis was performed by Atomic Absorption Spectrometer (AAS) and Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES).
5) With reference to SC5B In-house method. Analysis was performed by GC/MS.

Test Results : Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.

Zhang Yanzheng, Hefei
Section Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.galson.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report are only for the sample(s) tested (unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

971 124658



Test Report

No.: SZTYR050411246LP

Date: APR 20, 2005

Page 2 of 2

Test Results

Element	Black plastic parts
1) Lead (Pb)	5 ppm
2) Cadmium (Cd)	< 2 ppm
3) Mercury (Hg)	< 2 ppm
4) Hexavalent Chromium (Cr ⁶⁺)	< 2 ppm

Note: - < = Less than
- ppm = mg/kg
- Results shown are of the total weight of dry samples

5) Content of PBBs (polybrominated biphenyls), PBDEs (Polybrominated diphenylethers)

Flame Retardants	Black plastic parts	Detection Limit
Polybrominated Biphenyls (PBBs)	---	---
Monobromobiphenyl	N.D.	5 ppm
Dibromobiphenyl	N.D.	5 ppm
Tribromobiphenyl	N.D.	5 ppm
Tetrabromobiphenyl	N.D.	5 ppm
Pentabromobiphenyl	N.D.	5 ppm
Hexabromobiphenyl	N.D.	5 ppm
Heptabromobiphenyl	N.D.	5 ppm
Octabromobiphenyl	N.D.	5 ppm
Nonabromobiphenyl	N.D.	5 ppm
Decabromobiphenyl	N.D.	5 ppm
Polybrominated Diphenylethers (PBDEs)	---	---
Monobromodiphenyl ether	N.D.	5 ppm
Dibromodiphenyl ether	N.D.	5 ppm
Tribromodiphenyl ether	N.D.	5 ppm
Tetra-bromodiphenyl ether	N.D.	5 ppm
Penta-bromodiphenyl ether	N.D.	5 ppm
Hexabromodiphenyl ether	N.D.	5 ppm
Heptabromodiphenyl ether	N.D.	5 ppm
Octabromodiphenyl ether	N.D.	5 ppm
Nonabromodiphenyl ether	N.D.	5 ppm
Decabromodiphenyl ether	N.D.	5 ppm

Note: - N.D. = Not Detected
- Not detected is lower than detection limit value.
- The test of 5) was conducted by SGS SZ LTD.

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced, except in full, without written approval of the Company.

SZL 324657

SGS (China) Co., Ltd. 2005-04-20
Sample No.: 11246LP

SZ 11246LP, Teste Building, Dongyong Road, Shuanghe Industrial Park, Qianjiang City, Hubei 431000, China
Tel: 86-714-6211426 Fax: 86-714-6211427 www.sgs.com

Member of SGS Group Société Générale de Surveillance

MYLAR 431

SGS

Test Report

No.: GZSCR050533111/LP

Date: JUN 02, 2005

Page 1 of 4

TSUEN JYI PLASTIC CO., LTD.
SECOND INDUSTRIAL PARK,
JIANGBEI VILLAGE, WUSHA PRECINCT,
CHANGAN TOWN, DONGGUAN CITY,
GUANGDONG PROVINCE, P.R.CHINA

Report on the submitted sample specification: MYLAR (PET)

SGS Ref No.: GZ050505871EC-9.3
Buyer: SONY
Sample Receiving Date: MAY 27, 2005
Testing Period: MAY 27, 2005 TO JUN 02, 2005

Y

Test Requested: (1) As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.
(2) Determination of PBBs (polybrominated biphenyls), PBDEs (Polybrominated diphenylethers) of the submitted sample.

Test method: (1) Cadmium content: With reference to BS EN 1122:2001 Method B see flowchart (1).
Lead content: Ashing after wet decomposition see flowchart (2).
Mercury content - With reference to EPA 3052: 1996.
Hexavalent Chromium content - with reference to EPA 3060A: 1996 & EPA 7195A: 1992.
Analysis was performed by Atomic Absorption Spectrometer and Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) / UV-VIS Spectrophotometer.
(2) With reference to SGS in-house method. Analysis was performed by GC/MS.

Results: Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.

He Xiaoyan, Jane
Tech. Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 2633/1



Test Report

No.: GZSCR050533111/LP

Date: JUN 02, 2005

Page 2 of 4

Results:

(1)

Lead Content (Pb)
Cadmium Content (Cd)
Mercury Content (Hg)
Hexavalent Chromium Content (Cr(VI))

Beige plastic sheet

N.D.
N.D.
N.D.
N.D.

Note: - N.D. = Not Detected (< 2 ppm)
- ppm = mg/kg

(2)

Flame Retardants	Beige plastic sheet	Detection Limit (ppm)
Polybrominated Biphenyls (PBBs)		
Monobromobiphenyl	N.D.	5
Dibromobiphenyl	N.D.	5
Tribromobiphenyl	N.D.	5
Tetrabromobiphenyl	N.D.	5
Pentabromobiphenyl	N.D.	5
Hexabromobiphenyl	N.D.	5
Heptabromobiphenyl	N.D.	5
Octabromobiphenyl	N.D.	5
Nonabromobiphenyl	N.D.	5
Decabromobiphenyl	N.D.	5
Polybrominated Diphenylether (PBDEs)		
Monobromodiphenyl ether	N.D.	5
Dibromodiphenyl ether	N.D.	5
Tribromodiphenyl ether	N.D.	5
Tetrabromodiphenyl ether	N.D.	5
Pentabromodiphenyl ether	N.D.	5
Hexabromodiphenyl ether	N.D.	5
Heptabromodiphenyl ether	N.D.	5
Octabromodiphenyl ether	N.D.	5
Nonabromodiphenyl ether	N.D.	5
Decabromodiphenyl ether	N.D.	5

Note: - N.D. = Not Detected (< 5 ppm)
- ppm = mg/kg

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.


GZCM 263370



Page 3 of 4

(1)

Flow chart of digestion (Cadmium content) :



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Sam Deng
Leader : Joe Li

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgo.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional points defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 263369



Test Report


No.: GZSC050533111/LP

Date: JUN 02, 2005

Page 4 of 4

(2)

Flow chart of digestion (wet decomposition and ashing) (Lead content):



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Vincent Li
Leader : Adams Yu

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 2533118

MYLAR. 华石



Page 1 of 4

Mercury & Hexa
DEs (Polybromina

He Xiaoyan, Jane
Tech. Manager

GZCM 2633/1

SGS**Test Report**

TO: 陳麗華小姐

FM: 宋瑞鴻 楊程


Date : 2005/01/07

Page : 1 of 3

The following merchandise was (were) submitted and identified by the client as :

Type of Product : ON SEMICONDUCTOR SOT-23 PACKAGE
Sample Received : 2005/01/05
Testing Date : 2005/01/05 TO 2005/01/07

Test Result : - Please see the next page -


Daniel Yen, M.H., Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.

076P3727163

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

NO. 13661, Wu Xiang Road, Wu Xiang Industrial Zone, Taipei County, Taiwan
(886-2) 22923000 / (886-2) 2299-3237 www.sgs.com.tw

05-7-515108

SGS

Test Report

Date : 2005/01/07

Page : 2 of 3

PART NAME NO.1 : PLEASE REFER TO THE PHOTO(S) ATTACHED (MIXED ALL PARTS)

Test Item (s):	Unit	Method	MDL	Result				
				No.1				
PBBs(Polybrominated biphenyls)(CAS NO:059536-65-1)	%	With reference to USEPA3540 or USEPA3550. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/759/EEC)	0.0005	N.D.				
PBDEs(PBDEs)(Polybrominated biphenyl ethers)	%	With reference to USEPA3540 or USEPA3550. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/759/EEC)	0.0005	N.D.				

Test Item (s):	Unit	Method	MDL	Result				
				No.1				
Chromium VI (Cr+6)	ppm	As per US EPA 7196A and US EPA 3060A.	2	N.D.				
Cadmium (Cd)	ppm	ICP-AES after as per EN 1122, method B:2001 or other acid digestion.	2	N.D.				
Mercury (Hg)	ppm	ICP-AES after as per US EPA 3052 or other acid digestion.	2	N.D.				
Lead (Pb)	ppm	ICP-AES after as per US EPA 3050B or other acid digestion.	2	N.D.				

NOTE: (1) N.D. = Not detected (<MDL)

(2) ppm = mg/kg

(3) MDL = Method Detection Limit

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full without prior written permission of the Company.


SGS
NO. 106-1, Wu Kung Road, Wu Ku Industrial Zone, Taipei county, Taiwan.
(886-2) 2296-9391 (886-3) 2295-4237 www.sgs.com.tw

SGS

Test Report

Date : 2005/01/07

Page : 3 of 3



The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

SGS (Taiwan) Co., Ltd.
NO. 136-1, Wukong Road, Wukong Industrial Zone, Taichung County, Taiwan.
(886-4) 22821828 (RSE-2) 2285-3337 www.sgs.com.tw

SGS

Chemical Laboratory - KAO, SGS Taiwan Ltd.

TEST REPORT

REPORT NO. KA2004/C0460/A-1
DATE: 2004/12/21
PAGE: 1 OF 1

THE FOLLOWING MERCHANDISE WAS(WERE) SUBMITTED AND IDENTIFIED BY THE CLIENT AS:

CLIENT : TZUNG HSN TECHNOLOGY CO., LTD.
PRODUCT DESCRIPTION : ENVIRONMENTAL PROTECTION A BALANCED BARTH. (A90720)
TESTING DATE : 2004/12/14 TO 2004/12/21.
SAMPLE RECEIVED : 2004/12/14.

WE HAVE TESTED THE SAMPLE(S) SUBMITTED AS REQUESTED AND THE FOLLOWING RESULTS WERE OBTAINED

TEST ITEM(S)	UNIT	METHOD	DET. LMT	RESULT
BARIUM	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT US EPA 3050B	2	2540
CADMIUM <i>04</i>	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT EN1122, METHOD B-2001.	2	n.d.
CHROMIUM	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT US EPA 3050B	2	n.d.
CHROMIUM VI <i>04</i>	ppm	ANALYSIS BY US EPA 7190A WITH ADVANCE TREATMENT US EPA 3060A.	2	n.d.
MERCURY <i>03</i>	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT US EPA 3052	2	n.d.
LEAD <i>06</i>	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT US EPA 3050B	2	1.1
PBBs	%	WITH REFERENCE TO 83/281EEC ANALYSIS WAS PERFORMED BY GC/ECDMS OR HPLC/DAD/MS.	0.0015	n.d.
PBDEs	%	WITH REFERENCE TO 83/281EEC ANALYSIS WAS PERFORMED BY GC/ECDMS OR HPLC/DAD/MS.	0.0015	n.d.

NOTE: n.d. = not detected.

<END>



H. Tsai
George Huang / Supervisor
Sign for and on behalf of
SGS Taiwan Limited

This Test Report is issued by the Company subject to its General Conditions of Service printed separately. Any analysis is subject to the limitations of liability, representation, and certification contained herein. The results shown in this report are only as far as the company is concerned and do not constitute a warranty. The Test Report cannot be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission of the Company. 本報告係根據客戶之委託而發出，其內容僅供參考，不得作為任何法律之依據。本報告之內容，未經本公司之同意，不得複製、轉載、或向任何第三人提供。本報告之內容，不得作為任何法律之依據。本報告之內容，未經本公司之同意，不得複製、轉載、或向任何第三人提供。

TW1256762

SGS Taiwan Ltd. | No. 108, Chung Hwa 2nd Road San-Hua District Keelung, Taiwan / 高雄市民生路208號
SGS 臺灣股份有限公司 | 1 (886)-71 312-0810 | 1 (886)-71 312-0804 | www.sgsgroup.com

6014 2142 50, 61 100

ISSUED BY SGS Taiwan

SGS

Chemical Laboratory - KAO, SGS Taiwan Ltd.

TEST REPORT

REPORT NO. KA5004/C0882/A
DATE: 2004/12/24
PAGE: 1 OF 1

THE FOLLOWING MERCHANDISE WAS(WERE) SUBMITTED AND IDENTIFIED BY THE CLIENT AS :

CLIENT : TZUNG HSIN TECHNOLOGY CO., LTD.
PRODUCT DESCRIPTION : ENVIRONMENTAL PROTECTION B BALANCED EARTH (84kg±)
TESTING DATE : 2004/12/22 TO 2004/12/24
SAMPLE RECEIVED : 2004/12/22

WE HAVE TESTED THE SAMPLE(S) SUBMITTED AS REQUESTED AND THE FOLLOWING RESULTS WERE OBTAINED.

TEST ITEM(S)	UNIT	METHOD	DET. LMT	RESULT
BARIUM	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT US EPA 3050B	2	3520
CADMIUM (Cd)	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT EN1122, METHOD B-2001	2	n.d.
CHROMIUM	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT US EPA 3050B	2	n.d.
CHROMIUM VI Cr^{VI}	ppm	ANALYSIS BY US EPA 7198A WITH ADVANCE TREATMENT US EPA 3050A	2	n.d.
MERCURY Hg	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT US EPA 3052	2	n.d.
LEAD Pb	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT US EPA 3050B	2	18.1
PBBs ✓	%	WITH REFERENCE TO 83/618/EEC, ANALYSIS WAS PERFORMED BY GC/ECDMS OR HPLC/DADMS.	0.0005	n.d.
PBDEs ✓	%	WITH REFERENCE TO 83/618/EEC, ANALYSIS WAS PERFORMED BY GC/ECDMS OR HPLC/DADMS.	0.0005	n.d.

NOTE : n.d. = not detected.

<END>



H. Tsai
George Huang / Supervisor
Sign for and on behalf of
SGS Taiwan Limited

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, representation, and disclaimer herein. The results shown in this report are only as far as the analytical data obtained in the laboratory is concerned. This Test Report cannot be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from the Company. 此報告係根據客戶之委託而發出，報告中僅列明實驗室之分析數據，報告中不得有關於產品之品質、性能、用途、或其他任何方面之保證。此報告之內容不得作為任何法律訴訟之證據。未經本公司書面許可，不得複製、儲存、或透過任何方式傳播此報告之內容。此報告之內容不得作為任何法律訴訟之證據。未經本公司書面許可，不得複製、儲存、或透過任何方式傳播此報告之內容。

TW1256761

SGS Taiwan Ltd. | No. 108, Chung Hwa 2nd Road San-Hsin District, Kaohsiung, Taiwan / 高雄市中區中興二路108號
Tel: 886-7-3361-0000 | Fax: 886-7-3361-0001 | E-mail: info@sgs.com.tw | Website: www.sgs.com.tw

豐盛
SGS

品件/肖小超

Test Report

No.: SZTYR050645846/LP

Date: MAY 25, 2005

Page 1 of 3

PROSPERITY WIRE AND CABLE CO., LTD
FULL METAL WORK CO., LTD.
YINHU INDUSTRY AREAS, SHI SHUI KOU,
QIAO TOW TOWN, DONG GUAN CITY, GUANG DONG

Report on the submitted samples said to be COATED WIRES

Sample Receiving Date : MAY 20, 2005

Testing Period : MAY 20, 2005 TO MAY 25, 2005


Test Requested : 1) Determination of Lead content in the submitted sample.
2) Determination of Cadmium content in the submitted sample.
3) Determination of Mercury content in the submitted sample.
4) Determination of Hexavalent Chromium content in the submitted sample.
5) Determination of PBBs (Polybrominated biphenyls) and PBDEs (Polybrominated diphenylethers) contents in the submitted sample.

Test Method : 1) With reference to EPA 3050B:1996 / Other acid digestion. Analysis was performed by Atomic Absorption Spectrometer (AAS).
2) With reference to EN 1122:2001 / Other acid digestion. Analysis was performed by Atomic Absorption Spectrometer (AAS).
3) With reference to EPA Method 3052: 1996 / other acid digestion. Analysis was performed by Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES).
4) With reference to EPA Method 3050A: 1996 and then analyzed by colorimetric method 7196A: 1992.
5) With reference to SGS in-house method. Analysis was performed by GC/MS.

Test Results : Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.

Lin Shuchen, Sara
Dept. Manager



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

2/F, 4/F, 5/F, Qianhai Building, Zhongkang Road, Shuangmiao, Shenzhen, China 518049 T (86-755) 23114251-8 (86-755) 23106150 23112234 www.cn.sgs.com

Member of SGS Group / Société Générale de Surveillance
SINCE 1875



Test Report

No.: SZTYR050645846/LP

Date: MAY 25, 2005

Page 2 of 3

Test Results

Element

Coppery color metal wire w/ transparent
lacquer coating on surface

- | | |
|--|---------|
| 1) Lead (Pb) | < 2 ppm |
| 2) Cadmium (Cd) | < 2 ppm |
| 3) Mercury (Hg) | < 2 ppm |
| 4) Hexavalent Chromium (Cr ⁶⁺) | < 2 ppm |

Note : - < = Less than
- ppm = mg/kg

5)

Flame Retardants	Coppery color metal wire w/ transparent lacquer coating on surface	Detection Limit
Polybrominated Biphenyls (PBBs)	---	---
Monobromobiphenyl	N.D.	5 ppm
Dibromobiphenyl	N.D.	5 ppm
Tribromobiphenyl	N.D.	5 ppm
Tetrabromobiphenyl	N.D.	5 ppm
Pentabromobiphenyl	N.D.	5 ppm
Hexabromobiphenyl	N.D.	5 ppm
Heptabromobiphenyl	N.D.	5 ppm
Octabromobiphenyl	N.D.	5 ppm
Nonabromobiphenyl	N.D.	5 ppm
Decabromobiphenyl	N.D.	5 ppm
Polybrominated Diphenylethers (PBDEs)	---	---
Monobromodiphenyl ether	N.D.	5 ppm
Dibromodiphenyl ether	N.D.	5 ppm
Tribromodiphenyl ether	N.D.	5 ppm
Tetrabromodiphenyl ether	N.D.	5 ppm
Pentabromodiphenyl ether	N.D.	5 ppm
Hexabromodiphenyl ether	N.D.	5 ppm
Heptabromodiphenyl ether	N.D.	5 ppm
Octabromodiphenyl ether	N.D.	5 ppm
Nonabromodiphenyl ether	N.D.	5 ppm
Decabromodiphenyl ether	N.D.	5 ppm

Note : - N.D. = Not Detected, which is lower than detection limit value.
- Results shown are total weight of dry sample.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

11339224



3/F&5/F, Casar Building, Zhongkang Road, Jiangmen, Shenzhen China 518048 T (86-755)83114131 F (86-755)83106100 83118534 www.cn.sgs.com

Member of SGS Group (Société Générale de Surveillance)

VVA 11-60-2002 20/01

Appendix:

Flow chart of digestion (Acid digestion for lead and cadmium content in metallic sample)



The submitted sample(s) were dissolved totally by pre-conditioning method according to above flow chart.

Operated by: Vincent Li
Checked by: Adams Yu

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service, printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.



Test Report

No.: GZSCR050425907/LP

Date: MAY 10, 2005

Page 1 of 1

TSUEN JYI PLASTIC CO., LTD.
SECOND INDUSTRIAL PARK, JIANG BEI VILLAGE,
WU SHA PRECINCT, CHANG AN TOWN, DONGGUAN CITY,
GUANGDONG PROVINCE, P.R.CHINA

Report on the submitted sample said to be 镀锌板

SGS Ref No. : GZ050404670EC
Buyer : SONY
Sample Receiving Date : APR 29, 2005
Testing Period : APR 29, 2005 TO MAY 09, 2005

Test Requested : As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.

Test Method : Lead content - In house method, with reference to EPA method 3050B: 1996,
Cadmium content - In house method, with reference to BS EN1122: 2001 method B,
Mercury content - In house method, with reference to EPA 3052: 1996,
Hexavalent Chromium content - With reference to EPA 3060A: 1996 & EPA 7196A: 1992.
Analysis was performed by Inductively Coupled Plasma Atomic Emission Spectrometer
(ICP-AES) / UV-VIS Spectrophotometer.

RESULTS

Lead Content (Pb)(ppm)
Cadmium Content (Cd)
Mercury Content (Hg)
Hexavalent Chromium Content [Cr(VI)]

Silvery metal plate

5
N.D.
N.D.
N.D.

Note : - N.D. = Not Detected (< 2 ppm)
- ppm = mg/kg

*** End of Report ***

Signed for and on behalf of
SGS-CSTC Ltd.


He Xiacyan, Jane
Tech. Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 251211

4/F, Block B, Yu Jing Industrial Park, Ling Shan Road, Zhu Cai Dong Pu Area, Tazhai District, Guangzhou, China 510661 (86-20) 62169900 (86-20) 62169908 www.sgs.com
中国·广州·天河区东圃珠村灵山路裕泰工业园八栋四楼 邮编: 510660 (86-20) 62169900 (86-20) 62169908 sgs-china@sgs.com

Member of SGS Group (Société Générale de Surveillance)

Test Report

No.: SZTYR050827193/LP

Date: AUG 15, 2005

Page 1 of 1

CHANG YI STEEL LAMINATION PRESS FACTORY
CUN-WEI INDUSTRIAL AREA, HENG-LI TOWN,
DONG-GUAN, GUANG-DONG, CHINA

Report on the submitted samples said to be SI-STEEL

Sample Receiving Date : AUG 12, 2005
Testing Period : AUG 12, 2005 TO AUG 15, 2005

Test Requested : 1) Determination of Lead content in the submitted sample.
2) Determination of Cadmium content in the submitted sample.
3) Determination of Mercury content in the submitted sample.
4) Determination of Hexavalent Chromium content in the submitted sample.

Test Method : 1) With reference to EPA 3050B:1996 / Other acid digestion. Analysis was performed by Atomic Absorption Spectrometer (AAS).
2) With reference to EN 1122:2001 / Other acid digestion. Analysis was performed by Atomic Absorption Spectrometer (AAS).
3) With reference to EPA Method 3052: 1996 / other acid digestion. Analysis was performed by Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES).
4) With reference to EPA Method 3060A: 1996 and then analyzed by colorimetric method 7196A: 1992.

Test Results


Element	Silvery color metal part
1) Lead (Pb)	41 ppm
2) Cadmium (Cd)	< 2 ppm
3) Mercury (Hg)	< 2 ppm
4) Hexavalent Chromium (Cr ⁶⁺)	< 2 ppm

Note : - < = Less than
- ppm = mg/kg
- Results shown are of the total weight of dry sample.

*** End of Report ***

Signed for and on behalf of
SGS-CSTC Ltd.

Lin Shuzhen, Dora
Dept. Manager



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

371373



Test Report

No.: SZTYR050100527/LP

Date: JAN 13, 2005

Page 1 of 1

DONG GONG METAL FITTINGS (SHENZHEN) CO., LTD.
BEI BIAN BEI INDUSTRIAL AREA, SONGGANG VILLAGE,
SONGGANG TOWN, BAOAN DISTRICT, SHENZHEN, CHINA

Report on the submitted sample said to be SHAFT

Item No. : DG-2005 (KOS-SUS420F03mm)
Sample Receiving Date : JAN 10, 2005
Testing Period : JAN 10, 2005 TO JAN 13, 2005

Test Requested : To determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.

Test Method : Lead, Cadmium & Mercury content - In-house method.
Hexavalent Chromium content - with reference to EPA Method 3060A: 1996 / other wet digestion.
Analysis was performed by Atomic Absorption Spectrometer (AAS), Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) and UV-VIS Spectrophotometer.

Results

	Silvery color metal shaft
Lead Content (ppm) 鉛	23
Cadmium Content 鎘	N.D.
Mercury Content 汞	N.D.
Hexavalent Chromium Content 鉻 ^{VI}	N.D.

Note: - N.D. = Not Detected (< 2 ppm)

- ppm = mg/kg

- Results shown are of the total weight of dry sample.

*** End of Report ***

Signed for and on behalf of
SGS-CSTC Ltd.

Zhang Yanzheng, Helen
Section Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch-Labs Laboratory

2/F, 4/F, 5/F, Cedar Building, Zhonghang Road, Shengmenin, Shenzhen China 518048 T (86-755) 83114358 F (86-755) 83105190 83110034 www.cn.sgs.com

SZL 300886

测试报告

No. SH504893/ CHEM

Date: 1.28.2005

Page 1 of 2

上海美蓓亚精密机电有限公司
上海市青浦区沪青平公路 8313 号

委托检验的样品及申请者对样品的说明如下:

样品名称 : 轴承
SGS 相关号 : SHEC0050101446-2
材质 : SECC

样品收到日期 : 2005-01-25
样品试验日期 : 2005-01-25—2005-01-28

试验要求 : 1) 测定委托样品的镉含量
2) 测定委托样品的铅含量
3) 测定委托样品的汞含量
4) 测定委托样品的六价铬含量

试验方法 : 1) 参照 BS EN 1122:2001 方法 B 或其他酸消解
采用电感耦合等离子发射光谱法(ICP-AES)进行分析或原子吸收光谱法(AAS)进行分析
2) 参照美国环境保护局(US EPA)方法 3050B 或其他酸消解
采用电感耦合等离子发射光谱法(ICP-AES) 进行分析或原子吸收光谱法(AAS)进行分析
3) 参照 US EPA 3052 方法或其他酸消解
采用电感耦合等离子发射光谱法(ICP-AES) 进行分析
4) 参照 US EPA3060A & US EPA7196A 进行分析
采用紫外分光光度计进行分析

试验结果 : 见下一页

SGS-CSTC 化学实验室授权签字

张曜
主管

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 206620

SGS-CSTC Standards Technical Services Co., Ltd.
Shanghai Branch, Testing Center-Chemical Laboratory

1/F, 7/F, 9/F & 10/F, the 3rd Building, No. 889, Yishan Road, Xuhui District, Shanghai, China 200233 t +86 21 6495 1616*822 f +86 21 5450 0314
中国·上海·徐汇区宜山路889号3号楼1楼、7楼、9楼、10楼 邮编: 200233 t +86 21 6495 1616*822 f +86 21 5450 0314 www.cn.sgs.com

Member of the SGS Group (Société Générale de Surveillance)



测试报告

No. SH504893/ CHEM

Date: 1.28.2005

Page 2 of 2

试验结果 :

序号	项目	单位	检测极限值	A
1	镉(Cd)	ppm	2	N.D.
2	铅(Pb)	ppm	2	N.D.
3	汞(Hg)	ppm	2	N.D.
4	六价铬(Cr VI)	ppm	2	N.D.

(所示结果为样品总重量中的含量)

样品描述:

A. 银色金属圈

备注: ppm =mg/kg

N.D.=未检出 (低于检测极限值)

报告结束

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 206621

SGS-CSTC Standards Technical Services Co., Ltd.
Shanghai Branch, Testing Center-Chemical Laboratory

1/F, 7/F, 9/F & 10/F, the 3rd Building, No. 888, Yishan Road, Xuhui District, Shanghai, China 200233 t+86 21 6495 1616*822 f+86 21 5450 0314
中国·上海·徐汇区宜山路888号3号楼1楼、7楼、9楼、10楼 邮编: 200233-t+86 21 6495 1616*822 f+86 21 5450 0314 www.cn.sgs.com

Member of the SGS Group (Société Générale de Surveillance)

测试报告

No. SH504897/ CHEM

Date: 1.28.2005

Page 1 of 2

上海美蓓亚精密机电有限公司
上海市青浦区沪青平公路 8313 号

委托检验的样品及申请者对样品的说明如下:

样品名称 : 轴承
SGS 相关号 : SHEC0050101446-4
材质 : SUT2MD

样品收到日期 : 2005-01-25
样品试验日期 : 2005-01-25—2005-01-28

试验要求 : 1) 测定委托样品的镉含量
2) 测定委托样品的铅含量
3) 测定委托样品的汞含量
4) 测定委托样品的六价铬含量

试验方法 : 1) 参照 BS EN 1122:2001 方法 B 或其他酸消解
采用电感耦合等离子发射光谱法(ICP-AES)进行分析或原子吸收光谱法(AAS)进行分析
2) 参照美国环境保护局(US EPA)方法 3050B 或其他酸消解
采用电感耦合等离子发射光谱法(ICP-AES) 进行分析或原子吸收光谱法(AAS)进行分析
3) 参照 US EPA 3052 方法或其他酸消解
采用电感耦合等离子发射光谱法(ICP-AES) 进行分析
4) 参照 US EPA3060A & US EPA7196A 进行分析
采用紫外分光光度计进行分析

试验结果 : 见下一页

SGS-CSTC 化学实验室授权签字

张曜
主管

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 206612

SGS-CSTC Standards Technical Services Co., Ltd. | 1/F, 7/F, 9/F & 10/F, the 3rd Building, No. 889, Yishan Road, Xuhui District, Shanghai, China 200233 | t +86 21 6495 1616*822 f +86 21 5450 0314
Shanghai Branch, Testing Center-Chemical Laboratory | 中国·上海·徐汇区宜山路889号3号楼1楼、7楼、9楼、10楼 邮编: 200233·t +86 21 6495 1616*822 f +86 21 5450 0314 www.cn.sgs.com

Member of the SGS Group (Société Générale de Surveillance)

测试报告

No. SH504897/ CHEM

Date: 1.28.2005

Page 2 of 2

试验结果 :

序号	项目	单位	检测极限值	A
1	镉(Cd)	ppm	2	N.D.
2	铅(Pb)	ppm	2	N.D.
3	汞(Hg)	ppm	2	N.D.
4	六价铬(Cr VI)	ppm	2	N.D.

(所示结果为样品总重量中的含量)

样品描述:

A 银色金属轮

备注: ppm =mg/kg

N.D.=未检出 (低于检测极限值)

报告结束

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 206613

SGS-CSTC Standards Technical Services Co., Ltd.
Shanghai Branch, Testing Center-Chemical Laboratory

1/F, 7/F, 9/F & 10/F, the 3rd Building, No. 889, Yishan Road, Xuhui District, Shanghai, China 200233 t +86 21 6495 1616*822 f +86 21 5450 0314
中国·上海·徐汇区宜山路889号3号楼1楼、7楼、9楼、10楼 邮编: 200233 t +86 21 6495 1616*822 f +86 21 5450 0314 www.cn.sgs.com

Member of the SGS Group (Société Générale de Surveillance)

测试报告

No. SH504895/ CHEM

Date: 1.28.2005

Page 1 of 2

上海美蓓亚精密机电有限公司
上海市青浦区沪青平公路 8313 号

委托检验的样品及申请者对样品的说明如下:

样品名称 : 轴承
SGS 相关号 : SHEC0050101446-3
材质 : SAE52100

样品收到日期 : 2005-01-25
样品试验日期 : 2005-01-25—2005-01-28

试验要求 : 1) 测定委托样品的镉含量
2) 测定委托样品的铅含量
3) 测定委托样品的汞含量
4) 测定委托样品的六价铬含量

试验方法 : 1) 参照 BS EN 1122:2001 方法 B 或其他酸消解
采用电感耦合等离子发射光谱法(ICP-AES)进行分析或原子吸收光谱法(AAS)进行分析
2) 参照美国环境保护局(US EPA)方法 3050B 或其他酸消解
采用电感耦合等离子发射光谱法(ICP-AES) 进行分析或原子吸收光谱法(AAS)进行分析
3) 参照 US EPA 3052 方法或其他酸消解
采用电感耦合等离子发射光谱法(ICP-AES) 进行分析
4) 参照 US EPA3060A & US EPA7196A 进行分析
采用紫外分光光度计进行分析

试验结果 : 见下一页

SGS-CSTC 化学实验室授权签字

张曜
主管



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 206616

试验结果 :

序号	项目	单位	检测极限值	A
1	镉(Cd)	ppm	2	N.D.
2	铅(Pb)	ppm	2	N.D.
3	汞(Hg)	ppm	2	N.D.
4	六价铬(Cr VI)	ppm	2	N.D.

(所示结果为样品总重量中的含量)

样品描述:

A. 银色金属轮

备注: ppm =mg/kg

N.D.=未检出 (低于检测极限值)

报告结束

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 206617

测试报告

No. SH504891 / CHEM

Date: 1.31.2005

Page 1 of 2

上海美格亚精密机电有限公司
上海市青浦区沪青平公路 8313 号

委托检验的样品及申请者对样品的说明如下:

样品名称 : 保持架
SGS 相关号 : SHEC0050101446-1
型号 : MN
材质 : 树脂

样品收到日期 : 2005-01-25
样品试验日期 : 2005-01-25—2005-01-31

试验要求 :
1) 测定委托样品的铜含量
2) 测定委托样品的铅含量
3) 测定委托样品的汞含量
4) 测定委托样品的六价铬含量
5) 测定委托样品的多溴联苯(PBBs), 多溴联苯醚(PBDEs/PBDEs)含量

试验方法 :
1) 参照 BS EN 1122:2001 方法 B
采用电感耦合等离子体发射光谱法(ICP-AES)进行分析或原子吸收光谱法(AAS)进行分析
2) 参照美国环境保护局(US EPA)方法 3050B
采用电感耦合等离子体发射光谱法(ICP-AES) 进行分析或原子吸收光谱法(AAS)进行分析
3) 参照 US EPA 3052 方法
采用电感耦合等离子体发射光谱法(ICP-AES) 进行分析
4) 参照 US EPA3060A & US EPA7196A 进行分析
采用紫外分光光度计进行分析
5) 参照 US EPA 8081, 采用 GC/MS 进行分析

试验结果 : 见下一页

SGS-CSTC 化学实验室授权签字

张曜
主管

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 209069

1/6, 7/F, 9/F & 10/F the 3rd Building, No. 888, Yishan Road, Xuhui District, Shanghai, China 200233. T +86 21 6495 1618*822. F +86 21 5460 0314.
中国: 上海: 徐汇区宜山路888号3号楼1楼, 7楼, 9楼, 10楼. 邮编: 200233. T +86 21 6495 1618*822. F +86 21 5460 0314. www.cn.sgs.com

3 1 966 ON

SGS 实验室 2005-01-31

测试报告

No. SH504891/CHEM

Date: 1.31.2005

Page 2 of 2

试验结果

序号	项目	单位	检测极限值	A
1	镉(Cd)	ppm	2	N.D.
2	铅(Pb)	ppm	2	N.D.
3	汞(Hg)	ppm	2	N.D.
4	六价铬(Cr VI)	ppm	2	N.D.
5	多溴联苯定量分析	—	—	—
	一溴联苯	ppm	5	N.D.
	二溴联苯	ppm	5	N.D.
	三溴联苯	ppm	5	N.D.
	四溴联苯	ppm	5	N.D.
	五溴联苯	ppm	5	N.D.
	六溴联苯	ppm	5	N.D.
	七溴联苯	ppm	5	N.D.
	八溴联苯	ppm	5	N.D.
	九溴联苯	ppm	5	N.D.
	十溴联苯	ppm	5	N.D.
	多溴联苯醚定量分析	—	—	—
	一溴联苯醚	ppm	5	N.D.
	二溴联苯醚	ppm	5	N.D.
	三溴联苯醚	ppm	5	N.D.
	四溴联苯醚	ppm	5	N.D.
	五溴联苯醚	ppm	5	N.D.
	六溴联苯醚	ppm	5	N.D.
	七溴联苯醚	ppm	5	N.D.
	八溴联苯醚	ppm	5	N.D.
	九溴联苯醚	ppm	5	N.D.
	十溴联苯醚	ppm	5	N.D.

(所示结果为样品总重量中的含量)

样品描述:

A. 贡/棕色树脂架

备注: ppm = mg/kg

N.D.=未检出 (低于检测极限值)

报告结束

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHGH 209113

Page 1 of 2

委托检验的样品及申请者对样品的说明如下:

试验结果 见下一页

SGS-CSTC 化学实验员授权签字人

张强
主管

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SECRET 203007

[illegible]

1/F, 7/F, 8/F & 10/F the 3rd Building, No. 893, Yienan Road, Xuhui District, Shanghai, China 200233 (+86 21) 6486 1816*822 (+86 21) 5450 0314
中國：上海：徐匯區宜山路893號4-5号楼：7樓、8樓、10樓 郵編：200233 +86 21 6486 1816*822 +86 21 5450 0314 www.cn.sgs.com

Member of the SSG Group (Swedish Bank for the Environment)

测试报告

No. SH504908/ CHEM

Date: 1.31.2005

Page 2 of 2

试验结果

序号	项目	单位	检测限值	A
1	镉(Cd)	ppm	2	N.D.
2	铅(Pb)	ppm	2	N.D.
3	汞(Hg)	ppm	2	N.D.
4	六价铬(Cr VI)	ppm	2	N.D.
5	多溴联苯定量分析	—	—	—
	一溴联苯	ppm	5	N.D.
	二溴联苯	ppm	5	N.D.
	三溴联苯	ppm	5	N.D.
	四溴联苯	ppm	5	N.D.
	五溴联苯	ppm	5	N.D.
	六溴联苯	ppm	5	N.D.
	七溴联苯	ppm	5	N.D.
	八溴联苯	ppm	5	N.D.
	九溴联苯	ppm	5	N.D.
	十溴联苯	ppm	5	N.D.
	多溴联苯醚定量分析	—	—	—
	一溴联苯醚	ppm	5	N.D.
	二溴联苯醚	ppm	5	N.D.
	三溴联苯醚	ppm	5	N.D.
	四溴联苯醚	ppm	5	N.D.
	五溴联苯醚	ppm	5	N.D.
	六溴联苯醚	ppm	5	N.D.
	七溴联苯醚	ppm	5	N.D.
	八溴联苯醚	ppm	5	N.D.
	九溴联苯醚	ppm	5	N.D.
	十溴联苯醚	ppm	5	N.D.

(所示结果为样品总重量中的含量)

样品描述

A 黄色膏体

备注: ppm = mg/kg

N.D.=未检出 (低于检测限值)

—报告结束—

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SACH 200114

SGS

禾特 (磁石)

3/1

Test Report

DONG GUAN SUPERTech ELECTRONICS CO., LTD. Report No. : CE/2004/93628
YAN TIAN DISTRICT, FUNG KONG, DONG GUAN, Date : 2004/09/29
GUANG DONG, CHINA. Page : 1 of 3

The following merchandise was (were) submitted and identified by the client as :

Type of Product : 橡膠磁石
Sample Received : 2004/09/21
Testing Date : 2004/09/21 TO 2004/09/29

Test Result : - Please see the next page -


Daniel Yeh, M.A. - Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.

This Test Report is issued by the Company, subject to its Standard Conditions of Service printed hereon. Attention is drawn to the limitations of liability, re-identification, and authentication stated herein. The results shown in this test report are only for the purposes stated herein and are not to be used for any other purpose. The Test Report cannot be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission of the Company. 此報告僅供客戶參考，不得作為其他用途。報告中所示之結果僅供客戶參考，不得作為其他用途。報告中所示之結果僅供客戶參考，不得作為其他用途。報告中所示之結果僅供客戶參考，不得作為其他用途。

TW 1085445

333 Taiwan Rd. No. 108-1 Wuyang Road, Wuyang Industrial Zone, Taipei County, Taiwan / 台灣縣五楊工業區五楊路108-1號
台灣檢驗科技股份有限公司 11088-21 2296-2818 11088-21 2296-5117 www.fai.com.tw

Printed at SGS Group



Test Report

DONG GUAN SUPERTECH ELECTRONICS CO., LTD. Report No. : CE/2004/93628
YAN TIAN DISTRICT, FUNG KONG, DONG GUAN, Date : 2004/09/29
GUANG DONG, CHINA. Page : 2 of 3

Test Result

PART NAME NO.1 : BLACK RUBBER MAGNET

Test Item (s):	Unit	Method	MDL	Result				
				No.1				
PBBs(Polybrominated biphenyls)(CAS NO:67774-32-7)	%	With reference to USEPA3540 or USEPA3550. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC and 76/769/EEC)	0.0005	N.D.				
PBDEs(PBDEs)(Polybrominated biphenyl ethers)	%	With reference to USEPA3540 or USEPA3550. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC and 76/769/EEC)	0.0005	N.D.				

Test Item (s):	Unit	Method	MDL	Result				
				No.1				
PCBs(Polychlorinated Biphenyls)(CAS NO:001336-36-3)	ppm	With reference to US EPA 8082, 89/677/EEC. Analysis was performed by GC/ECD/MS.	0.5	N.D.				

Test Item (s):	Unit	Method	MDL	Result				
				No.1				
PVC free(CAS No:9002-86-2)	**	Analysis was performed by FTIR/ATR and Pyro-GC/MS.	-	Negative				

This Test Report is issued by the Company subject to its General Conditions of Sale and printed manual. Attention is drawn to the conditions of liability, indemnification, and jurisdictional matters printed therein. This Report shall not be reproduced or its contents copied, stored, disseminated, or otherwise used without the prior written permission of the Company. 此報告係根據本公司之標準作業程序所發出，其內容未經本公司之同意，不得複製、儲存、散佈或作其他用途。未經本公司之同意，不得複製、儲存、散佈或作其他用途。此報告係根據本公司之標準作業程序所發出，其內容未經本公司之同意，不得複製、儲存、散佈或作其他用途。

T: 1085446

SGS Taiwan Ltd. | No. 138-8 Wu Kong Road, Wufeng Industrial Zone, Taichung County, Taiwan. / 台灣台中縣五峰區五峰二路138-1號
台灣檢驗科技股份有限公司 | TEL: 04-2225-8888 | FAX: 04-2225-2237 | www.sgsgroup.com

Member of B21 Group



Test Report

DONG GUAN SUPERTech ELECTRONICS CO., LTD.
YAN TIAN DISTRICT, FUNG KONG, DONG GUAN,
GUANG DONG, CHINA.

Report No. : CE/2004/93628

Date : 2004/09/29

Page : 3 of 3

Test Item (s):	Unit	Method	MDL	Result			
				No.1			
Chromium VI (Cr+6)	ppm	As per US EPA 7196A and US EPA 3060A.	2	N.D.			
Cadmium (Cd)	ppm	ICP-AES after as per EN 1122, method B:2001 or other acid digestion.	2	N.D.			
Mercury (Hg)	ppm	ICP-AES after as per US EPA 3052 or other acid digestion.	2	N.D.			
Lead (Pb)	ppm	ICP-AES after as per US EPA 3050B or other acid digestion.	2	24.2			

NOTE: (1) N.D. = Not detected (<MDL)
(2) ppm = mg/kg
(3) MDL = Method Detection Limit
(4) " - " = No Regulation
(5) ** = Qualitative analysis (No Unit)
(6) Negative = Undetectable / Positive = Detectable

This Test Report is issued by the Company subject to its General Conditions of Service printed separately. Attention is drawn to the limitation of liability, indemnification, and jurisdiction clauses referred therein. This Report shall be the last report after only in the contract is silent unless otherwise stated. This Test Report cannot be reproduced, stored in a retrieval system or used for any other purpose without the written permission of the Company. 此報告書僅供客戶參考，不得作為其他用途之依據。此報告書之使用，須受本公司之服務條款之限制。此報告書之使用，須受本公司之服務條款之限制。此報告書之使用，須受本公司之服務條款之限制。

T/1085447

SGS Taiwan Ltd. | No. 135-1 Wu Kang Road, Wulai Industrial Zone, Taipei County, Taiwan / 台北縣烏來區五工路135-1號
台灣檢驗科技股份有限公司 | 電話: 886-21 2288-2000 | 傳真: 886-21 2288-2033 | 網址: www.sgsgroup.com

TOTAL P. 03



Test Report

No.: GZSCR050428129/LP

Date: MAY 12, 2005

Page 1 of 4

DONGGUAN CHANG DA ELECTRIC WIRE FACTORY CO., LTD.
88 XING-WANG RD. WU-SHA, CHEN-WU INDUSTRY ZONE,
CHANG-AN TOWN, DONGGUAN CITY, GUANG-DONG PROVINCE, CHINA

Report on the submitted sample said to be PVC INSULATION WIRE WITH COLOR: YELLOW
[UL1007/UL1015/UL1028/UL1569/UL1571/UL1581/UL1865/UL1061/UL2468/UL2800/UL2877/UL2651/UL2464/UL
2733/UL1617/UL1185/UL2547/UL2835/ULSPT(W)/ULNISPT(W)/ULSJT(W)/ULSVT(W)/(H)/VFF(H)/VCTF(H)/VCTF
K AND OTHER NOUL STYLE) THEY FIT SONY & SAMSUNG MODEL


SGS Ref No. : GZ050404694EC-11.3
JT3 P/N : 180-RU02220, 180-RU08820, 180-R004018, 180-RU04020, 180-
R004020, 182-418012, 180-RU04022, 182-400003, 182-420000, 182-
W08300400
Buyer : SONY (OEM) FACTORY
Supplier : WIN-TECH PLASTIC MATERIALS CO., LTD.
Sample Receiving Date : APR 29, 2005
Testing Period : APR 29, 2005 TO MAY 10, 2005

Test Requested : (1) As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium
content in the submitted sample.
(2) Determination of PBBs (polybrominated biphenyls), PBDEs (Polybrominated
diphenylethers) of the submitted sample.

Test Method : (1) Cadmium content : With reference to BS EN 1122:2001 Method B see flowchart (1).
Lead content : Ashing after wet decomposition see flowchart (2).
Mercury content - with reference to EPA 3052, 1996
Hexavalent Chromium content - with reference to EPA 3060A & EPA 7196A.
Analysis was performed by Atomic Absorption Spectrometer and Inductively Coupled
Plasma Atomic Emission Spectrometer (ICP-AES) / UV-VIS Spectrophotometer.
(2) With reference to SGS in-house method. Analysis was performed by GC/MS.

RESULTS : Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.


Zhang Li, Amy
Sr. Engineer

(下页) 请移步至下一页查看测试结果			
检测项目	检测结果	Pb Max:	13
检测项目	检测结果	Cd Max:	ND
检测项目	检测结果	Mercury:	ND
检测项目	检测结果	Hexavalent Chromium:	ND
检测日期	2005年5月12日	检测地点	广东东莞
检测人员	罗平	检测单位	SGS

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

Test Report

No.: GZ3CR050428129/LP

Date: MAY 12, 2005

Page 2 of 4

Results:

(1)

Yellow plastic (jacket)

Lead Content (Pb) (ppm)
Cadmium Content (Cd)
Mercury Content (Hg)
Hexavalent Chromium Content [Cr(VI)]

13
N.D.
N.D.
N.D.

Note: - N.D. = Not Detected (< 2 ppm)
- ppm = mg/kg

(2)

Flame Retardants	Yellow plastic (jacket)	Detection Limit (ppm)
Polybrominated Biphenyls (PBBs)		
Monobromobiphenyl	N.D.	5
Dibromobiphenyl	N.D.	5
Tribromobiphenyl	N.D.	5
Tetrabromobiphenyl	N.D.	5
Pentabromobiphenyl	N.D.	5
Hexabromobiphenyl	N.D.	5
Heptabromobiphenyl	N.D.	5
Octabromobiphenyl	N.D.	5
Nonabromobiphenyl	N.D.	5
Decabromobiphenyl	N.D.	5
Polybrominated Diphenylether (PBDEs)		
Monobromodiphenyl ether	N.D.	5
Dibromodiphenyl ether	N.D.	5
Tribromodiphenyl ether	N.D.	5
Tetrabromodiphenyl ether	N.D.	5
Pentabromodiphenyl ether	N.D.	5
Hexabromodiphenyl ether	N.D.	5
Heptabromodiphenyl ether	N.D.	5
Octabromodiphenyl ether	N.D.	5
Nonabromodiphenyl ether	N.D.	5
Decabromodiphenyl ether	N.D.	5

Note: - N.D. = Not Detected (< 5 ppm)
- ppm = mg/kg

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 131110

R/F, Block 1, The Jing Industrial Park, Ling Shui Road, The Cao Dong Pe Area, Xinhui District, Guangzhou China 510660
中国·广州·天河区东圃珠村龙山路新合工业园八栋西楼 邮编: 510660

Member of SGS Group (Société Générale de Surveillance)

Test Report

No.: GZSC050428129/LP


Date: MAY 12, 2005

Page 3 of 4

ATTACHMENTS

(1)

Flow chart of digestion (Cadmium content):



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Sams Deng
Leader : Joe Li

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

Test Report


No.: GZSCR050426129/LP

Date: MAY 12, 2005

Page 4 of 4

(2)

Flow chart of digestion (wet decomposition and ashing) (Lead content) :



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Vincent Li
Leader : Adams Yu

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 011161



Test Report

No.: GZSCR050426130/LP

Date: MAY 12, 2005

Page 1 of 4

DONGGUAN CHANG DA ELECTRIC WIRE FACTORY CO., LTD.
88 XING-WANG RD. WU-SHA, CHEN-WU INDUSTRY ZONE,
CHANG-AN TOWN, DONGGUAN CITY, GUANG-DONG PROVINCE, CHINA

Report on the submitted sample said to be PVC INSULATION WIRE WITH COLOR: RED
[UL1007/UL1015/UL1028/UL1589/UL1571/UL1581/UL1885/UL1061/UL2468/UL2800/UL2877/UL2851/UL2464/UL
2733/UL1617/UL1185/UL2547/UL2835/ULSPT(W)/ULNISPT(W)/ULSJT(W)/ULSVT(W)/H/VFFI(H)/VCFT(H)/VCTF
K AND OTHER NOUL STYLE) THEY FIT SONY & SAMSUNG MODEL

SGS Ref No. : GZ050404694EC-11.4
JT3 P/N : 180-R002018, 180-RU02020, 180-R002020, 180-R002920, 180-
RU02220, 180-RU08820, 180-1WR-1009-1-3M, 180-1WR-1009-5M,
182-W02300200, 180-RU02922TC, 180-RU02026, 180-H0039, 193-JBL-
2, 180-1WR-1009-1, 180-1WR-1009, 180-1WR-1010, 180-A6458, 180-
RU02018, 180-RU02022, 180-RU02024, 180-RU02922, 182-218012,
182-220002, 182-220011, 182-240009, 182-260005, 182-200006, 182-
W08300200, 184-H0011
Buyer : SONY (OEM) FACTORY
Supplier : WIN-TECH PLASTIC MATERIALS CO.,LTD.
Sample Receiving Date : APR 29, 2005
Testing Period : APR 29, 2005 TO MAY 10, 2005

Test Requested : (1) As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium
content in the submitted sample.
(2) Determination of PBBs (polybrominated biphenyls), PBDEs (Polybrominated
diphenylethers) of the submitted sample.

Test Method : (1) Cadmium content : With reference to BS EN 1122:2001 Method B see flowchart (1)
Lead content : Ashing after wet decomposition see flowchart (2)
Mercury content - with reference to EPA 3052: 1996.
Hexavalent Chromium content - with reference to EPA 3060A & EPA 7196A.
Analysis was performed by Atomic Absorption Spectrometer and Inductively Coupled
Plasma Atomic Emission Spectrometer (ICP-AES) / UV-VIS Spectrophotometer.
(2) With reference to SGS in-house method. Analysis was performed by GC/MS.

RESULTS : Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.

Zhang Li, Amy
Sr. Engineer

() 样品名称: 塑料绝缘导线			
测试项目:	RoHS	Pb Max值:	7
测试方法:	72012.500	Cd Max值:	N.D
测试结果:	合格	结果判定:	OK
测试日期:	2005.5.12	测试地点:	5.12
测试人员:	罗华	审核:	5.12

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 111111

SGS (Shanghai) Inspection & Certification Co., Ltd. 88 Xingwang Road, WuSha, ChenWu Industrial Zone, ChangAn Town, Dongguan City, Guangdong Province, China 511900
中国-广州-大岭山镇陈武村兴山路88号 邮编: 511900
Tel: 86-755-29691000 Fax: 86-755-29691001
E-mail: sgs@china.sgs.com

Member of SGS Group (Société Générale de Surveillance)

Test Report

No.: GZSCR050426130/LP

Date: MAY 12, 2005

Page 2 of 4

Results :

(1)

Red plastic w/ black printing (jacket)

Lead Content (Pb) (ppm)
Cadmium Content (Cd)
Mercury Content (Hg)
Hexavalent Chromium Content [Cr(VI)]

7
N.D.
N.D.
N.D.

Note : - N.D. = Not Detected (< 2 ppm)
- ppm = mg/kg

(2)

Flame Retardants	Red plastic w/ black printing (jacket)	Detection Limit (ppm)
Polybrominated Biphenyls (PBBs)		
Monobromobiphenyl	N.D.	5
Dibromobiphenyl	N.D.	5
Tribromobiphenyl	N.D.	5
Tetrabromobiphenyl	N.D.	5
Pentabromobiphenyl	N.D.	5
Hexabromobiphenyl	N.D.	5
Heptabromobiphenyl	N.D.	5
Octabromobiphenyl	N.D.	5
Nonabromodiphenyl	N.D.	5
Decabromodiphenyl	N.D.	5
Polybrominated Diphenylether (PBDEs)		
Monobromodiphenyl ether	N.D.	5
Dibromodiphenyl ether	N.D.	5
Tribromodiphenyl ether	N.D.	5
Tetrabromodiphenyl ether	N.D.	5
Pentabromodiphenyl ether	N.D.	5
Hexabromodiphenyl ether	N.D.	5
Heptabromodiphenyl ether	N.D.	5
Octabromodiphenyl ether	N.D.	5
Nonabromodiphenyl ether	N.D.	5
Decabromodiphenyl ether	N.D.	5

Note : - N.D. = Not Detected (< 5 ppm)
- ppm = mg/kg

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 231961

Test Report

No.: GZSCR050426130/LP


Date: MAY 12, 2005

Page 3 of 4

ATTACHMENTS

(1)

Flow chart of digestion (Cadmium content):



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Sams Deng
Leader : Joe Li

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 011111

SGS (China) Co., Ltd.
Address: Guangzhou, China

4/F, Block B, Ya Jing Industrial Park, Ling Shan Road, Zhu Cai Cong Po Area, Tunde District, Guangzhou, China 510660
中国·广州·天河区东圃珠村灵山路黄工业园八栋四楼 邮编: 510660

Member of SGS Group (Société Générale de Surveillance)

Test Report


No.: GZSCR050426130/LP

Date: MAY 12, 2005

Page 4 of 4

(2)

Flow chart of digestion (wet decomposition and ashing) (Lead content):



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Vincent Li
Leader : Adams Yu

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 231961

Test Report

No.: GZSC050426135/LP

Date: MAY 12, 2005

Page 1 of 4

DONGGUAN CHANG DA ELECTRIC WIRE FACTORY CO., LTD.
88 XING-WANG RD. WU-SHA, CHEN-WU INDUSTRY ZONE,
CHANG-AN TOWN, DONGGUAN CITY, GUANG-DONG PROVINCE, CHINA

Report on the submitted sample said to be PVC INSULATION WIRE WITH COLOR: BLACK
[UL1007/UL1015/UL1028/UL1569/UL1571/UL1581/UL1865/UL1061/UL2468/UL2800/UL2877/UL2851/UL2464/UL
2733/UL1617/UL1185/UL2547/UL2835/ULSPT(W)/ULNISPT(W)/ULSJT(W)/ULSVT(W)/(H)/VFF/(H)/VCF/(H)/VCT/
K AND OTHER NOUL STYLE) THEY FIT SONY & SAMSUNG MODEL

SGS Ref No.
JT3 P/N

: GZ050404694EC-11.9

: 184-CHAMP-B, 193-AM-EX100, 180-R002018, 180-R003018, 180-R004018,
180-R006018, 182-060008, 193-MARK1, 193-MARK1-A, 180-RU06022, 180-
RU08822, 180-RU00020, 180-RU02020, 180-RU04020, 180-RU06020, 180-
RU08020, 280-R004020, 180-R000020, 180-R002020, 180-RU08018, 180-
RU08818, 193-Z6-1, 193-Z6, 180-RU00022, 180-RU02220, 180-RU08820, 184-
CHAMP-A, 193-WR-37001, 184-H0011, 180-RU02018, 193-CHAMPSR-1, 193-
CHAMPSR-2, 180-RU02922, 180-RU02022, 180-RU00020, 193-LCS1060LB,
180-1WR-1010, 180-1WR-1801, 180-A6459, 193-ZB, 193-ZB-1, 184-JBL41-10,
180-RU02018, 180-RU02022, 180-RU02024, 193-NS-329, 184-Z5300-3A, 180-
RU04022, 193-DN-2424A, 180-RU06018, 180-RU08022, 184-PULSE350, 182-
020005, 180-RU09022, 182-000009, 193-JBL41, 182-018012, 182-020005, 182-
0181617, 182-020014, 182-040001, 180-RU02026, 182-W08000000, 184-
LCS1060RB, 184-Z640-3A, 186-FDP2-1, 193-JBL-1C, 184-LCS1060RB, 184-
Z640-3A, 186-FDP2-1, 193-JBL-1C, 193-JBL-2C, 184-NS-379, 193-JBL41-10

Buyer

Supplier

Sample Receiving Date

Testing Period

: SONY (OEM) FACTORY
: SHENZHEN HONGWAN PLASTIC CO., LTD
: APR 29, 2005
: APR 29, 2005 TO MAY 10, 2005

Test Requested

- (1) As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.
- (2) Determination of PBBs (polybrominated biphenyls), PBDEs (Polybrominated diphenylethers) of the submitted sample.

Test Method

- (1) Cadmium content: With reference to BS EN 1122:2001 Method B see flowchart (1).
Lead content: Ashing after wet decomposition see flowchart (2).
Mercury content: with reference to EPA 3052: 1996.
Hexavalent Chromium content: with reference to EPA 3060A & EPA 7195A.
Analysis was performed by Atomic Absorption Spectrometer and Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) / UV-VIS Spectrophotometer.
(2) With reference to SGS in-house method. Analysis was performed by GC/MS.

RESULTS

: Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.

Zhang Li, Amy
Sr. Engineer

(中文) 檢驗報告			
製造商: 昌達	Pb Max: MD	檢驗員: 昌達	結果判定: OK
Lot: 7/20/2004	Cd Max: MD	檢驗員: 劉偉	日期: 05年5月7日
送樣日期: 昌達		檢驗員: 昌達	日期: 05年5月7日
檢驗員: 昌達		檢驗員: 昌達	日期: 05年5月7日

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

Test Report

No.: GZSCR050426135/LP

Date: MAY 12, 2005

Page 2 of 4

Results :

(1)

Black plastic w/ white printing (jacket)

Lead Content (Pb)	N.D.
Cadmium Content (Cd)	N.D.
Mercury Content (Hg)	N.D.
Hexavalent Chromium Content [Cr(VI)]	N.D.

Note : - N.D. = Not Detected (< 2 ppm)
- ppm = mg/kg

(2)

Flame Retardants	Black plastic w/ white printing (jacket)	Detection Limit (ppm)
Polybrominated Biphenyls (PBBs)		
Monobromobiphenyl	N.D.	5
Dibromobiphenyl	N.D.	5
Tribromobiphenyl	N.D.	5
Tetrabromobiphenyl	N.D.	5
Pentabromobiphenyl	N.D.	5
Hexabromobiphenyl	N.D.	5
Heptabromobiphenyl	N.D.	5
Octabromobiphenyl	N.D.	5
Nonabromodiphenyl	N.D.	5
Decabromodiphenyl	N.D.	5
Polybrominated Diphenylether (PBDEs)		
Monobromodiphenyl ether	N.D.	5
Dibromodiphenyl ether	N.D.	5
Tribromodiphenyl ether	N.D.	5
Tetrabromodiphenyl ether	N.D.	5
Pentabromodiphenyl ether	N.D.	5
Hexabromodiphenyl ether	N.D.	5
Heptabromodiphenyl ether	N.D.	5
Octabromodiphenyl ether	N.D.	5
Nonabromodiphenyl ether	N.D.	5
Decabromodiphenyl ether	16ppm	5

Note : - N.D. = Not Detected (< 5 ppm)
- ppm = mg/kg

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 242191



Test Report

No.: GZSCR050426135/LP


Date: MAY 12, 2005

Page 3 of 4

ATTACHMENTS

(1)

Flow chart of digestion (Cadmium content) :



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Sams Deng
Leader : Joe Li

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 242100

Test Report


No.: GZSC0050426135/LP

Date: MAY 12, 2005

Page 4 of 4

(2)

Flow chart of digestion (wet decomposition and ashing) (Lead content):



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Vincent Li
Leader : Adams Yu

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 1471311

Test Report

No.: GZSCR050313680/LP

Date: MAR 24, 2005

Page 1 of 2

DONGGUAN YUKKWONG METAL OXIDIZATION PRODUCTS CO., LTD.
XINSHI DISTRICT, HENGLI, DONGGUAN, GUANGDONG, CHINA

Report on the submitted sample said to be: 7015-2P

SGS Ref No.: GZ050302539EC-3.3
Buyer: EVERFLOW
Supplier: DONGGUAN YUKKWONG METAL OXIDIZATION PRODUCTS CO., LTD.
Sample Receiving Date: MAR 17, 2005
Testing Period: MAR 17, 2005 TO MAR 22, 2005

Test Requested: (1) As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.
(2) Determination of PBBs (polybrominated biphenyls), PBCEs (Polybrominated diphenylethers) of the submitted sample.

Test Method: (1) Lead content - In house method, with reference to EPA method 3050B: 1996.
Cadmium content - In house method, with reference to BS EN1122: 2001 method B.
Mercury content - In house method, with reference to EPA 3052: 1996.
Hexavalent Chromium content - with reference to EPA 3060A & EPA 7198A.
Analysis was performed by Atomic Absorption Spectrometer and Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) / UV-VIS Spectrophotometer.
(2) With reference to SGS in-house method. Analysis was performed by GC/MS.

RESULTS: Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.

He Jiaoyan, Jane
Tech Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 225295



Test Report

No.: GZSCR050313690/LP

Date: MAR 24, 2005

Page 2 of 2

Results :

(1)

	PCB
Lead Content (Pb) (ppm)	15
Cadmium Content (Cd)	N.D.
Mercury Content (Hg)	N.D.
Hexavalent Chromium Content (Cr(VI))	N.D.

Note : - N.D. = Not Detected (< 2 ppm)

- ppm = mg/kg

(2)

Flame Retardants	PCB	Detection Limit (ppm)
Polybrominated Biphenyls (PBBs)		
Monobromobiphenyl	N.D.	5
Dibromobiphenyl	N.D.	5
Tribromobiphenyl	N.D.	5
Tetrabromobiphenyl	N.D.	5
Pentabromobiphenyl	N.D.	5
Hexabromobiphenyl	N.D.	5
Heptabromobiphenyl	N.D.	5
Octabromobiphenyl	N.D.	5
Nonabromodiphenyl	N.D.	5
Decabromodiphenyl	N.D.	5
Polybrominated Diphenylether (PBDEs)		
Monobromodiphenyl ether	N.D.	5
Dibromodiphenyl ether	N.D.	5
Tribromodiphenyl ether	N.D.	5
Tetrabromodiphenyl ether	N.D.	5
Pentabromodiphenyl ether	N.D.	5
Hexabromodiphenyl ether	N.D.	5
Heptabromodiphenyl ether	N.D.	5
Octabromodiphenyl ether	N.D.	5
Nonabromodiphenyl ether	N.D.	5
Decabromodiphenyl ether	N.D.	5

Note : - N.D. = Not Detected (< 5 ppm)

- ppm = mg/kg

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and each sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 225296

SGS Testing Services (China) Co., Ltd.
Surgeon-In-Chief of Laboratory

SGS Testing Services (China) Co., Ltd. 10000 10000 10000 10000 10000 10000 10000 10000 10000 10000
中国·广州·天河区东圃镇利兴路福康工业园九楼908 邮编 510660 TEL: 020-82000000 FAX: 020-82000000

SGS**Test Report**

CHANG CHUN PLASTICS CO., LTD.
7TH FL., 301 SONG KIANG ROAD, TAIPEI, TAIWAN,
R. O. C.

Report No. : CE/2005/33371
Date : 2005/03/23
Page : 1 of 3

The following merchandise was (were) submitted and identified by the client as :

<u>Type of Product</u>	:	POLYBUTYLENE TEREPHTHALATE
<u>Style/Item No</u>	:	PET(2000, 2000T, 2100, 4108, 4115, 4115F, 4120, 4130, 4130F, 4140, 4815, 4820, 4830, 4840, 4815G, 4830G)
<u>Sample Received</u>	:	2005/03/16
<u>Testing Date</u>	:	2005/03/16 TO 2005/03/23

Test Result

- Please see the next page -


David Yen, M.A. - Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

SGS TAIWAN LIMITED | 700, 10th Fl., No. 100, Sec. 2, Zhongxing Rd., Taipei County, Taiwan.
TEL: 886-2-2700-8888 FAX: 886-2-2700-8889 www.sgs.com.tw

SGS**Test Report**

CHANG CHUN PLASTICS CO., LTD.
7TH FL., 301 SONG KIANG ROAD, TAIPEI, TAIWAN,
R. O. C.

Report No. : CE/2005/33371

Date : 2005/03/23

Page : 2 of 3

Test Result

PART NAME NO.1

: MULTICOLORED PLASTIC PELLETS (PLEASE
REFER TO THE PHOTO ATTACHED)

Test Item (s):	Unit	Method	MDL	Result No.1
Chromium VI (Cr+6)	ppm	As per US EPA 7196A and US EPA 3060A	2	N.D.
Cadmium (Cd)	ppm	ICP-AES after as per EN 1122, method B:2001 or other acid digestion.	2	N.D.
Mercury (Hg)	ppm	ICP-AES after as per US EPA 3052 or other acid digestion.	2	N.D.
Lead (Pb)	ppm	ICP-AES after as per US EPA 3050B or other acid digestion.	2	12.0

Test Item (s):	Unit	Method	MDL	Result No.1
PBBs(Polybrominated biphenyls)(CAS NO:059536- 65-1)	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.
PBDEs(PBDEs)(Polybrominat ed biphenyl ethers)	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0003	N.D.

NOTE: (1) N.D. = Not detected (<MDL)
(2) ppm = mg/kg
(3) MDL = Method Detection Limit

The content of this PDF file is in accordance with the original paper reports for reference only. This Test Report cannot be reproduced, except in full,
without prior written permission of the Company.

SGS TAIWAN LIMITED | NO. 136-1, Wukong Road, Wukong Industrial Zone, Taipei County, Taiwan.
TEL: 886-2-27081811 FAX: 886-2-27081817 www.sgs.com.tw

功 有 限 公 司

P. 001

FROM : ARIWAN

2005-06-27 06:58PM

SGS

Test Report

KOAN HAO ENTERPRISE CO., LTD
29, GUNG YE RD, NANKANG IND. PARK, NANTOU,
TAIWAN R. O. C.

Report No. : CE/2005/40248A
Date : 2005/04/11
Page : 1 of 6

The following merchandise was (were) submitted and identified by the client as :

Type of Product	:	25 g POLYESTER FILM GOLDEN MAT® STICKER FOR 10
Style/Item No	:	TKOMISUL
Buyer	:	SONY
Sample Received	:	2005/04/01
Testing Date	:	2005/04/01 TO 2005/04/11

Test Result : - Please see the next page -

This report is combined with report of CE/2005/40248A


Daniel Yen, M.A., Operation Manager
Signed for and on behalf of
KOAN TAIWAN LTD.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, stored in full, without prior written permission of this Company.

SGS Taiwan, Ltd. 100, Zhongxing Road, Sec. 2, Nankang Industrial Park, Taipei, Taiwan
10001-0100, TEL: 886-2-2707-8888, FAX: 886-2-2707-8889, www.sgs.com.tw

SGS

Test Report

KOAN HAO ENTERPRISE CO., LTD
29, GUNG YE RD. NANKANG IND. PARK, NANTOU,
TAIWAN R. O. C.

Report No. : CE/2005/403011
Date : 2005/04/11
Page : 2 of 6

Test Results

PART NAME NO.1	:	GOLDEN COLORED FILM(CE/2005/40248A) (PLEASE REFER TO THE PHOTO ATTACHED)
PART NAME NO.2	:	TRANSPARENT ACRYLIC(CE/2005/40301) (PLEASE REFER TO THE PHOTO ATTACHED)

Test Item (s):	Unit	Method	MDL	Result	
				No. 1	No. 2
Monobromobiphenyl	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.	N.D.
Dibromobiphenyl	%		0.0005	N.D.	N.D.
Tribromobiphenyl	%		0.0005	N.D.	N.D.
Tetrabromobiphenyl	%		0.0005	N.D.	N.D.
Pentabromobiphenyl	%		0.0005	N.D.	N.D.
Hexabromobiphenyl	%		0.0005	N.D.	N.D.
Heptabromobiphenyl	%		0.0005	N.D.	N.D.
Octabromobiphenyl	%		0.0005	N.D.	N.D.
Nonabromobiphenyl	%		0.0005	N.D.	N.D.
Decabromobiphenyl	%		0.0005	N.D.	N.D.
Total PBBS(Polybrominated biphenyls)/Sum of above	%			N.D.	N.D.
Monobromobiphenyl ether	%	With reference to USEPA3540C or USEPA3550C. Analysis was performed by HPLC/DAD, LC/MS or GC/MS. (prohibited by 2002/95/EC (RoHS), 83/264/EEC, and 76/769/EEC)	0.0005	N.D.	N.D.
Dibromobiphenyl ether	%		0.0005	N.D.	N.D.
Tribromobiphenyl ether	%		0.0005	N.D.	N.D.
Tetrabromobiphenyl ether	%		0.0005	N.D.	N.D.
Pentabromobiphenyl ether	%		0.0005	N.D.	N.D.
Hexabromobiphenyl ether	%		0.0005	N.D.	N.D.
Heptabromobiphenyl ether	%		0.0005	N.D.	N.D.
Octabromobiphenyl ether	%		0.0005	N.D.	N.D.
Nonabromobiphenyl ether	%		0.0005	N.D.	N.D.
Decabromobiphenyl ether	%		0.0005	N.D.	N.D.
Total PBBEs(PBDEs) (Polybrominated biphenyl ethers)/Sum of above	%			N.D.	N.D.

The content of this report is to be in accordance with the original laboratory reports for reference only. This Test Report cannot be reproduced, except in full, without the written permission of the Client.

[illegible]

2005-06-27 06:58PM A. Z.

1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 2680, 26

SGS

Test Report

ROAN HAO ENTERPRISE CO., LTD
29, CUNG YE RD, NANKANG IND. PARK, NANTOU,
TAIWAN R. O. C.


Report No. :
Date : 2005/04/11
Page : 4 of 6

PART NAME NO. 1

Per requirements of SONY QAR-05-002:

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) Name of the person who made measurement: Anren Lee
- 3) Name of the person in charge of measurement: Dandel Yeh

Flow Chart of Digestion for Plastic - EN1122 for Cd (without residue)



This copy of this PDF file is in accordance with the original lab test reports for reference only. This Test Report should be reproduced, except in full, without prior written permission of the Company.

SGS

Test Report

MOAN HAO ENTERPRISE CO., LTD
29, CUNG YE RD, NANKANG IND. PARK, NANTOU,
TAIWAN R. O. C.


Report No. : CE/2005/400011
Date : 2005/04/11
Page : 5 of 6

PART NAME NO. 1

For requirements of SONY QAR-05-0021

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) Name of the person who made measurement: Anzen Lee
- 3) Name of the person in charge of measurement: Daniel Yeh

Flow Chart of Digestion for Plastic - Wet Decomposition for Pb (residue is 0)



SGS

KOAN HAO ENTERPRISE CO., LTD.
29, GUNG YE RD, NANKANG IND. PARK, NANTOU,
TAIWAN R. O. C.

Report No. : CE/2005/4030-1 L

Date : 2005/04/11

Page : 6 of 6

CE / 2005
/ 40248

E / 2005
40301

[illegible]

Test Report

No.: GZSCR050420533/LP

Date: APR 15, 2005

Page 1 of 2

JUST MAKE ELECTRONICS CO.,LTD.
XI NIU PI INDUSTRIAL ESTATE,
DA LANG TOWN, DONGGUAN

Report on the submitted sample said to be TERMINAL (端子)

SGS Ref No. : SZ050405822EC
Item No. : SEE REMARK
P.O No. : 0502
Buyer : SAMSUNG
Supplier : JMT
Manufacture : JMT
Region of Origin : TAIWAN
Country of Destination : USA/JAPAN
Sample Receiving Date : APR 11, 2005
Testing Period : APR 11, 2005 TO APR 14, 2005

Test Requested : As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.

Test method : Cadmium content – In-house method, with reference to BS EN1122: 2001 method B.
Lead content – In-house method, with reference to EPA method 3050B: 1996.
Mercury content – In-house method, with reference to EPA 3052: 1996.
Hexavalent Chromium content – with reference to EPA 3060A: 1996 & EPA 7196A: 1992.
Analysis was performed by Atomic Absorption Spectrometer and Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) / UV-VIS Spectrophotometer.

Result

Silvery metal part + Golden metal part
+ Coppery metal part

Lead Content (Pb)(ppm)	56
Cadmium Content (Cd)	N.D.
Mercury Content (Hg)	N.D.
Hexavalent Chromium Content [Cr(VI)]	N.D.

Note : - N.D. = Not Detected (< 2 ppm)
- ppm = mg/kg

Signed for and on behalf of
SGS-CSTC Ltd.

He Xiaoyan, Jane
Tech. Manager

Item	Result	Unit
Pb Max	56	ppm
Cd Max	N.D.	ppm
Hg Max	N.D.	ppm
Cr(VI) Max	0.0	ppm
Lead	56	ppm
Cadmium	0.0	ppm
Mercury	0.0	ppm
Hexavalent Chromium	0.0	ppm

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 228506

Test Report

No.: GZSCR050420533/LP

Date: APR 15, 2005

Page 2 of 2

Item No.

: J1000, J2000, J10182, J1011, J1017, J1018, J10181,
J10182, J10185, J10186, J10187, J1019, J1020, J1030,
J1058, J1158, J1120, J11202, J1130, J1135, J11636,
J1432, J1439, J1445, J1441, J14312, J1456, J1473,
J1424, J1543, J1535, J15351, J1729 J1730, J1732,
J1735, J1740, J1741, J1751, J1752, J1753, J1764,
J1841, J1842, J2016, J2017, J2020, J2120, J2027,
J2017, J2030, J2130, J2133, J2143, J23125, J24125,
J24150, J2350, J2351, J2362, J2347, J24111, J24221,
J24150, J2416, J24181, J24182, J24228, J2540,
J0303, J0302, J6758

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM.228507

下金发/金保南课
From 200 2002

SGS

Test Report

No.: SZTYR050410905/LP

Date: APR 15, 2005

Page 1 of 2

POWER LOGIC ELECTRONIC FACTORY
NORTH AREA, TIANMEI INDUSTRIAL DISTRICT,
HUANGJIANG TOWN, DONGGUAN CITY,
GUANGDONG PROVINCE, CHINA

Report on the submitted sample said to be: FRAME & IMPELLER & BOBBIN

SGS Ref. No.	: GZS12R050420907/LP
Item No.	: PBT 1830
Type	: EVERFLOW
Supplier	: POWER LOGIC
Manufacturer	: CHANG CHUN PLASTICS CO., LTD.
Region of Origin	: TAIWAN
Sample Receiving Date	: APR 11, 2005
Testing Period	: APR 11, 2005 TO APR 14, 2005

Test Requested : Determination of PBAs (polybrominated biphenyls), PBDEs (Polybrominated diphenylethers) in the submitted sample.

Test Method : With reference to: SGS in-house method. Analysis was performed by GC/MS.

Test Results : Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.



Zhang Yanzhong, Helen
Section Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Such Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional matters defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SZL 323281

SGS

Test Report

No.: SZTYR050307932LP

Date: MAR 23, 2005 Page 1 of 1

POWER LOGIC ELECTRONIC FACTORY
NORTH AREA, TIANMEI INDUSTRIAL DISTRICT,
HUANGJIANG TOWN, DONGGUAN CITY,
GUANGDONG PROVINCE, CHINA

Report on the submitted sample said to be FRAME & IMPELLER & DOBBIN

Item No. : PBT4630
Buyer : EVERFLOW
Supplier : POWER LOGIC
Manufacturer : CHANG CHUN PLASTICS CO., LTD.
Region of Origin : TAIWAN
Sample Receiving Date : MAR 19, 2005
Testing Period : MAR 19, 2005 TO MAR 23, 2005

Test Requested : To determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample

Test Method : Lead content - with reference to EPA Method 3050B: 1995 / other acid digestion.
Cadmium content - with reference to EN1122: 2001 method B / other acid digestion.
Mercury content - with reference to EPA Method 3052: 1995 / other acid digestion.
Hexavalent Chromium content - with reference to EPA Method 3060A: 1995 / other wet digestion.
Analysis was performed by Atomic Absorption Spectrometer (AAS) and Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES).

Results

Black plastic pieces + Red plastic pieces

Lead Content (ppm) <i>Pb</i>	11
Cadmium Content (ppm) <i>cd</i>	7
Mercury Content <i>Hg</i>	N.D.
Hexavalent Chromium Content <i>CrVI</i>	N.D.

Note: - N.D. = Not Detected (< 2 ppm)

- ppm = mg/kg

- Results shown are of the total weight of dry sample.

*** End of Report ***

Signed for and on behalf of
SGS-CSTC Ltd.


Zhang Yanzheng, Head
Section Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional parties defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SZL 315687

No. 01 (China) - Lab. No. 00000000000000000000
Revision 00000000000000000000000000000000

SZTYR050307932LP, Order Ref: 240319050307932LP, Sample Ref: 240319050307932LP, (0575) 81111111 (Fax) 81111111, www.sgs.com

Member of SGS Group (Member of SGS Group of Companies)

SGS

Test Report

No.: 82TYR050410505/LP

Date: APR 15, 2005

Page 2 of 2

Results:

	Black plastic + Red plastic	Detection Limit
Flame Retardants	---	---
Polybrominated Biphenyls (PBBs)	N.D.	5 ppm
Monobromobiphenyl	N.D.	5 ppm
Dibromobiphenyl	N.D.	5 ppm
Tribromobiphenyl	N.D.	5 ppm
Tetrabromobiphenyl	N.D.	5 ppm
Pentabromobiphenyl	N.D.	5 ppm
Hexabromobiphenyl	N.D.	5 ppm
Heptabromobiphenyl	N.D.	5 ppm
Octabromobiphenyl	N.D.	5 ppm
Nonabromobiphenyl	N.D.	---
Decabromobiphenyl	---	5 ppm
Polybrominated biphenyl ether (PBDEs)	N.D.	5 ppm
Monobromodiphenyl ether	N.D.	5 ppm
Dibromodiphenyl ether	N.D.	5 ppm
Tribromodiphenyl ether	N.D.	5 ppm
Tetrabromodiphenyl ether	N.D.	5 ppm
Pentabromodiphenyl ether	N.D.	5 ppm
Hexabromodiphenyl ether	N.D.	5 ppm
Heptabromodiphenyl ether	N.D.	5 ppm
Octabromodiphenyl ether	N.D.	5 ppm
Nonabromodiphenyl ether	N.D.	5 ppm
Decabromodiphenyl ether	N.D.	5 ppm

Note: - N.D. = Not Detected
- Not detected is lower than detection limit value.
- The tests were conducted by SGS GZ LTD.

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

521 323282

WACB China (Fujian) Co., Ltd.
Shanghai Branch (Shanghai)

38,403/F Date Building, Dongfang Road, Shanghai, China 200040 T: (86-21) 62114038 F: (86-21) 62114039 E: sgs@sgs.com www.sgs.com
Member of SGS Group (Global) Division de Surveillance

SGS

伟诺助焊剂

To: 采购 王小姐

Test Report

No. SZTYR050117809/LP

Date: JAN 25, 2005

Page 1 of 1

DONG GUAN WEL HAO SCIENTECH ELECTRONICS MATERIAL CO., LTD
NO. 189 BEI HUAN ROAD TIAO KANG, HENG LI TWON, DONG GUAN CITY

- Report on the submitted sample said to be FLUX

Item No. : HD-810
Buyer : SONY
Sample Receiving Date : JAN 18, 2005
Testing Period : JAN 19, 2005 JAN 24, 2005

Test Requested : To determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.

Test Method : Lead content - with reference to EPA Method 3050B: 1996.
Cadmium content - with reference to EN1122: 2001 method B.
Mercury & Chromium content - in-house method.
Analysis was performed by Inductively Coupled Plasma Atomic Emission Spectrometer.

RESULTS

Transparent Lt. yellow liquid

Lead content (mg/kg)	< 2
Cadmium Content (mg/kg)	< 2
Mercury Content (mg/kg)	< 2
Hexavalent Chromium Content (mg/kg)	< 2

Note : - < = Less Than
- ppm = mg/kg
- Results shown are of the total weight of liquid sample.

*** End of Report ***

Signed for and on behalf of
SGS-CSTC Ltd.


Zhang Yanzheng, Helen
Sr. Section Head

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

SGS-CSTC Standards Technical Services Co., Ltd. | 21, 4/F, 5/F, Baxiao Building, Zhangjiang Road, Shanghai, Shanghai China 201201 | (86-755) 81001922 | (86-755) 81001923 | 81115624 | www.sgscstc.com

SZL 169894

To: 采購 羅'S

偉信 fan solder

Test Report

No. 2013786/EC

Date: Feb 21 2005

Page 1 of 2

深圳市弘星威焊錫制品有限公司
深圳市寶安區石岩鎮塘興工業區

對標稱為無鉛錫條之化驗報告

此報告是報告 2013451/EC, 日期為 FEB 18 2005 之報告的中文譯本 (翻譯內容如有歧異, 概以英文報告為準)。

SGS 工作編號 : 1703515
SGS 參考編號 : S2ECO050201914EC
買家 : 廣東美的, 福建大樹電子
生產廠家/供應商 : 深圳市弘星威焊錫制品有限公司
原產國 : 中國
樣品接收日期 : 二零零五年二月四日
化驗時間/日期 : 二零零五年二月五日至十八日

測試項目 : 1) 檢定所提供樣品之鎘 (Cd) 含量。
2) 檢定所提供樣品之鉛 (Pb) 含量。
3) 檢定所提供樣品之汞 (Hg) 含量。
4) 檢定所提供樣品之六價鉻 (CrVI) 含量。
5) 檢定所提供樣品之聚溴化苯 (PBBs), 聚溴化苯醚 (PBDEs/PBDEs) 含量。

測試方法 : 1-3) 參照內部方法進行測定。
利用酸去溶解樣品, 然後利用電感耦合等離子發射光譜儀(ICP-AES)或原子吸收光譜儀進行測定。
4) 根據EPA Method 3060A和7196A。
依照EPA Method 3060A, 利用鹼抽取樣品中的六價鉻 (CrVI), 並以 Colorimetric method 7196A。
5) 參照內部方法進行測定。
利用氣相色譜儀及質譜儀(GC/MS)進行測定。

測試結果 : 請參照下頁。

香港通用公証行
代表簽名

李鳳美 / 高級經理

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

To: 永興 羅

SGS

Test Report

No. 2013786/EC

Date: Feb 21 2005

Page 2 of 2

化測結果

1-4)

元素

鎘 (Cd)

鉛 (Pb)

汞 (Hg)

六價鉻 (Cr⁶⁺)

銀色金屬 (錫線)

< 2 毫克/ 千克

79 毫克/ 千克

< 2 毫克/ 千克

< 2 毫克/ 千克

(以上結果為測試樣品的總重量)

評註: < = 少於

5)

阻燃劑	銀色金屬 (錫線)	測試限定
聚溴化苯	---	---
溴化苯	未能測出	5 毫克/ 千克
二溴化苯	未能測出	5 毫克/ 千克
三溴化苯	未能測出	5 毫克/ 千克
四溴化苯	未能測出	5 毫克/ 千克
五溴化苯	未能測出	5 毫克/ 千克
六溴化苯	未能測出	5 毫克/ 千克
七溴化苯	未能測出	5 毫克/ 千克
八溴化苯	未能測出	5 毫克/ 千克
九溴化苯	未能測出	5 毫克/ 千克
十溴化苯	未能測出	5 毫克/ 千克
多溴化二苯醚	---	---
溴化二苯醚	未能測出	5 毫克/ 千克
二溴化二苯醚	未能測出	5 毫克/ 千克
三溴化二苯醚	未能測出	5 毫克/ 千克
四溴化二苯醚	未能測出	5 毫克/ 千克
五溴化二苯醚	未能測出	5 毫克/ 千克
六溴化二苯醚	未能測出	5 毫克/ 千克
七溴化二苯醚	未能測出	5 毫克/ 千克
八溴化二苯醚	未能測出	5 毫克/ 千克
九溴化二苯醚	未能測出	5 毫克/ 千克
十溴化二苯醚	未能測出	5 毫克/ 千克

(以上結果為測試樣品的總重量)

評註: 未能測出 = 低於測試限定

-- 完 --

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

Singapore Branch: 5/F - 8/F & 28/F - 29/F, Metropole Square, 2 On Yiu Street, Siu Lek Yuen, Shatin, N.T., Hong Kong. Tel: (852) 2331 4431 Fax: (852) 2784 3128 www.hk.sgs.com

Member of the SGS Group (SGL)

Printed in Hong Kong

Printed in Hong Kong

Printed in Hong Kong

测试报告

No. BH508881/CHEM

Date: 2.28.2005

Page 1 of 2

东莞海桦电子材料厂
东莞市东城区主山新三杞工业区

委托檢驗的樣品及申請者對樣品的說明如下:

样品名称	: 铝箔铜包钢线
SGS 相关号	: SHEC0050203228
买家	: 客户
型号	: 0.40×0.40mm

样品收到日期: 2005-02-23
样品试验日期: 2005-02-23—2005-02-28

試驗要求

- 1) 測定發射樣品的銅含量
- 2) 測定發射樣品的鉻含量
- 3) 測定發射樣品的錳含量
- 4) 測定發射樣品的六銻格含量
- 5) 測定發射樣品的多環芳烴(PBBs)多環芳烴(PBBs/PBDEs)含量

试验方法

- 1) 参照 B9 EN 1122:2001 方法 B 或其他酸消解。
采用电感耦合等离子体发射光谱法(ICP-AES)进行分析或原子吸收光谱法(AAS)进行分析
- 2) 参照美国环境保护局(US EPA)方法 3050B 或其他酸消解。
采用电感耦合等离子体发射光谱法(ICP-AES) 进行分析或原子吸收光谱法(AAS)进行分析
- 3) 参照 US EPA 3052 方法或其他酸消解。
采用电感耦合等离子体发射光谱法(ICP-AES) 进行分析
- 4) 参照 US EPA3060A & US EPA7196A 进行分析
采用紫外分光光度计进行分析
- 5) 参照 US EPA 8061, 采用 GC/MS 进行分析

試驗結果 見下二面



This Tax Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.ajg.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Tax Report refer only to the sample(s) tested unless otherwise agreed and each sample should be marked for 30 days only. This Tax Report shall not be reproduced without the fully informed written approval of the Company.

DNCH 224200

试验结果

序号	项目	单位	检测限值	A
1	镉(Cd)	ppm	2	N.D.
2	铅(Pb)	ppm	2	N.D.
3	汞(Hg)	ppm	2	N.D.
4	六价铬(Cr VI)	ppm	2	N.D.
5	多溴联苯定量分析	—	—	—
	一溴联苯	ppm	5	N.D.
	二溴联苯	ppm	5	N.D.
	三溴联苯	ppm	5	N.D.
	四溴联苯	ppm	5	N.D.
	五溴联苯	ppm	5	N.D.
	六溴联苯	ppm	5	N.D.
	七溴联苯	ppm	5	N.D.
	八溴联苯	ppm	5	N.D.
	九溴联苯	ppm	5	N.D.
	十溴联苯	ppm	5	N.D.
	多溴联苯醚定量分析	—	—	—
	一溴联苯醚	ppm	5	N.D.
	二溴联苯醚	ppm	5	N.D.
	三溴联苯醚	ppm	5	N.D.
	四溴联苯醚	ppm	5	N.D.
	五溴联苯醚	ppm	5	N.D.
	六溴联苯醚	ppm	5	N.D.
	七溴联苯醚	ppm	5	N.D.
	八溴联苯醚	ppm	5	N.D.
	九溴联苯醚	ppm	5	N.D.
	十溴联苯醚	ppm	5	N.D.

(所示结果为样品总重量中的含量)

样品描述:

A. 银色金属丝

备注: ppm = mg/kg

N.D.=未检出 (低于检测限值)

报告结束



This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

SHCH 224199



Chemical Laboratory - KAO, SGS Taiwan Ltd.

TEST REPORT

SAMPLE RETURN

REPORT NO: KA/2004/00323
DATE: 2004/11/23
PAGE: 1 OF 3

THE FOLLOWING MERCHANDISE WAS(WERE) SUBMITTED AND IDENTIFIED BY THE CLIENT AS:

CLIENT : WALSIN TECHNOLOGY CORPORATION.
PRODUCT DESCRIPTION : CHIP RESISTOR W/WWWVFJ8201,0402,0603,0805,1206,1216,2010,2512).
TESTING DATE : 2004/11/17 TO 2004/11/23.
SAMPLE RECEIVED : 2004/11/18.

WE HAVE TESTED THE SAMPLE(S) SUBMITTED AS REQUESTED AND THE FOLLOWING RESULTS WERE OBTAINED.

TEST ITEM(S)	UNIT	METHOD	DET. LMT	RESULT
ASBESTOS ANALYSIS	—	HEALTH CANADA-PRODUCT SAFETY BUREAU REFERENCE MANUAL BOOK5- LABORATORY POLICIES AND PROCEDURE(FIR)	—	n.d.
CHLORINATED PARAFFIN(C13)	%	AS PER GCMS	0.01	n.d.
CADMIUM	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT EN1122, METHOD B:2001.	2	n.d.
CHROMIUM VI	ppm	ANALYSIS BY US EPA 7195A WITH ADVANCE TREATMENT US EPA 3090A.	2	n.d.
FORMALDEHYDE	ppm	DN 53315 METHOD B (HPLC)	0.2	n.d.
MERCURY	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT US EPA 3062.	2	n.d.
MIREX	ppm	AS PER GCMS	4	n.d.
LEAD	ppm	ANALYSIS BY ICP-AES WITH ADVANCE TREATMENT US EPA 3050B.	2	794
PBDEs	%	WITH REFERENCE TO 83024/SEC. ANALYSIS WAS PERFORMED BY GC/ECDMS OR HPLC/DADMS.	0.0005	n.d.
PBDEs	%	WITH REFERENCE TO 83024/SEC. ANALYSIS WAS PERFORMED BY GC/ECDMS OR HPLC/DADMS.	0.0005	n.d.



George Huang
George Huang / Supervisor
Sign for and on behalf of
SGS Taiwan Limited

This Test Report is issued by the Company subject to the General Conditions of Service apply to the contract. Any dispute is subject to the jurisdiction of Taipei, Republic of China and the Company's arbitration clause. The results shown in this test report are only for the sample(s) tested under the conditions stated. This Test Report cannot be reproduced, modified, or used without the permission of the Company. 本報告係根據客戶之委託，由本公司之實驗室所出具，其內容僅供參考，不得作為其他用途。如有任何爭議，應由本公司之法律顧問處理。本報告之內容，未經本公司之法律顧問審核，不得作為其他用途。如有任何爭議，應由本公司之法律顧問處理。

TW1246111

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No. 208, Chung-Hua First Road, San-Min District, Keelung, Taiwan
TEL: 886-71-213-2000

TEL: 886-71-213-2134

Highway 2, Keelung City, Taiwan / 高雄市中區美芝路208號
www.sgslab.com
Member of SGS Group



Chemical Laboratory - KAO, SGS Taiwan Ltd.

TEST REPORT

SAMPLE RETURN

REPORT NO. KA0004/B0323

PAGE: 2 OF 3

TEST ITEM(S)	UNIT	METHOD	DET. LMT	RESULT
PCB(POLYCHLORINATED BIPHENYLS)	ppm	AS PER GC/ECDMS	0.5	n.d.
POLYCHLORINATED NAPHTHALENE	ppm	AS PER GC/MS	5	n.d.
PENTACHLOROPHENOL	ppm	DIN 53315	0.03	n.d.
PCT(POLYCHLORINATED TERPHENYLS)	ppm	AS PER GC/ECDMS	0.5	n.d.
PVC FREE TEST	---	FTIR/ATR AND FLAME TEST	---	n.d.
ORGANOTIN COMPOUNDS	---	---	---	---
TRI BUTYL TIN(TBT)	ppm	BY USING GC/FPD WITH THE PROCEDURE OUTLINE IN DIN 38407.	0.03	n.d.
TRI PHENYL TIN(TPT)	ppm	BY USING GC/FPD WITH THE PROCEDURE OUTLINE IN DIN 38407.	0.03	n.d.
AZO	---	---	---	---
1) 4-AMINODIPHENYL (CAS NO. 92-67-1)	ppm	LMBG 82.02-2 (GC/MS)	3	n.d.
2) BENZIDINE (CAS NO. 92-67-5)	ppm	LMBG 82.02-2 (GC/MS)	3	n.d.
3) 4-CHLORO-O-TOLUIDINE (CAS NO. 95-69-2)	ppm	LMBG 82.02-2 (GC/MS)	3	n.d.
4) 2-NAPHTHYLAMINE (CAS NO. 91-59-8)	ppm	LMBG 82.02-2 (GC/MS)	3	n.d.
5) 0-AMINO-AZOTOLUENE (CAS NO. 97-55-3)	ppm	LMBG 82.02-2 (GC/MS)	3	n.d.
6) 2-AMINO-4-NITROTOLUENE (CAS NO. 99-85-8)	ppm	LMBG 82.02-2 (GC/MS)	3	n.d.
7) P-CHLORANILINE (CAS NO. 105-47-5)	ppm	LMBG 82.02-2 (GC/MS)	3	n.d.
8) 2,4-DIAMINOANISOLE (CAS NO. 615-05-4)	ppm	LMBG 82.02-2 (GC/MS)	3	n.d.
9) 4,4'-DIAMINODIPHENYLMETHANE (CAS NO. 101-77-9)	ppm	LMBG 82.02-2 (GC/MS)	3	n.d.
10) 3,3'-DICHLOROBENZIDINE (CAS NO. 91-64-1)	ppm	LMBG 82.02-2 (GC/MS)	3	n.d.



This Test Report is issued by the Company pursuant to General Conditions of Service printed therein. Applicant's liability in the event of any falsification, misrepresentation, and/or misinterpretation of the results of the test is the responsibility of the applicant. The results of the test are for information only and do not constitute a warranty. The results of the test are for information only and do not constitute a warranty. The results of the test are for information only and do not constitute a warranty.

TW1246110

SGS Taiwan Ltd. / No. 204, Chung Hwa 2nd Road Sec. 4, Taipei, Taiwan / 高雄市中區中正二路204號
SGS Taiwan Ltd. / 高雄市中區中正二路204號

Member of ISO 9001



Chemical Laboratory - KAO, SGS Taiwan Ltd.

TEST REPORT

SAMPLE RETURN

REPORT NO KA000490323

PAGE 3 OF 3

TEST ITEM(S)	UNIT	METHOD	DET. LMT	RESULT
11) 3,3'-DIMETHOXYBENZIDINE (CAS NO.119-93-4)	ppm	LM8G 82.02-2 (GC/MS)	3	n.d.
12) 3,3'-DIMETHYLBENZIDINE (CAS NO.119-93-7)	ppm	LM8G 82.02-2 (GC/MS)	3	n.d.
13) 3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS NO.535-85-0)	ppm	LM8G 82.02-2 (GC/MS)	3	n.d.
14) P-CRESIDINE (CAS NO.130-71-8)	ppm	LM8G 82.02-2 (GC/MS)	3	n.d.
15) 4,4'-METHYLENE-BIS- (2-CHLORANILINE) (CAS NO.101-14-4)	ppm	LM8G 82.02-2 (GC/MS)	3	n.d.
16) 4,4'-OXYDIANILINE (CAS NO.101-80-4)	ppm	LM8G 82.02-2 (GC/MS)	3	n.d.
17) 4,4'-THIODIANILINE (CAS NO.139-85-1)	ppm	LM8G 82.02-2 (GC/MS)	3	n.d.
18) O-TOLUIDINE (CAS NO.95-53-4)	ppm	LM8G 82.02-2 (GC/MS)	3	n.d.
19) 2,4-TOLUYLEDIAMINE (CAS NO.95-82-7)	ppm	LM8G 82.02-2 (GC/MS)	3	n.d.
20) 2,4,6-TRIMETHYLANILINE (CAS NO.137-17-7)	ppm	LM8G 82.02-2 (GC/MS)	3	n.d.
21) 4-AMINOAZOBENZENE (CAS NO.90-69-8)	ppm	LM8G 82.02-2 (GC/MS)	3	n.d.
22) O-ANISIDINE (CAS NO.90-04-0)	ppm	LM8G 82.02-2 (GC/MS)	3	n.d.

NOTE : n.d. = not detected.

<END>



This Test Report is issued by the Company subject to its General Conditions of Service printed separately. It represents a statement of the findings of the laboratory, based on the information provided to it, and is not a guarantee of the quality of the product. The results shown in this report are valid only for the purpose for which they were obtained. This Test Report cannot be used for any other purpose without the prior written permission of the Company. 此測試報告係根據客戶提供之資訊所發出，其內容僅供參考，不得作為其他用途之依據。本公司之測試報告，僅能作為客戶提供之資訊之參考，不得作為其他用途之依據。本公司之測試報告，僅能作為客戶提供之資訊之參考，不得作為其他用途之依據。

TW1245850

SGS Taiwan Ltd.
SGS Taiwan Ltd. 台灣 SGS 有限公司

No. 208, Chung Hwa 2nd Road San-Min District Taichung, Taiwan / 高麗市三民區中華二路208號
1 (886) 71 313-2000 F (886) 71 313-2184

www.sgs.com
Member of IEC Group



Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 1 of 13

The following merchandise was (were) submitted and identified by the client as :

Type of Product : MLCC 0805
Sample Received : 2005/01/14
Testing Date : 2005/01/14 TO 2005/01/21

Test Result : - Please see the next page -


Daniel Yeh, M.R. / Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.



Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 2 of 13

Test Result

PART NAME NO.1 : MIXED ALL PARTS (PLEASE REFER TO THE
PHOTO ATTACHED)

Test Item (s):	Unit	Method	MDL	Result
				No.1
Asbestos				
Anthrophyllite(CAS NO.017068-78-9)	**	As per NIOSH 9000 method. Analysis was performed by XRD.	-	Negative
Crocidolite(CAS NO.012001-28-4)	**	As per NIOSH 9000 method. Analysis was performed by XRD.	-	Negative
Amosite(CAS NO.012172-73-5)	**	As per NIOSH 9000 method. Analysis was performed by XRD.	-	Negative
Tremolite(CAS NO.014567-73-8)	**	As per NIOSH 9000 method. Analysis was performed by XRD.	-	Negative
Chrysotile(CAS NO.012001-29-5)	**	As per NIOSH 9000 method. Analysis was performed by XRD.	-	Negative
Actinolite(CAS NO.013768-00-8)	**	As per NIOSH 9000 method. Analysis was performed by XRD.	-	Negative

Test Item (s):	Unit	Method	MDL	Result
				No.1
AZO		As per LMBG 8202-2		
4-AMINODIPHENYL (CAS NO.92-67-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
BENZIDINE (CAS NO.92-87-5)	ppm	Analysis was performed by GC/MS.	3	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 3 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
4-CHLORO-O-TOLUIDINE (CAS NO.95-69-2)	ppm	Analysis was performed by GC/MS.	3	N.D.
2-NAPHTHYLAMINE (CAS NO.91-59-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
O-AMINOAZOTOLUENE (CAS NO.97-56-3)	ppm	Analysis was performed by GC/MS.	3	N.D.
2-AMINO-4-NITROTOLUENE (CAS NO.99-55-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-CHLOROANILINE (CAS NO.106-47-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4-DIAMINOANISOLE (CAS NO.615-05-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4- DIAMINODIPHENYLMETHA NE (CAS NO.101-77-9)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DICHLOROBENZIDINE (CAS NO.91-94-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DIMETHOXYBENZIDINE (CAS NO.119-90-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DIMETHYLBENZIDINE (CAS NO.119-93-7)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DIMETHYL-4,4- DIAMINODIPHENYLMETHA NE (CAS NO.838-88-0)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-CRESIDINE(2-METHOXY- 5-METHYLANILINE) (CAS NO.120-71-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4-METHYLENE-BIS-(2- CHLORANILINE) (CAS NO.101-14-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4-OXYDIANILINE (CAS NO.101-80-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4-THIODIANILINE (CAS NO.139-65-1)	ppm	Analysis was performed by GC/MS.	3	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.



Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 4 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
O-TOLUIDINE (CAS NO.95-53-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4-TOLUYLENDIAMINE (CAS NO.95-80-7)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4,5-TRIMETHYLANILINE (CAS NO.137-17-7)	ppm	Analysis was performed by GC/MS.	3	N.D.
O-ANISIDINE (CAS NO.90-04-0)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-AMINOAZOBENZENE (CAS NO.60-09-3)	ppm	Analysis was performed by GC/MS.	3	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
CFC's(Chlorofluorocarbons)		With reference to US EPA 8260.		
Group I				
Chlorofluorocarbon-11(CAS No:000075-69-4)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-12(CAS No:000075-71-8)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-113(CAS No:000076-13-1)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-114(CAS No:000076-14-2)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-115(CAS No:000076-15-3)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Group III				
Chlorofluorocarbon-13(CAS No:000075-72-9)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.



Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 5 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Chlorofluorocarbon-111(CAS No:000354-56-3)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-112(CAS No:000076-12-0)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-211(CAS No:135401-87-5)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-212(CAS No:076564-99-3)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-213(CAS No:060285-54-3)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-214(CAS No:002268-46-4)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-215(CAS No:000076-17-5)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-216(CAS No:001652-80-8)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-217(CAS No:000422-86-6)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Chlorinated Paraffin (C10-C13) (CAS NO:010871-26-2)	%	Analysis was performed by GC/MS.	0.01	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.



Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 6 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Formaldehyde(CAS No:000050-00-0)	ppm	With reference to DIN 53315 & USEPA 8315A. Analysis was performed by HPLC/DAD/MS	0.2	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Halon		With reference to US EPA 8260.		
Halon-1211	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Halon-1301	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Halon-2402	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
HCFC's(Hydrogenated chlorofluorocarbons)		With reference to US EPA 8260.		
Hydrochlorofluorocarbon-21(CAS No.:000075-43-4)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-22(CAS No.:000075-45-6)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-31(CAS No.:000593-70-4)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company

Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 7 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Hydrochlorofluorocarbon-121(CAS No.:000354-14-3)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-122(CAS No.:000354-21-2)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-123(CAS No.:000306-83-1)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-124(CAS No.:002837-89-0)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-131(CAS No.:000359-28-4)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-131b(CAS No.:000471-43-2)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-133a(CAS No.:000075-88-7)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-141b(CAS No.:001717-00-6)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-221	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.



Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 8 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Hydrochlorofluorocarbon-222(CAS No.:000422-30-0)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-223	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-224	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-225ca(CAS No.:000422-56-0)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-225cb(CAS No.:000507-55-1)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-226(CAS No.:000431-87-8)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-231	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-232	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-233	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.



Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 9 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Hydrochlorofluorocarbon-234	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-235(CAS No.:013838-16-9)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-241	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-242	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-243(CAS No.:000338-75-0)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-244	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-251	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-252	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-253(CAS No.:000354-06-1)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.



Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 10 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Hydrochlorofluorocarbon-261(CAS No.:000420-97-3)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-262(CAS No.:000420-97-3)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-271	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Mirex(CAS NO:002385-85-5)	ppm	Analysis was performed by GC/MS.	4	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
1,1,1-trichloroethane	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS.	1	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Organic-tin compounds				
Triphenyl Tin(TPT)(CAS NO:000668-34-8)	ppm	With reference to 83/677/EEC & DIN 38407. Analysis was performed by GC/FPD.	0.03	N.D.
Tributyl Tin(TBT)	ppm	With reference to 83/677/EEC & DIN 38407. Analysis was performed by GC/FPD.	0.03	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 11 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Carbon tetrachloride	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS/HEADSPACE.	1	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
PCBs(Polychlorinated Biphenyls)(CAS NO:001336-36-3)	ppm	With reference to USEPA 8082A. Analysis was performed by GC/ECD/MS.	0.5	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Polychlorinated Naphthalene	ppm	With reference to USEPA 8081B. Analysis was performed by GC/MS.	5	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
PCTs(Polychlorinated Terphenyls)	ppm	Analysis was performed by GC/ECD/MS.	0.5	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
PVC free(CAS No:9002-86-2)	**	Analysis was performed by FTIR/ATR and Pyro-GC/MS.	-	Negative

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 12 of 13

Test Item (s):	Unit	Method	MDL	Result No.1
Halogen		As per EN14582 method B.		
Halogen-Chlorine (Cl)(CAS No:007782-50-5)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it, the absorb solution was analyzed by IC method.	50	540.0
Halogen-Fluorine (F)(CAS No:007782-41-4)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it, the absorb solution was analyzed by IC method.	50	N.D.
Halogen-Bromine (Br)(CAS No:007726-95-6)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it, the absorb solution was analyzed by IC method.	50	N.D.
Halogen-Iodine (I)(CAS No:007553-56-2)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it, analyzed by ICP.	50	N.D.

- NOTE: (1) N.D. = Not detected (<MDL)
 (2) ppm = mg/kg
 (3) MDL = Method Detection Limit
 (4) " --- " = Not Applicable
 (5) " - " = No Regulation
 (6) * = Results shown are of the adjusted analytical results
 (7) ** = Qualitative analysis (No Unit)
 (8) Negative = Undetectable / Positive = Detectable



Test Report

YAGEO CORPORATION NANTZE BRANCH

16, WEST 3RD, N. E. P. Z. P. O. BOX 35-106 KAOHSIUNG,
TAIWAN, R. O. C.

Report No. : CE/2005/12359

Date : 2005/01/21

Page : 13 of 13



**CE/2005/
12359**

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company.

石黑 华利

SGS

Test Report

No.: GZSCR050533114/LP

Date: JUN 02, 2005

Page 1 of 4

TSUEN JYI PLASTIC CO., LTD.
SECOND INDUSTRIAL PARK
JIANGBEI VILLAGE, WUSHA PRECINCT,
CHANGAN TOWN, DONGGUAN CITY,
GUANGDONG PROVINCE, P.R.CHINA

Report on the submitted sample said to be APS

SGS Ref No.: GZ050505871EC-9.8
Buyer: SONY
Sample Receiving Date: MAY 27, 2005
Testing Period: MAY 27, 2005 TO JUN 02, 2005

Test Requested: (1) As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.
(2) Determination of PBBs (polybrominated biphenyls), PBDEs (Polybrominated diphenylethers) of the submitted sample.

Test method: (1) Cadmium content: With reference to BS EN 1122:2001 Method B see flowchart (1).
Lead content: Ashing after wet decomposition see flowchart (2).
Mercury content: With reference to EPA 3052, 1996.
Hexavalent Chromium content: With reference to EPA 3060A, 1996 & EPA 7196A, 1992.
Analysis was performed by Atomic Absorption Spectrometer and Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) / UV-VIS Spectrophotometer.
(2) With reference to SGS in-house method. Analysis was performed by GC/MS.

Results: Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.

He Xiaoyan, Jane
Tech. Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full without written approval of the Company.

GZCM 200235

SGS-CSTC (China) Limited, 12/F, 13/F, 14/F, 15/F, 16/F, 17/F, 18/F, 19/F, 20/F, 21/F, 22/F, 23/F, 24/F, 25/F, 26/F, 27/F, 28/F, 29/F, 30/F, 31/F, 32/F, 33/F, 34/F, 35/F, 36/F, 37/F, 38/F, 39/F, 40/F, 41/F, 42/F, 43/F, 44/F, 45/F, 46/F, 47/F, 48/F, 49/F, 50/F, 51/F, 52/F, 53/F, 54/F, 55/F, 56/F, 57/F, 58/F, 59/F, 60/F, 61/F, 62/F, 63/F, 64/F, 65/F, 66/F, 67/F, 68/F, 69/F, 70/F, 71/F, 72/F, 73/F, 74/F, 75/F, 76/F, 77/F, 78/F, 79/F, 80/F, 81/F, 82/F, 83/F, 84/F, 85/F, 86/F, 87/F, 88/F, 89/F, 90/F, 91/F, 92/F, 93/F, 94/F, 95/F, 96/F, 97/F, 98/F, 99/F, 100/F, 101/F, 102/F, 103/F, 104/F, 105/F, 106/F, 107/F, 108/F, 109/F, 110/F, 111/F, 112/F, 113/F, 114/F, 115/F, 116/F, 117/F, 118/F, 119/F, 120/F, 121/F, 122/F, 123/F, 124/F, 125/F, 126/F, 127/F, 128/F, 129/F, 130/F, 131/F, 132/F, 133/F, 134/F, 135/F, 136/F, 137/F, 138/F, 139/F, 140/F, 141/F, 142/F, 143/F, 144/F, 145/F, 146/F, 147/F, 148/F, 149/F, 150/F, 151/F, 152/F, 153/F, 154/F, 155/F, 156/F, 157/F, 158/F, 159/F, 160/F, 161/F, 162/F, 163/F, 164/F, 165/F, 166/F, 167/F, 168/F, 169/F, 170/F, 171/F, 172/F, 173/F, 174/F, 175/F, 176/F, 177/F, 178/F, 179/F, 180/F, 181/F, 182/F, 183/F, 184/F, 185/F, 186/F, 187/F, 188/F, 189/F, 190/F, 191/F, 192/F, 193/F, 194/F, 195/F, 196/F, 197/F, 198/F, 199/F, 200/F, 201/F, 202/F, 203/F, 204/F, 205/F, 206/F, 207/F, 208/F, 209/F, 210/F, 211/F, 212/F, 213/F, 214/F, 215/F, 216/F, 217/F, 218/F, 219/F, 220/F, 221/F, 222/F, 223/F, 224/F, 225/F, 226/F, 227/F, 228/F, 229/F, 230/F, 231/F, 232/F, 233/F, 234/F, 235/F, 236/F, 237/F, 238/F, 239/F, 240/F, 241/F, 242/F, 243/F, 244/F, 245/F, 246/F, 247/F, 248/F, 249/F, 250/F, 251/F, 252/F, 253/F, 254/F, 255/F, 256/F, 257/F, 258/F, 259/F, 260/F, 261/F, 262/F, 263/F, 264/F, 265/F, 266/F, 267/F, 268/F, 269/F, 270/F, 271/F, 272/F, 273/F, 274/F, 275/F, 276/F, 277/F, 278/F, 279/F, 280/F, 281/F, 282/F, 283/F, 284/F, 285/F, 286/F, 287/F, 288/F, 289/F, 290/F, 291/F, 292/F, 293/F, 294/F, 295/F, 296/F, 297/F, 298/F, 299/F, 300/F, 301/F, 302/F, 303/F, 304/F, 305/F, 306/F, 307/F, 308/F, 309/F, 310/F, 311/F, 312/F, 313/F, 314/F, 315/F, 316/F, 317/F, 318/F, 319/F, 320/F, 321/F, 322/F, 323/F, 324/F, 325/F, 326/F, 327/F, 328/F, 329/F, 330/F, 331/F, 332/F, 333/F, 334/F, 335/F, 336/F, 337/F, 338/F, 339/F, 340/F, 341/F, 342/F, 343/F, 344/F, 345/F, 346/F, 347/F, 348/F, 349/F, 350/F, 351/F, 352/F, 353/F, 354/F, 355/F, 356/F, 357/F, 358/F, 359/F, 360/F, 361/F, 362/F, 363/F, 364/F, 365/F, 366/F, 367/F, 368/F, 369/F, 370/F, 371/F, 372/F, 373/F, 374/F, 375/F, 376/F, 377/F, 378/F, 379/F, 380/F, 381/F, 382/F, 383/F, 384/F, 385/F, 386/F, 387/F, 388/F, 389/F, 390/F, 391/F, 392/F, 393/F, 394/F, 395/F, 396/F, 397/F, 398/F, 399/F, 400/F, 401/F, 402/F, 403/F, 404/F, 405/F, 406/F, 407/F, 408/F, 409/F, 410/F, 411/F, 412/F, 413/F, 414/F, 415/F, 416/F, 417/F, 418/F, 419/F, 420/F, 421/F, 422/F, 423/F, 424/F, 425/F, 426/F, 427/F, 428/F, 429/F, 430/F, 431/F, 432/F, 433/F, 434/F, 435/F, 436/F, 437/F, 438/F, 439/F, 440/F, 441/F, 442/F, 443/F, 444/F, 445/F, 446/F, 447/F, 448/F, 449/F, 450/F, 451/F, 452/F, 453/F, 454/F, 455/F, 456/F, 457/F, 458/F, 459/F, 460/F, 461/F, 462/F, 463/F, 464/F, 465/F, 466/F, 467/F, 468/F, 469/F, 470/F, 471/F, 472/F, 473/F, 474/F, 475/F, 476/F, 477/F, 478/F, 479/F, 480/F, 481/F, 482/F, 483/F, 484/F, 485/F, 486/F, 487/F, 488/F, 489/F, 490/F, 491/F, 492/F, 493/F, 494/F, 495/F, 496/F, 497/F, 498/F, 499/F, 500/F, 501/F, 502/F, 503/F, 504/F, 505/F, 506/F, 507/F, 508/F, 509/F, 510/F, 511/F, 512/F, 513/F, 514/F, 515/F, 516/F, 517/F, 518/F, 519/F, 520/F, 521/F, 522/F, 523/F, 524/F, 525/F, 526/F, 527/F, 528/F, 529/F, 530/F, 531/F, 532/F, 533/F, 534/F, 535/F, 536/F, 537/F, 538/F, 539/F, 540/F, 541/F, 542/F, 543/F, 544/F, 545/F, 546/F, 547/F, 548/F, 549/F, 550/F, 551/F, 552/F, 553/F, 554/F, 555/F, 556/F, 557/F, 558/F, 559/F, 560/F, 561/F, 562/F, 563/F, 564/F, 565/F, 566/F, 567/F, 568/F, 569/F, 570/F, 571/F, 572/F, 573/F, 574/F, 575/F, 576/F, 577/F, 578/F, 579/F, 580/F, 581/F, 582/F, 583/F, 584/F, 585/F, 586/F, 587/F, 588/F, 589/F, 590/F, 591/F, 592/F, 593/F, 594/F, 595/F, 596/F, 597/F, 598/F, 599/F, 600/F, 601/F, 602/F, 603/F, 604/F, 605/F, 606/F, 607/F, 608/F, 609/F, 610/F, 611/F, 612/F, 613/F, 614/F, 615/F, 616/F, 617/F, 618/F, 619/F, 620/F, 621/F, 622/F, 623/F, 624/F, 625/F, 626/F, 627/F, 628/F, 629/F, 630/F, 631/F, 632/F, 633/F, 634/F, 635/F, 636/F, 637/F, 638/F, 639/F, 640/F, 641/F, 642/F, 643/F, 644/F, 645/F, 646/F, 647/F, 648/F, 649/F, 650/F, 651/F, 652/F, 653/F, 654/F, 655/F, 656/F, 657/F, 658/F, 659/F, 660/F, 661/F, 662/F, 663/F, 664/F, 665/F, 666/F, 667/F, 668/F, 669/F, 670/F, 671/F, 672/F, 673/F, 674/F, 675/F, 676/F, 677/F, 678/F, 679/F, 680/F, 681/F, 682/F, 683/F, 684/F, 685/F, 686/F, 687/F, 688/F, 689/F, 690/F, 691/F, 692/F, 693/F, 694/F, 695/F, 696/F, 697/F, 698/F, 699/F, 700/F, 701/F, 702/F, 703/F, 704/F, 705/F, 706/F, 707/F, 708/F, 709/F, 710/F, 711/F, 712/F, 713/F, 714/F, 715/F, 716/F, 717/F, 718/F, 719/F, 720/F, 721/F, 722/F, 723/F, 724/F, 725/F, 726/F, 727/F, 728/F, 729/F, 730/F, 731/F, 732/F, 733/F, 734/F, 735/F, 736/F, 737/F, 738/F, 739/F, 740/F, 741/F, 742/F, 743/F, 744/F, 745/F, 746/F, 747/F, 748/F, 749/F, 750/F, 751/F, 752/F, 753/F, 754/F, 755/F, 756/F, 757/F, 758/F, 759/F, 760/F, 761/F, 762/F, 763/F, 764/F, 765/F, 766/F, 767/F, 768/F, 769/F, 770/F, 771/F, 772/F, 773/F, 774/F, 775/F, 776/F, 777/F, 778/F, 779/F, 780/F, 781/F, 782/F, 783/F, 784/F, 785/F, 786/F, 787/F, 788/F, 789/F, 790/F, 791/F, 792/F, 793/F, 794/F, 795/F, 796/F, 797/F, 798/F, 799/F, 800/F, 801/F, 802/F, 803/F, 804/F, 805/F, 806/F, 807/F, 808/F, 809/F, 810/F, 811/F, 812/F, 813/F, 814/F, 815/F, 816/F, 817/F, 818/F, 819/F, 820/F, 821/F, 822/F, 823/F, 824/F, 825/F, 826/F, 827/F, 828/F, 829/F, 830/F, 831/F, 832/F, 833/F, 834/F, 835/F, 836/F, 837/F, 838/F, 839/F, 840/F, 841/F, 842/F, 843/F, 844/F, 845/F, 846/F, 847/F, 848/F, 849/F, 850/F, 851/F, 852/F, 853/F, 854/F, 855/F, 856/F, 857/F, 858/F, 859/F, 860/F, 861/F, 862/F, 863/F, 864/F, 865/F, 866/F, 867/F, 868/F, 869/F, 870/F, 871/F, 872/F, 873/F, 874/F, 875/F, 876/F, 877/F, 878/F, 879/F, 880/F, 881/F, 882/F, 883/F, 884/F, 885/F, 886/F, 887/F, 888/F, 889/F, 890/F, 891/F, 892/F, 893/F, 894/F, 895/F, 896/F, 897/F, 898/F, 899/F, 900/F, 901/F, 902/F, 903/F, 904/F, 905/F, 906/F, 907/F, 908/F, 909/F, 910/F, 911/F, 912/F, 913/F, 914/F, 915/F, 916/F, 917/F, 918/F, 919/F, 920/F, 921/F, 922/F, 923/F, 924/F, 925/F, 926/F, 927/F, 928/F, 929/F, 930/F, 931/F, 932/F, 933/F, 934/F, 935/F, 936/F, 937/F, 938/F, 939/F, 940/F, 941/F, 942/F, 943/F, 944/F, 945/F, 946/F, 947/F, 948/F, 949/F, 950/F, 951/F, 952/F, 953/F, 954/F, 955/F, 956/F, 957/F, 958/F, 959/F, 960/F, 961/F, 962/F, 963/F, 964/F, 965/F, 966/F, 967/F, 968/F, 969/F, 970/F, 971/F, 972/F, 973/F, 974/F, 975/F, 976/F, 977/F, 978/F, 979/F, 980/F, 981/F, 982/F, 983/F, 984/F, 985/F, 986/F, 987/F, 988/F, 989/F, 990/F, 991/F, 992/F, 993/F, 994/F, 995/F, 996/F, 997/F, 998/F, 999/F, 1000/F, 1001/F, 1002/F, 1003/F, 1004/F, 1005/F, 1006/F, 1007/F, 1008/F, 1009/F, 1010/F, 1011/F, 1012/F, 1013/F, 1014/F, 1015/F, 1016/F, 1017/F, 1018/F, 1019/F, 1020/F, 1021/F, 1022/F, 1023/F, 1024/F, 1025/F, 1026/F, 1027/F, 1028/F, 1029/F, 1030/F, 1031/F, 1032/F, 1033/F, 1034/F, 1035/F, 1036/F, 1037/F, 1038/F, 1039/F, 1040/F, 1041/F, 1042/F, 1043/F, 1044/F, 1045/F, 1046/F, 1047/F, 1048/F, 1049/F, 1050/F, 1051/F, 1052/F, 1053/F, 1054/F, 1055/F, 1056/F, 1057/F, 1058/F, 1059/F, 1060/F, 1061/F, 1062/F, 1063/F, 1064/F, 1065/F, 1066/F, 1067/F, 1068/F, 1069/F, 1070/F, 1071/F, 1072/F, 1073/F, 1074/F, 1075/F, 1076/F, 1077/F, 1078/F, 1079/F, 1080/F, 1081/F, 1082/F, 1083/F, 1084/F, 1085/F, 1086/F, 1087/F, 1088/F, 1089/F, 1090/F, 1091/F, 1092/F, 1093/F, 1094/F, 1095/F, 1096/F, 1097/F, 1098/F, 1099/F, 1100/F, 1101/F, 1102/F, 1103/F, 1104/F, 1105/F, 1106/F, 1107/F, 1108/F, 1109/F, 1110/F, 1111/F, 1112/F, 1113/F, 1114/F, 1115/F, 1116/F, 1117/F, 1118/F, 1119/F, 1120/F, 1121/F, 1122/F, 1123/F, 1124/F, 1125/F, 1126/F, 1127/F, 1128/F, 1129/F, 1130/F, 1131/F, 1132/F, 1133/F, 1134/F, 1135/F, 1136/F, 1137/F, 1138/F, 1139/F, 1140/F, 1141/F, 1142/F, 1143/F, 1144/F, 1145/F, 1146/F, 1147/F, 1148/F, 1149/F, 1150/F, 1151/F, 1152/F, 1153/F, 1154/F, 1155/F, 1156/F, 1157/F, 1158/F, 1159/F, 1160/F, 1161/F, 1162/F, 1163/F, 1164/F, 1165/F, 1166/F, 1167/F, 1168/F, 1169/F, 1170/F, 1171/F, 1172/F, 1173/F, 1174/F, 1175/F, 1176/F, 1177/F, 1178/F, 1179/F, 1180/F, 1181/F, 1182/F, 1183/F, 1184/F, 1185/F, 1186/F, 1187/F, 1188/F, 1189/F, 1190/F, 1191/F, 1192/F, 1193/F, 1194/F, 1195/F, 1196/F, 1197/F, 1198/F, 1199/F, 1200/F, 1201/F, 1202/F, 1203/F, 1204/F, 1205/F, 1206/F, 1207/F, 1208/F, 1209/F, 1210/F, 1211/F, 1212/F, 1213/F, 1214/F, 1215/F, 1216/F, 1217/F, 1218/F, 1219/F, 1220/F, 1221/F, 1222/F, 1223/F, 1224/F, 1225/F, 1226/F, 1227/F, 1228/F, 1229/F, 1230/F, 1231/F, 1232/F, 1233/F, 1234/F, 1235/F, 1236/F, 1237/F, 1238/F, 1239/F, 1240/F, 1241/F, 1242/F, 1243/F, 1244/F, 1245/F, 1246/F, 1247/F, 1248/F, 1249/F, 1250/F, 1251/F, 1252/F, 1253/F, 1254/F, 1255/F, 1256/F, 1257/F, 1258/F, 1259/F, 1260/F, 1261/F, 1262/F, 1263/F, 1264/F, 1265/F, 1266/F, 1267/F, 1268/F, 1269/F, 1270/F, 1271/F, 1272/F, 1273/F, 1274/F, 1275/F, 1276/F, 1277/F, 1278/F, 1279/F, 1280/F, 1281/F, 1282/F, 1283/F, 1284/F, 1285/F, 1286/F, 1287/F, 1288/F, 1289/F, 1290/F, 1291/F, 1292/F, 1293/F, 1294/F, 1295/F, 1296/F, 1297/F, 1298/F, 1299/F, 1300/F, 1301/F, 1302/F, 1303/F, 1304/F, 1305/F, 1306/F, 1307/F, 1308/F, 1309/F, 1310/F, 1311/F, 1312/F, 1313/F, 1314/F, 1315/F, 1316/F, 1317/F, 1318/F, 1319/F, 1320/F, 1321/F, 1322/F, 1323/F, 1324/F, 1325/F, 1326/F, 1327/F, 1328/F, 1329/F, 1330/F, 1331/F, 1332/F, 1333/F, 1334/F, 1335/F, 1336/F, 1337/F, 1338/F, 1339/F, 1340/F, 1341/F, 1342/F, 1343/F, 1344/F, 1345/F, 1346/F, 1347/F, 1348/F, 1349/F, 1350/F, 1351/F, 1352/F, 1353/F, 1354/F, 1355/F, 1356/F, 1357/F, 1358/F, 1359/F, 1360/F, 1361/F, 1362/F, 1363/F, 1364/F, 1365/F, 1366/F, 1367/F, 1368/F, 1369/F, 1370/F, 1371/F, 1372/F, 1373/F, 1374/F, 1375/F, 1376/F, 1377/F, 1378/F, 1379/F, 1380/F, 1381/F, 1382/F, 1383/F, 1384/F, 1385/F, 1386/F, 1387/F, 1388/F, 1389/F, 1390/F, 1391/F, 1392/F, 1393/F, 1394/F, 1395/F, 1396/F, 1397/F, 1398/F, 1399/F, 1400/F, 1401/F, 1402/F, 1403/F, 1404/F, 1405/F, 1406/F, 1407/F, 1408/F, 1409/F, 1410/F, 1411/F, 1412/F, 1413/F, 1414/F, 1415/F, 1416/F, 1417/F, 1418/F, 1419/F, 1420/F, 1421/F, 1422/F, 1423/F, 1424/F, 1425/F, 1426/F, 1427/F, 1428/F, 1429/F, 1430/F, 1431/F, 1432/F, 1433/F, 1434/F, 1435/F, 1436/F, 1437/F, 1438/F, 1439/F, 1440/F, 1441/F, 1442/F, 1443/F, 1444/F, 1445/F, 1446/F, 1447/F, 1448/F, 1449/F, 1450/F, 1451/F, 1452/F, 1453/F, 1454/F, 1455/F, 1456/F, 1457/F, 1458/F, 1459/F, 1460/F, 1461/F, 1462/F, 1463/F, 1464/F, 1465/F, 1466/F, 1467/F, 1468/F, 1469/F, 1470/F, 1471/F, 1472/F, 1473/F, 1474/F, 1475/F, 1476/F, 1477/F, 1478/F, 1479/F, 1480/F, 1481/F, 1482/F, 1483/F, 1484/F, 1485/F, 1486/F, 1487/F, 1488/F, 1489/F, 1490/F, 1491/F, 1492/F, 1493/F, 1494/F, 1495/F, 1496/F, 1497/F, 1498/F, 1499/F, 1500/F, 1501/F, 1502/F, 1503/F, 1504/F, 1505/F, 1506/F, 1507/F, 1508/F, 1509/F, 1510/F, 1511/F, 1512/F, 1513/F, 1514/F, 1515/F, 1516/F, 1517/F, 1518/F, 1519/F, 1520/F, 1521/F, 1522/F, 1523/F, 1524/F, 1525/F, 1526/F, 1527/F, 1528/F, 1529/F, 1530/F, 1531/F, 1532/F, 1533/F, 1534/F, 1535/F, 1536/F, 1537/F, 1538/F, 1539/F, 1540/F, 1541/F, 1542/F, 1543/F, 1544/F, 1545/F, 1546/F, 1547/F, 1548/F, 1549/F, 1550/F, 1551/F, 1552/F, 1553/F, 1554/F, 1555/F, 1556/F, 1557/F, 1558/F, 1559/F, 1560/F, 1561/F, 1562/F, 1563/F, 1564/F, 1565/F, 1566/F, 1567/F, 1568/F, 1569/F, 1570/F, 1571/F, 1572/F, 1573/F, 1574/F, 1575/F, 1576/F, 1577/F, 1578/F, 1579/F, 1580/F, 1581/F, 1582/F, 1583/F, 1584/F, 1585/F, 1586/F, 1587/F, 1588/F, 1589/F, 1590/F, 1591/F, 1592/F, 1593/F, 1594/F, 1595/F, 1596/F, 1597/F, 1598/F, 1599/F, 1600/F, 1601/F, 1602/F, 1603/F, 1604/F, 1605/F, 1606/F, 1607/F, 1608/F, 1609/F, 1610/F, 1611/F, 1612/F, 1613/F, 1614/F, 1615/F, 1616/F, 1617/F, 1618/F, 1619/F, 1620/F, 1621/F, 1622/F, 1623/F, 1624/F, 1625/F, 1626/F, 1627/F, 1628/F, 1629/F, 1630/F, 1631/F, 1632/F, 1633/F, 1634/F, 1635/F, 1636/F, 1637/F, 1638/F, 1639/F, 1640/F, 1641/F, 1642/F, 1643/F, 1644/F, 1645/F, 1646/F, 1647/F, 1648/F, 1649/F, 1650/F, 1651/F, 1652/F, 1653/F, 1654/F, 1655/F, 1656/F, 1657/F, 1658/F, 1659/F, 1660/F, 1661/F, 1662/F, 1663/F, 1664/F, 1665/F, 1666/F, 1667/F, 1668/F, 1669/F, 1670/F, 1671/F, 1672/F, 1673/F, 1674/F, 1675/F, 1676/F, 1677/F, 1678/F, 1679/F, 1680/F, 1681/F, 1682/F, 1683/F, 1684/F, 1685/F, 1686/F, 1687/F, 1688/F, 1689/F, 1690/F, 1691/F, 1692/F, 1693/F, 1694/F, 1695/F, 1696/F, 1697/F, 1698/F, 1699/F, 1700/F, 1701/F, 1702/F, 1703/F, 1704/F, 1705/F, 1706/F, 1707/F, 1708/F, 1709/F, 1710/F, 1711/F, 1712/F, 1713/F, 1714/F, 1715/F, 1716/F, 1717/F, 1718/F, 1719/F, 1720/F, 1721/F, 1722/F, 1723/F, 1724/F, 1725/F, 1726/F, 1727/F, 1728/F, 1729/F, 1730/F, 1731/F, 1732/F, 1733/F, 1734/F, 1735/F, 1736/F, 1737/F, 1738/F, 1739/F, 1740/F, 1741/F, 1742/F, 1743/F, 1744/F, 1745/F, 1746/F, 1747/F, 1748/F, 1749/F, 1750/F, 1751/F, 1752/F, 1753/F, 1754/F, 1755/F, 1756/F, 1757/F, 1758



Test Report

No.: GZSCR050533114/LP

Date: JUN 02, 2005

Page 2 of 4

Results:

(1)

Lead Content (Pb)
Cadmium Content (Cd)
Mercury Content (Hg)
Hexavalent Chromium Content [Cr(VI)]

Dk-grey plastic sheet

N.D.
N.D.
N.D.
N.D.

Note: - N.D. = Not Detected (< 2 ppm)
- ppm = mg/kg

(2)

Flame Retardants	Dk-grey plastic sheet	Detection Limit (ppm)
Polybrominated Biphenyls (PBBs)		
Monobromobiphenyl	N.D.	5
Dibromobiphenyl	N.D.	5
Tribromobiphenyl	N.D.	5
Tetrabromobiphenyl	N.D.	5
Pentabromobiphenyl	N.D.	5
Hexabromobiphenyl	N.D.	5
Heptabromobiphenyl	N.D.	5
Octabromobiphenyl	N.D.	5
Nonabromobiphenyl	N.D.	5
Decabromobiphenyl	N.D.	5
Polybrominated Diphenylether (PBDEs)		
Monobromodiphenyl ether	N.D.	5
Dibromodiphenyl ether	N.D.	5
Tribromodiphenyl ether	N.D.	5
Tetrabromodiphenyl ether	N.D.	5
Pentabromodiphenyl ether	N.D.	5
Hexabromodiphenyl ether	N.D.	5
Heptabromodiphenyl ether	N.D.	5
Octabromodiphenyl ether	N.D.	5
Nonabromodiphenyl ether	N.D.	5
Decabromodiphenyl ether	N.D.	5

Note: - N.D. = Not Detected (< 5 ppm)
- ppm = mg/kg

*** End of Report ***

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full without written approval of the Company.


GZCM 263234



Page 3 of 4

43

Flow chart of digestion (Cadmium content)



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Sams Deng
Leader : Jon Li

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full without written approval of the Company.

GZCM 263733



Test Report


No.: GZSCR050533114/LP

Date: JUN 02, 2005

Page 4 of 4

(2)

Flow chart of digestion (wet decomposition and ashing) (Lead content):



The samples were dissolved totally by pre-conditioning method according to above flow chart.

Operator : Vincent Li
Leader : Adams Yu

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full, without written approval of the Company.

GZCM 263237

石黑 华利

SGS

Test Report

No.: GZSCR050533114/LP

Date: JUN 02, 2005

Page 1 of 4

TSUEN JYI PLASTIC CO., LTD.
SECOND INDUSTRIAL PARK
JIANGBEI VILLAGE, WUSHA PRECINCT,
CHANGAN TOWN, DONGGUAN CITY,
GUANGDONG PROVINCE, P.R.CHINA

Report on the submitted sample said to be APS

SGS Ref No.: GZ050505871EC-9.8
Buyer: SONY
Sample Receiving Date: MAY 27, 2005
Testing Period: MAY 27, 2005 TO JUN 02, 2005

Test Requested: (1) As specified by client, to determine the Lead, Cadmium, Mercury & Hexavalent Chromium content in the submitted sample.
(2) Determination of PBBs (polybrominated biphenyls), PBDEs (Polybrominated diphenylethers) of the submitted sample.

Test method: (1) Cadmium content: With reference to BS EN 1122:2001 Method B see flowchart (1).
Lead content: Ashing after wet decomposition see flowchart (2).
Mercury content: With reference to EPA 3052, 1996.
Hexavalent Chromium content: With reference to EPA 3060A, 1996 & EPA 7196A, 1992.
Analysis was performed by Atomic Absorption Spectrometer and Inductively Coupled Plasma Atomic Emission Spectrometer (ICP-AES) / UV-VIS Spectrophotometer.
(2) With reference to SGS in-house method. Analysis was performed by GC/MS.

Results: Please refer to next page.

Signed for and on behalf of
SGS-CSTC Ltd.

He Xiaoyan, Jane
Tech. Manager

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or attached. Said Conditions are also available upon request or are accessible at www.sgs.com. Attention is drawn to the limitations of liability, indemnification and jurisdictional policies defined therein. The results shown in this Test Report refer only to the sample(s) tested unless otherwise stated and such sample(s) are retained for 30 days only. This Test Report shall not be reproduced except in full without written approval of the Company.

GZCM 200235

SGS-CSTC (China) Limited, 12/F, 13/F, 14/F, 15/F, 16/F, 17/F, 18/F, 19/F, 20/F, 21/F, 22/F, 23/F, 24/F, 25/F, 26/F, 27/F, 28/F, 29/F, 30/F, 31/F, 32/F, 33/F, 34/F, 35/F, 36/F, 37/F, 38/F, 39/F, 40/F, 41/F, 42/F, 43/F, 44/F, 45/F, 46/F, 47/F, 48/F, 49/F, 50/F, 51/F, 52/F, 53/F, 54/F, 55/F, 56/F, 57/F, 58/F, 59/F, 60/F, 61/F, 62/F, 63/F, 64/F, 65/F, 66/F, 67/F, 68/F, 69/F, 70/F, 71/F, 72/F, 73/F, 74/F, 75/F, 76/F, 77/F, 78/F, 79/F, 80/F, 81/F, 82/F, 83/F, 84/F, 85/F, 86/F, 87/F, 88/F, 89/F, 90/F, 91/F, 92/F, 93/F, 94/F, 95/F, 96/F, 97/F, 98/F, 99/F, 100/F, 101/F, 102/F, 103/F, 104/F, 105/F, 106/F, 107/F, 108/F, 109/F, 110/F, 111/F, 112/F, 113/F, 114/F, 115/F, 116/F, 117/F, 118/F, 119/F, 120/F, 121/F, 122/F, 123/F, 124/F, 125/F, 126/F, 127/F, 128/F, 129/F, 130/F, 131/F, 132/F, 133/F, 134/F, 135/F, 136/F, 137/F, 138/F, 139/F, 140/F, 141/F, 142/F, 143/F, 144/F, 145/F, 146/F, 147/F, 148/F, 149/F, 150/F, 151/F, 152/F, 153/F, 154/F, 155/F, 156/F, 157/F, 158/F, 159/F, 160/F, 161/F, 162/F, 163/F, 164/F, 165/F, 166/F, 167/F, 168/F, 169/F, 170/F, 171/F, 172/F, 173/F, 174/F, 175/F, 176/F, 177/F, 178/F, 179/F, 180/F, 181/F, 182/F, 183/F, 184/F, 185/F, 186/F, 187/F, 188/F, 189/F, 190/F, 191/F, 192/F, 193/F, 194/F, 195/F, 196/F, 197/F, 198/F, 199/F, 200/F, 201/F, 202/F, 203/F, 204/F, 205/F, 206/F, 207/F, 208/F, 209/F, 210/F, 211/F, 212/F, 213/F, 214/F, 215/F, 216/F, 217/F, 218/F, 219/F, 220/F, 221/F, 222/F, 223/F, 224/F, 225/F, 226/F, 227/F, 228/F, 229/F, 230/F, 231/F, 232/F, 233/F, 234/F, 235/F, 236/F, 237/F, 238/F, 239/F, 240/F, 241/F, 242/F, 243/F, 244/F, 245/F, 246/F, 247/F, 248/F, 249/F, 250/F, 251/F, 252/F, 253/F, 254/F, 255/F, 256/F, 257/F, 258/F, 259/F, 260/F, 261/F, 262/F, 263/F, 264/F, 265/F, 266/F, 267/F, 268/F, 269/F, 270/F, 271/F, 272/F, 273/F, 274/F, 275/F, 276/F, 277/F, 278/F, 279/F, 280/F, 281/F, 282/F, 283/F, 284/F, 285/F, 286/F, 287/F, 288/F, 289/F, 290/F, 291/F, 292/F, 293/F, 294/F, 295/F, 296/F, 297/F, 298/F, 299/F, 300/F, 301/F, 302/F, 303/F, 304/F, 305/F, 306/F, 307/F, 308/F, 309/F, 310/F, 311/F, 312/F, 313/F, 314/F, 315/F, 316/F, 317/F, 318/F, 319/F, 320/F, 321/F, 322/F, 323/F, 324/F, 325/F, 326/F, 327/F, 328/F, 329/F, 330/F, 331/F, 332/F, 333/F, 334/F, 335/F, 336/F, 337/F, 338/F, 339/F, 340/F, 341/F, 342/F, 343/F, 344/F, 345/F, 346/F, 347/F, 348/F, 349/F, 350/F, 351/F, 352/F, 353/F, 354/F, 355/F, 356/F, 357/F, 358/F, 359/F, 360/F, 361/F, 362/F, 363/F, 364/F, 365/F, 366/F, 367/F, 368/F, 369/F, 370/F, 371/F, 372/F, 373/F, 374/F, 375/F, 376/F, 377/F, 378/F, 379/F, 380/F, 381/F, 382/F, 383/F, 384/F, 385/F, 386/F, 387/F, 388/F, 389/F, 390/F, 391/F, 392/F, 393/F, 394/F, 395/F, 396/F, 397/F, 398/F, 399/F, 400/F, 401/F, 402/F, 403/F, 404/F, 405/F, 406/F, 407/F, 408/F, 409/F, 410/F, 411/F, 412/F, 413/F, 414/F, 415/F, 416/F, 417/F, 418/F, 419/F, 420/F, 421/F, 422/F, 423/F, 424/F, 425/F, 426/F, 427/F, 428/F, 429/F, 430/F, 431/F, 432/F, 433/F, 434/F, 435/F, 436/F, 437/F, 438/F, 439/F, 440/F, 441/F, 442/F, 443/F, 444/F, 445/F, 446/F, 447/F, 448/F, 449/F, 450/F, 451/F, 452/F, 453/F, 454/F, 455/F, 456/F, 457/F, 458/F, 459/F, 460/F, 461/F, 462/F, 463/F, 464/F, 465/F, 466/F, 467/F, 468/F, 469/F, 470/F, 471/F, 472/F, 473/F, 474/F, 475/F, 476/F, 477/F, 478/F, 479/F, 480/F, 481/F, 482/F, 483/F, 484/F, 485/F, 486/F, 487/F, 488/F, 489/F, 490/F, 491/F, 492/F, 493/F, 494/F, 495/F, 496/F, 497/F, 498/F, 499/F, 500/F, 501/F, 502/F, 503/F, 504/F, 505/F, 506/F, 507/F, 508/F, 509/F, 510/F, 511/F, 512/F, 513/F, 514/F, 515/F, 516/F, 517/F, 518/F, 519/F, 520/F, 521/F, 522/F, 523/F, 524/F, 525/F, 526/F, 527/F, 528/F, 529/F, 530/F, 531/F, 532/F, 533/F, 534/F, 535/F, 536/F, 537/F, 538/F, 539/F, 540/F, 541/F, 542/F, 543/F, 544/F, 545/F, 546/F, 547/F, 548/F, 549/F, 550/F, 551/F, 552/F, 553/F, 554/F, 555/F, 556/F, 557/F, 558/F, 559/F, 560/F, 561/F, 562/F, 563/F, 564/F, 565/F, 566/F, 567/F, 568/F, 569/F, 570/F, 571/F, 572/F, 573/F, 574/F, 575/F, 576/F, 577/F, 578/F, 579/F, 580/F, 581/F, 582/F, 583/F, 584/F, 585/F, 586/F, 587/F, 588/F, 589/F, 590/F, 591/F, 592/F, 593/F, 594/F, 595/F, 596/F, 597/F, 598/F, 599/F, 600/F, 601/F, 602/F, 603/F, 604/F, 605/F, 606/F, 607/F, 608/F, 609/F, 610/F, 611/F, 612/F, 613/F, 614/F, 615/F, 616/F, 617/F, 618/F, 619/F, 620/F, 621/F, 622/F, 623/F, 624/F, 625/F, 626/F, 627/F, 628/F, 629/F, 630/F, 631/F, 632/F, 633/F, 634/F, 635/F, 636/F, 637/F, 638/F, 639/F, 640/F, 641/F, 642/F, 643/F, 644/F, 645/F, 646/F, 647/F, 648/F, 649/F, 650/F, 651/F, 652/F, 653/F, 654/F, 655/F, 656/F, 657/F, 658/F, 659/F, 660/F, 661/F, 662/F, 663/F, 664/F, 665/F, 666/F, 667/F, 668/F, 669/F, 670/F, 671/F, 672/F, 673/F, 674/F, 675/F, 676/F, 677/F, 678/F, 679/F, 680/F, 681/F, 682/F, 683/F, 684/F, 685/F, 686/F, 687/F, 688/F, 689/F, 690/F, 691/F, 692/F, 693/F, 694/F, 695/F, 696/F, 697/F, 698/F, 699/F, 700/F, 701/F, 702/F, 703/F, 704/F, 705/F, 706/F, 707/F, 708/F, 709/F, 710/F, 711/F, 712/F, 713/F, 714/F, 715/F, 716/F, 717/F, 718/F, 719/F, 720/F, 721/F, 722/F, 723/F, 724/F, 725/F, 726/F, 727/F, 728/F, 729/F, 730/F, 731/F, 732/F, 733/F, 734/F, 735/F, 736/F, 737/F, 738/F, 739/F, 740/F, 741/F, 742/F, 743/F, 744/F, 745/F, 746/F, 747/F, 748/F, 749/F, 750/F, 751/F, 752/F, 753/F, 754/F, 755/F, 756/F, 757/F, 758/F, 759/F, 760/F, 761/F, 762/F, 763/F, 764/F, 765/F, 766/F, 767/F, 768/F, 769/F, 770/F, 771/F, 772/F, 773/F, 774/F, 775/F, 776/F, 777/F, 778/F, 779/F, 780/F, 781/F, 782/F, 783/F, 784/F, 785/F, 786/F, 787/F, 788/F, 789/F, 790/F, 791/F, 792/F, 793/F, 794/F, 795/F, 796/F, 797/F, 798/F, 799/F, 800/F, 801/F, 802/F, 803/F, 804/F, 805/F, 806/F, 807/F, 808/F, 809/F, 810/F, 811/F, 812/F, 813/F, 814/F, 815/F, 816/F, 817/F, 818/F, 819/F, 820/F, 821/F, 822/F, 823/F, 824/F, 825/F, 826/F, 827/F, 828/F, 829/F, 830/F, 831/F, 832/F, 833/F, 834/F, 835/F, 836/F, 837/F, 838/F, 839/F, 840/F, 841/F, 842/F, 843/F, 844/F, 845/F, 846/F, 847/F, 848/F, 849/F, 850/F, 851/F, 852/F, 853/F, 854/F, 855/F, 856/F, 857/F, 858/F, 859/F, 860/F, 861/F, 862/F, 863/F, 864/F, 865/F, 866/F, 867/F, 868/F, 869/F, 870/F, 871/F, 872/F, 873/F, 874/F, 875/F, 876/F, 877/F, 878/F, 879/F, 880/F, 881/F, 882/F, 883/F, 884/F, 885/F, 886/F, 887/F, 888/F, 889/F, 890/F, 891/F, 892/F, 893/F, 894/F, 895/F, 896/F, 897/F, 898/F, 899/F, 900/F, 901/F, 902/F, 903/F, 904/F, 905/F, 906/F, 907/F, 908/F, 909/F, 910/F, 911/F, 912/F, 913/F, 914/F, 915/F, 916/F, 917/F, 918/F, 919/F, 920/F, 921/F, 922/F, 923/F, 924/F, 925/F, 926/F, 927/F, 928/F, 929/F, 930/F, 931/F, 932/F, 933/F, 934/F, 935/F, 936/F, 937/F, 938/F, 939/F, 940/F, 941/F, 942/F, 943/F, 944/F, 945/F, 946/F, 947/F, 948/F, 949/F, 950/F, 951/F, 952/F, 953/F, 954/F, 955/F, 956/F, 957/F, 958/F, 959/F, 960/F, 961/F, 962/F, 963/F, 964/F, 965/F, 966/F, 967/F, 968/F, 969/F, 970/F, 971/F, 972/F, 973/F, 974/F, 975/F, 976/F, 977/F, 978/F, 979/F, 980/F, 981/F, 982/F, 983/F, 984/F, 985/F, 986/F, 987/F, 988/F, 989/F, 990/F, 991/F, 992/F, 993/F, 994/F, 995/F, 996/F, 997/F, 998/F, 999/F, 1000/F, 1001/F, 1002/F, 1003/F, 1004/F, 1005/F, 1006/F, 1007/F, 1008/F, 1009/F, 1010/F, 1011/F, 1012/F, 1013/F, 1014/F, 1015/F, 1016/F, 1017/F, 1018/F, 1019/F, 1020/F, 1021/F, 1022/F, 1023/F, 1024/F, 1025/F, 1026/F, 1027/F, 1028/F, 1029/F, 1030/F, 1031/F, 1032/F, 1033/F, 1034/F, 1035/F, 1036/F, 1037/F, 1038/F, 1039/F, 1040/F, 1041/F, 1042/F, 1043/F, 1044/F, 1045/F, 1046/F, 1047/F, 1048/F, 1049/F, 1050/F, 1051/F, 1052/F, 1053/F, 1054/F, 1055/F, 1056/F, 1057/F, 1058/F, 1059/F, 1060/F, 1061/F, 1062/F, 1063/F, 1064/F, 1065/F, 1066/F, 1067/F, 1068/F, 1069/F, 1070/F, 1071/F, 1072/F, 1073/F, 1074/F, 1075/F, 1076/F, 1077/F, 1078/F, 1079/F, 1080/F, 1081/F, 1082/F, 1083/F, 1084/F, 1085/F, 1086/F, 1087/F, 1088/F, 1089/F, 1090/F, 1091/F, 1092/F, 1093/F, 1094/F, 1095/F, 1096/F, 1097/F, 1098/F, 1099/F, 1100/F, 1101/F, 1102/F, 1103/F, 1104/F, 1105/F, 1106/F, 1107/F, 1108/F, 1109/F, 1110/F, 1111/F, 1112/F, 1113/F, 1114/F, 1115/F, 1116/F, 1117/F, 1118/F, 1119/F, 1120/F, 1121/F, 1122/F, 1123/F, 1124/F, 1125/F, 1126/F, 1127/F, 1128/F, 1129/F, 1130/F, 1131/F, 1132/F, 1133/F, 1134/F, 1135/F, 1136/F, 1137/F, 1138/F, 1139/F, 1140/F, 1141/F, 1142/F, 1143/F, 1144/F, 1145/F, 1146/F, 1147/F, 1148/F, 1149/F, 1150/F, 1151/F, 1152/F, 1153/F, 1154/F, 1155/F, 1156/F, 1157/F, 1158/F, 1159/F, 1160/F, 1161/F, 1162/F, 1163/F, 1164/F, 1165/F, 1166/F, 1167/F, 1168/F, 1169/F, 1170/F, 1171/F, 1172/F, 1173/F, 1174/F, 1175/F, 1176/F, 1177/F, 1178/F, 1179/F, 1180/F, 1181/F, 1182/F, 1183/F, 1184/F, 1185/F, 1186/F, 1187/F, 1188/F, 1189/F, 1190/F, 1191/F, 1192/F, 1193/F, 1194/F, 1195/F, 1196/F, 1197/F, 1198/F, 1199/F, 1200/F, 1201/F, 1202/F, 1203/F, 1204/F, 1205/F, 1206/F, 1207/F, 1208/F, 1209/F, 1210/F, 1211/F, 1212/F, 1213/F, 1214/F, 1215/F, 1216/F, 1217/F, 1218/F, 1219/F, 1220/F, 1221/F, 1222/F, 1223/F, 1224/F, 1225/F, 1226/F, 1227/F, 1228/F, 1229/F, 1230/F, 1231/F, 1232/F, 1233/F, 1234/F, 1235/F, 1236/F, 1237/F, 1238/F, 1239/F, 1240/F, 1241/F, 1242/F, 1243/F, 1244/F, 1245/F, 1246/F, 1247/F, 1248/F, 1249/F, 1250/F, 1251/F, 1252/F, 1253/F, 1254/F, 1255/F, 1256/F, 1257/F, 1258/F, 1259/F, 1260/F, 1261/F, 1262/F, 1263/F, 1264/F, 1265/F, 1266/F, 1267/F, 1268/F, 1269/F, 1270/F, 1271/F, 1272/F, 1273/F, 1274/F, 1275/F, 1276/F, 1277/F, 1278/F, 1279/F, 1280/F, 1281/F, 1282/F, 1283/F, 1284/F, 1285/F, 1286/F, 1287/F, 1288/F, 1289/F, 1290/F, 1291/F, 1292/F, 1293/F, 1294/F, 1295/F, 1296/F, 1297/F, 1298/F, 1299/F, 1300/F, 1301/F, 1302/F, 1303/F, 1304/F, 1305/F, 1306/F, 1307/F, 1308/F, 1309/F, 1310/F, 1311/F, 1312/F, 1313/F, 1314/F, 1315/F, 1316/F, 1317/F, 1318/F, 1319/F, 1320/F, 1321/F, 1322/F, 1323/F, 1324/F, 1325/F, 1326/F, 1327/F, 1328/F, 1329/F, 1330/F, 1331/F, 1332/F, 1333/F, 1334/F, 1335/F, 1336/F, 1337/F, 1338/F, 1339/F, 1340/F, 1341/F, 1342/F, 1343/F, 1344/F, 1345/F, 1346/F, 1347/F, 1348/F, 1349/F, 1350/F, 1351/F, 1352/F, 1353/F, 1354/F, 1355/F, 1356/F, 1357/F, 1358/F, 1359/F, 1360/F, 1361/F, 1362/F, 1363/F, 1364/F, 1365/F, 1366/F, 1367/F, 1368/F, 1369/F, 1370/F, 1371/F, 1372/F, 1373/F, 1374/F, 1375/F, 1376/F, 1377/F, 1378/F, 1379/F, 1380/F, 1381/F, 1382/F, 1383/F, 1384/F, 1385/F, 1386/F, 1387/F, 1388/F, 1389/F, 1390/F, 1391/F, 1392/F, 1393/F, 1394/F, 1395/F, 1396/F, 1397/F, 1398/F, 1399/F, 1400/F, 1401/F, 1402/F, 1403/F, 1404/F, 1405/F, 1406/F, 1407/F, 1408/F, 1409/F, 1410/F, 1411/F, 1412/F, 1413/F, 1414/F, 1415/F, 1416/F, 1417/F, 1418/F, 1419/F, 1420/F, 1421/F, 1422/F, 1423/F, 1424/F, 1425/F, 1426/F, 1427/F, 1428/F, 1429/F, 1430/F, 1431/F, 1432/F, 1433/F, 1434/F, 1435/F, 1436/F, 1437/F, 1438/F, 1439/F, 1440/F, 1441/F, 1442/F, 1443/F, 1444/F, 1445/F, 1446/F, 1447/F, 1448/F, 1449/F, 1450/F, 1451/F, 1452/F, 1453/F, 1454/F, 1455/F, 1456/F, 1457/F, 1458/F, 1459/F, 1460/F, 1461/F, 1462/F, 1463/F, 1464/F, 1465/F, 1466/F, 1467/F, 1468/F, 1469/F, 1470/F, 1471/F, 1472/F, 1473/F, 1474/F, 1475/F, 1476/F, 1477/F, 1478/F, 1479/F, 1480/F, 1481/F, 1482/F, 1483/F, 1484/F, 1485/F, 1486/F, 1487/F, 1488/F, 1489/F, 1490/F, 1491/F, 1492/F, 1493/F, 1494/F, 1495/F, 1496/F, 1497/F, 1498/F, 1499/F, 1500/F, 1501/F, 1502/F, 1503/F, 1504/F, 1505/F, 1506/F, 1507/F, 1508/F, 1509/F, 1510/F, 1511/F, 1512/F, 1513/F, 1514/F, 1515/F, 1516/F, 1517/F, 1518/F, 1519/F, 1520/F, 1521/F, 1522/F, 1523/F, 1524/F, 1525/F, 1526/F, 1527/F, 1528/F, 1529/F, 1530/F, 1531/F, 1532/F, 1533/F, 1534/F, 1535/F, 1536/F, 1537/F, 1538/F, 1539/F, 1540/F, 1541/F, 1542/F, 1543/F, 1544/F, 1545/F, 1546/F, 1547/F, 1548/F, 1549/F, 1550/F, 1551/F, 1552/F, 1553/F, 1554/F, 1555/F, 1556/F, 1557/F, 1558/F, 1559/F, 1560/F, 1561/F, 1562/F, 1563/F, 1564/F, 1565/F, 1566/F, 1567/F, 1568/F, 1569/F, 1570/F, 1571/F, 1572/F, 1573/F, 1574/F, 1575/F, 1576/F, 1577/F, 1578/F, 1579/F, 1580/F, 1581/F, 1582/F, 1583/F, 1584/F, 1585/F, 1586/F, 1587/F, 1588/F, 1589/F, 1590/F, 1591/F, 1592/F, 1593/F, 1594/F, 1595/F, 1596/F, 1597/F, 1598/F, 1599/F, 1600/F, 1601/F, 1602/F, 1603/F, 1604/F, 1605/F, 1606/F, 1607/F, 1608/F, 1609/F, 1610/F, 1611/F, 1612/F, 1613/F, 1614/F, 1615/F, 1616/F, 1617/F, 1618/F, 1619/F, 1620/F, 1621/F, 1622/F, 1623/F, 1624/F, 1625/F, 1626/F, 1627/F, 1628/F, 1629/F, 1630/F, 1631/F, 1632/F, 1633/F, 1634/F, 1635/F, 1636/F, 1637/F, 1638/F, 1639/F, 1640/F, 1641/F, 1642/F, 1643/F, 1644/F, 1645/F, 1646/F, 1647/F, 1648/F, 1649/F, 1650/F, 1651/F, 1652/F, 1653/F, 1654/F, 1655/F, 1656/F, 1657/F, 1658/F, 1659/F, 1660/F, 1661/F, 1662/F, 1663/F, 1664/F, 1665/F, 1666/F, 1667/F, 1668/F, 1669/F, 1670/F, 1671/F, 1672/F, 1673/F, 1674/F, 1675/F, 1676/F, 1677/F, 1678/F, 1679/F, 1680/F, 1681/F, 1682/F, 1683/F, 1684/F, 1685/F, 1686/F, 1687/F, 1688/F, 1689/F, 1690/F, 1691/F, 1692/F, 1693/F, 1694/F, 1695/F, 1696/F, 1697/F, 1698/F, 1699/F, 1700/F, 1701/F, 1702/F, 1703/F, 1704/F, 1705/F, 1706/F, 1707/F, 1708/F, 1709/F, 1710/F, 1711/F, 1712/F, 1713/F, 1714/F, 1715/F, 1716/F, 1717/F, 1718/F, 1719/F, 1720/F, 1721/F, 1722/F, 1723/F, 1724/F, 1725/F, 1726/F, 1727/F, 1728/F, 1729/F, 1730/F, 1731/F, 1732/F, 1733/F, 1734/F, 1735/F, 1736/F, 1737/F, 1738/F, 1739/F, 1740/F, 1741/F, 1742/F, 1743/F, 1744/F, 1745/F, 1746/F, 1747/F, 1748/F, 1749/F, 1750/F, 1751/F, 1752/F, 1753/F, 1754/F, 1755/F, 1756/F, 1757/F, 1758



Test Report


久禾紙器業股份有限公司
*508 彰化縣和美鎮嘉黎里東原路211巷196號

報告號碼：CE/2004/C1594
日期：2004/12/16
頁數：1 of 3

以下測試樣品乃供應廠商所提供及確認：

樣品名稱：彩盒
收件日期：2004/12/09.
測試日期：2004/12/09 TO 2004/12/16

=====
測試結果：- 請見下一頁 -


Daniel Yeh, M.R. / Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.



Test Report

久禾紙器業股份有限公司
*508 彰化縣和美鎮嘉黎里東原路211巷196號

報告號碼：CE/2004/C1594
日期：2004/12/16
頁數：2 of 3

測試結果

測試部位 NQ 1：白色紙盒有藍, 灰, 白色印刷(請參照附件圖片)

通過

測試項目:	單位	測試方法	偵測極 限值	結果				法規 限值
				NQ 1				
94/62/EEC								
鎘	ppm	依照 EN122 方法B: 2001或 其他酸消化方法, 用感應耦 合電漿原子發射光譜儀 (ICP-AES) 做分析	2	N D.				-
鉛	ppm	依照 US EPA 3050B 方法或 其他酸消化方法, 用感應耦 合電漿原子發射光譜儀 (ICP-AES) 做分析	2	N D.				-
汞	ppm	依照 US EPA 3052 方法或 其他酸消化方法, 用感應耦 合電漿原子發射光譜儀 (ICP-AES) 做分析	2	N D.				-
六價鉻	ppm	依照US EPA 7196A及3060A 方法	2	N D.				-
六價鉻+鉛+鎘+汞	ppm	六價鉻+鉛+鎘+汞總和 (94/62/EEC)	-	N D.				100

備註：(1) N D. = Not detected. (<MDL) / 未檢出(低於偵測極限值)

(2) ppm = ng/kg / 百萬分之一

(3) MDL = Method Detection Limit (偵測極限值)

(4) " - " = Not Regulation / 無規格值



Test Report

久禾紙器業股份有限公司

*508 彰化縣和美鎮嘉黎里東原路211巷196號

報告號碼：CE/2004/C1594

日期：2004/12/16

頁數：3 of 3



Test Report

CHIA CHERNE INDUSTRY CO., LTD.
NO. 55, ALLEY 121, LANE 175, KOUSHENG RD.,
CHANGHUA CITY, TAIWAN

Report No. : CE/2004/82170
Date : 2004/08/26
Page : 1 of 1

The following merchandise was (were) submitted and identified by the client as :


Type of Product : FAN LABEL
Sample Received : 2004/08/17
Testing Date : 2004/08/17 TO 2004/08/26

Test Result

PART NAME NO.1 : SILVER STICKER WITH MULTICOLORED PRINTED

Test Item (s):	Unit	Method	MDL	Result				
				No.1				
Chromium VI (Cr+6)	ppm	As per US EPA 7196A and US EPA 3060A.	2	N.D.				
Cadmium (Cd)	ppm	ICP-AES after as per EN 1122, method B:2001 or other acid digestion.	2	N.D.				
Mercury (Hg)	ppm	ICP-AES after as per US EPA 3052 or other acid digestion.	2	N.D.				
Lead (Pb)	ppm	ICP-AES after as per US EPA 3050B or other acid digestion.	2	N.D.				

NOTE: (1) N.D. = Not detected (<MDL)
(2) ppm = mg/kg
(3) MDL = Method Detection Limit



Daniel Yeh, M.R. / Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.

Lai Advance Industry Co., Ltd.

Tel: 04-852-2060 Fax: 04-852-4160 e-mail: cps@laiadvance.com.tw

材	低密度聚乙烯塑膠粒
	滑石粉(成核劑)
	發泡劑(丁烷)
	硬脂酸鈣(安定劑)
質	防收縮劑





Test Report

光輪工業股份有限公司
*515彰化縣大村鄉加錫村二巷46-4號

報告號碼 : CE/2005/76060A
日期 : 2005/08/04
頁數 : 1 of 8

以下測試樣品乃供應廠商所提供及確認：

樣品名稱 : 聚乙烯發泡板
收件日期 : 2005/07/28.
測試日期 : 2005/07/28 TO 2005/08/04

測試結果 : - 請見下一頁 -



Daniel Yeh, M.R. Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification, and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. 此報告是根據本公司訂定之通用服務條款所製作發放。請注意此條款印於背面，將本公司之義務，免責，管轄權等事項閱之。此報告結果除另有說明與檢驗之樣品負責。本報告未經本公司許可，不可部份複製。

TW 2156326

SGS Taiwan Ltd. | No. 33 Wu Chyuan Road, Wuku Industrial Zone, Taigui County, Taiwan. / 台北縣五股工業區五權路33號
台灣檢驗科技股份有限公司 | (886-2) 2299-3939 | (006-2) 2290-3237 | www.tw.sgs.com

94/09/07 WED 16:02 FAX 886 04 8524160 tai advance industry co



Test Report

光輪工業股份有限公司

*515彰化縣大村鄉加錫村二巷46-4號

報告號碼 : CE/2005/76060A

日期 : 2005/08/04

頁數 : 2 of 8

測試結果

測試部位 NO.1


: 白色泡棉(請參照附件圖片)

測試項目:	單位	測試方法	偵測極限值	結果 NO.1
石棉				
斜方角閃石(CAS NO.017068-78-9)	**	參考 NIOSH 9000 / X光繞射定性分析法(XRD)	-	Negative
青石棉(CAS NO.012001-28-4)	**	參考 NIOSH 9000 / X光繞射定性分析法(XRD)	-	Negative
棕石棉(CAS NO.012172-73-5)	**	參考 NIOSH 9000 / X光繞射定性分析法(XRD)	-	Negative
透閃石(CAS NO.014567-73-8)	**	參考 NIOSH 9000 / X光繞射定性分析法(XRD)	-	Negative
白石棉(CAS NO.012001-29-5)	**	參考 NIOSH 9000 / X光繞射定性分析法(XRD)	-	Negative
陽起石(CAS NO.013768-00-8)	**	參考 NIOSH 9000 / X光繞射定性分析法(XRD)	-	Negative

測試項目:	單位	測試方法	偵測極限值	結果 NO.1
CFC		以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析		
Group I				
Chlorofluorocarbon-11(CAS No:000075-69-4)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Chlorofluorocarbon-12(CAS No:000075-71-8)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Chlorofluorocarbon-113(CAS No:000076-13-1)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Chlorofluorocarbon-114(CAS No:000076-14-2)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Chlorofluorocarbon-115(CAS No:000076-15-3)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Group III				
Chlorofluorocarbon-13(CAS No:000075-72-9)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Chlorofluorocarbon-111(CAS No:000354-56-3)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification, and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. 此報告係根據本公司訂定之通用服務條款所製作發放。請注意此報告所列於背面，將本公司之義務、免責、管轄權等明確規範之。此報告所附錄非另有說明僅對檢驗之樣品負責。本報告未經本公司書面許可，不可部份複製。

TW 2156325



Test Report

光輪工業股份有限公司

*515彰化縣大村鄉加錫村二巷46-4號

報告號碼 : CE/2005/76060A

日期 : 2005/08/04

頁數 : 3 of 8


測試項目:	單位	測試方法	偵測極限值	結果
				NO.1
Chlorofluorocarbon-112(CAS No:000076-12-0)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Chlorofluorocarbon-211(CAS No:135401-87-5)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Chlorofluorocarbon-212(CAS No:076564-99-3)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Chlorofluorocarbon-213(CAS No:060285-54-3)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Chlorofluorocarbon-214(CAS No:002258-46-4)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Chlorofluorocarbon-215(CAS No:000076-17-5)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Chlorofluorocarbon-216(CAS No:001652-80-8)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.
Chlorofluorocarbon-217(CAS No:000422-86-6)	ppm	以氣相層析質譜儀(GC/MS)檢測-(CFCs)定量分析	1	N.D.

測試項目:	單位	測試方法	偵測極限值	結果
				NO.1
海龍(Halons)		參考US EPA 8260方法		
Halon-1211	ppm	參考US EPA 8260方法,以頂空氣體捕捉裝置,連接氣相層析質譜(GC/MS)檢測(CFCs)定量分析	1	N.D.
Halon-1301	ppm	參考US EPA 8260方法,以頂空氣體捕捉裝置,連接氣相層析質譜(GC/MS)檢測(CFCs)定量分析	1	N.D.
Halon-2402	ppm	參考US EPA 8260方法,以頂空氣體捕捉裝置,連接氣相層析質譜(GC/MS)檢測(CFCs)定量分析	1	N.D.

測試項目:	單位	測試方法	偵測極限值	結果
				NO.1
臭氣危害物ODCs(HCFCs)定量分析		參考US EPA 8260方法		
Hydrochlorofluorocarbon-21(CAS No.:000075-43-4)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-22(CAS No.:000075-45-6)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification, and jurisdictional issues defined therein. The results shown in this test report refer only to the samples tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. 此報告是根據本公司訂定之通用服務條款所製作與發放。若任意此報告列印或付印,將本公司之義務、免責、管轄權聲明廢止。此報告結果除非另有說明對檢驗之樣品負責。本報告未經本公司蓋印許可,不可部份複製。

TW 2156324



Test Report

光輪工業股份有限公司

*515彰化縣大村鄉加錫村二巷46-4號

報告號碼 : CE/2005/76060A

日期 : 2005/08/04

頁數 : 4 of 8

測試項目:	單位	測試方法	偵測極限值	結果
				NO.1
Hydrochlorofluorocarbon-31(CAS No.:000593-70-4)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-121(CAS No.:000354-14-3)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-122(CAS No.:000354-21-2)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-123(CAS No.:000306-83-1)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-124(CAS No.:002837-89-0)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-131(CAS No.:000359-28-4)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-131b(CAS No.:000471-43-2)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-133a(CAS No.:000075-88-7)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-141b(CAS No.:001717-00-6)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-221	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-222(CAS No.:000422-30-0)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-223	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-224	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-225ca(CAS No.:000422-56-0)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-225cb(CAS No.:000507-55-1)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-226(CAS No.:000431-87-8)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-231	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-232	ppm	以氣相層析質譜儀(GC/MS)檢測-(HCFCs)定量分析	1	N.D.

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification, and jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. 此報告是根據本公司之通用服務條款所製作。除非另有註明，此報告之內容，將本公司之技術、免費、聲明權利與責任。此報告結果除非另有說明，僅對被檢之樣品負責。本報告未經本公司同意，不可節節複製。

1W 2156323

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No. 33 Wu Chyuan Road, Wuku Industrial Zone, Taipei County, Taiwan.
t (886-2) 2298-3939 f (886-2) 2298-3237

/台北縣五股工業區五權路33號
www.tw.sgs.com

Member of SGS Group



Test Report

光輪工業股份有限公司

*515彰化縣大村鄉加錫村二巷46-4號

報告號碼 : CE/2005/76060A

日期 : 2005/08/04

頁數 : 5 of 8

測試項目:	單位	測試方法	偵測極限值	結果
				NO.1
Hydrochlorofluorocarbon-233	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-234	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-235(CAS No.:013838-16-9)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-241	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-242	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-243(CAS No.:000338-75-0)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-244	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-251	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-252	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-253(CAS No.:000354-06-1)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-261(CAS No.:000420-97-3)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-262(CAS No.:000420-97-3)	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.
Hydrochlorofluorocarbon-271	ppm	以氣相層析質譜儀(GC/MS)檢測-(HFCs)定量分析	1	N.D.



Test Report

光輪工業股份有限公司

*515彰化縣大村鄉加錫村二巷46-4號


報告號碼：CE/2005/76060

日期：2005/08/04

頁數：6 of 8

測試項目：	單位	測試方法	偵測極限值	結果
				NO.1
一溴聯苯	%	本測試參考USEPA3540C 或 USEPA3550C方法，以氣相層析儀/質譜儀(GC/MS)或高效液相層析儀/二極體陣列偵測器/質譜儀(HPLC/DAD/MS)檢測之(參考歐盟規範 2002/95/EC (RoHS), 83/264/EEC, 76/769/EEC)	0.0005	N.D.
二溴聯苯	%		0.0005	N.D.
三溴聯苯	%		0.0005	N.D.
四溴聯苯	%		0.0005	N.D.
五溴聯苯	%		0.0005	N.D.
六溴聯苯	%		0.0005	N.D.
七溴聯苯	%		0.0005	N.D.
八溴聯苯	%		0.0005	N.D.
九溴聯苯	%		0.0005	N.D.
十溴聯苯	%		0.0005	N.D.
總多溴聯苯(PBBs)/以上總和	%		-	N.D.
一溴聯苯醚	%	本測試參考USEPA3540C 或 USEPA3550C方法，以氣相層析儀/質譜儀(GC/MS)或高效液相層析儀/二極體陣列偵測器/質譜儀(HPLC/DAD/MS)檢測之(參考歐盟規範 2002/95/EC (RoHS), 83/264/EEC, 76/769/EEC)	0.0005	N.D.
二溴聯苯醚	%		0.0005	N.D.
三溴聯苯醚	%		0.0005	N.D.
四溴聯苯醚	%		0.0005	N.D.
五溴聯苯醚	%		0.0005	N.D.
六溴聯苯醚	%		0.0005	N.D.
七溴聯苯醚	%		0.0005	N.D.
八溴聯苯醚	%		0.0005	N.D.
九溴聯苯醚	%		0.0005	N.D.
十溴聯苯醚	%		0.0005	N.D.
總多溴聯苯醚(PBBEs/PBDEs)/以上總和	%		-	N.D.

測試項目：	單位	測試方法	偵測極限值	結果
				NO.1
六價鉻	ppm	依照US EPA 3060A方法,用UV-VIS做分析	2	N.D.
鎘	ppm	依照 EN1122 方法B:2001或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.
鉻	ppm	依照 US EPA 3050B 方法或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.



Test Report

光輪工業股份有限公司

*515彰化縣大村鄉加錫村二巷46-4號

報告號碼 : CE/2005/76060A

日期 : 2005/08/04

頁數 : 7 of 8

測試項目:	單位	測試方法	偵測極限值	結果
				NO.1
汞	ppm	依照 US EPA 3052 方法或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.
鉛	ppm	依照 US EPA 3050B 方法或其他酸消化方法,用感應耦合電漿原子發射光譜儀(ICP-AES)做分析	2	N.D.

備註: (1) N.D. = Not detected. (<MDL) / 未檢出(低於偵測極限值)

(2) ppm = mg/kg / 百萬分之一

(3) MDL= Method Detection Limit(偵測極限值)

(4) " - " = Not Regulation / 無規格值

(5) " --- " = Not Applicable / 未測項目

(6) **定性分析(無單位)

(7) Negative / 陰性(未偵測到), Positive / 陽性(已偵測到)

(8) * = 表示依法規規定調整之數據

(9) 若為氯化石蠟中單一化合物,則偵測極限為5ppm

Test Report


光輪工業股份有限公司

*515彰化縣大村鄉加錫村二巷46-4號

報告號碼：CE/2005/76060A

日期：2005/08/04

頁數：8 of 8



Test Report is issued by the Company subject to its General Conditions of Service printed overleaf. Attention is drawn to the limitations of liability, indemnification, jurisdictional issues defined therein. The results shown in this test report refer only to the sample(s) tested unless otherwise stated. This Test Report cannot be reproduced, except in full, without prior written permission of the Company. 此報告係根據本公司訂定之檢測服務條款所製成，報告之內容僅供參考，請於之此條款列印於背面，請本公司之務、免費、價值皆明瞭。此報告結果除非另有說明圖對檢驗之樣品負責。本報告未經本公司蓋印許可，不可部份複製。

1W 2156319

SGS Taiwan Ltd.
台灣檢驗科技股份有限公司

No. 33 Wu Chyuan Road, Wukii Industrial Zone, Taipai County, Taiwan. /台北縣五股工業區五權路33號
T (006-2) 2299 3330 F (006-2) 2299 3237

www.lw.sgs.com
Member of SGS Group