



Data

Notes

Note Only required when using relays without integrated status indicator!

Technical data

Operating data

| | |
|----------------------------|----------|
| Nominal operating voltage | AC 230 V |
| Power consumption at U_N | 1.6 mA |

Signaling

| | |
|------------------|---------|
| Status indicator | Red LED |
|------------------|---------|

Subject to changes. Please also observe the further product documentation!



Safety and protection

| | |
|-----------------|------|
| Protection type | IP20 |
|-----------------|------|

Mechanical data

| | |
|---------------|------------------|
| Mounting type | Pluggable module |
|---------------|------------------|

Material data

| | |
|-----------|----------|
| Fire load | 0.033 MJ |
| Weight | 1.6 g |

Commercial data

| | |
|-----------------------|---------------------------|
| Product Group | 6 (Interface Electronics) |
| PU (SPU) | 50 (25) Stück |
| Packaging type | box |
| Country of origin | DE |
| GTIN | 4045454484644 |
| Customs tariff number | 85318070000 |

Downloads

Documentation

Bid Text

| | | | |
|-------------------------|--------------|-----------------|----------|
| 788-125 docx - Datei | Feb 20, 2019 | docx 15.4 kB | Download |
| 788-125 X81 - Datei | Feb 19, 2019 | xml 2.6 kB | Download |

Additional Information

| | | | |
|--|---------|-----------------|----------|
| Disposal; Electrical and electronic equipment, Packaging | V 1.0.0 | pdf 265.8 kB | Download |
|--|---------|-----------------|----------|

CAD/CAE-Data

CAD data

2D/3D Models 788-125

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



URL Download

CAE data

WSCAD Universe 788-125 URL Download

ZUKEN Portal 788-125 URL Download

EPLAN Data Portal 788-125 URL Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 788-125 URL Download

Accessories for relay modules; Operation status indicator: red

Installation Notes

Subject to changes. Please also observe the further product documentation!