




LOC		DIST		REVISIONS			
P	LTN	DATE	DMN	APVD			
D		REVISED PER ECO-15-012351	03SEP2015	AP	SY		





⚠ MATERIAL:
 HOUSING: LCP, GLASS FILLED, UL94V-0.
 TERMINALS: HIGH PERFORMANCE COPPER ALLOY.

⚠ FINISH:
 30μ" SELECTIVE GOLD IN CONTACT AREA. SELECTIVE TIN ON PCB TAILS, NICKEL OVERALL.



SCALE 4:1

REFER TO WWW.TE.COM FOR PRODUCT AVAILABILITY



216X $\varnothing 0.39 \pm 0.05$ PLATED THRU HOLE
 216X $\varnothing 0.48 \pm 0.013$ DRILL HOLE
 $\varnothing 0.10$

RECOMMENDED PCB LAYOUT
 MIN BOARD THICKNESS 1.0

NONE	⚠	2132723-1
KEY POSITION	FINISH	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DMN 11MAY2011	TE Connectivity	
DIMENSIONS:		CHK D. DIXON 11MAY2011	NAME	
mm		APVD D. DIXON 11MAY2011	IMPACT, ORTHOGONAL, 6 PAIR, DAUGHTERCARD, 12 COLUMN, NO GUIDE, SIGNAL MODULE, 0.39 EYELET	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO	
0 PLC ±		APPLICATION SPEC	A100779C=2132723	
1 PLC ±0.25		WEIGHT	SCALE 5:1 SHEET 1 OF 1 REV D	
2 PLC ±0.15		Customer Drawing		
3 PLC ±				
4 PLC ±				
ANGLES				
FINISH SEE TABLE				