




Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: **Shield & Cable Clamp**

Primary Product Material: **Stainless Steel**

Operating Temperature Range: **-20 – 220 °C [-4 – 428 °F]**

Features

Product Type Features

Strain Relief Accessory Type	Shield & Cable Clamp
------------------------------	----------------------

Body Features

Primary Product Material	Stainless Steel
--------------------------	-----------------

Usage Conditions

Operating Temperature Range	-20 – 220 °C [-4 – 428 °F]
-----------------------------	------------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1-2299959-1
TRAY PACKAGE.THERMOCOUPLE
CONN KTYPE REC


Also in the Series | Dynamic Series Thermocouple Connector



Connector Strain Relief(2)



PCB Connector Mounting(1)



Wire-to-Board Connector Assemblies & Housings(3)

Customers Also Bought



TE Part #202237-7
III+SOC,SOLTAB,30AU>10,LP,SN



TE Part #1-353046-3
DYNAMIC D-5200S TAB HSG 3P K/X



TE Part #1827588-2
Contact: Component To Wire; 3-5A, 30-18 Wire Size



TE Part #1-1827579-1
DYNAMIC 1500T REC HSG 3P X BLACK



Documents

Product Drawings

[THERMOCOUPLE CONNECTOR.STRAIN RELIEF.](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2295205-1_C.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2295205-1_C.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2295205-1_C.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[1-1773895-2_THERMOCOUPLE_FLYER](#)

English

Product Specifications

[Product Specification](#)

Japanese

Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)

English