


PC board drilling dimensions (after plating)
(thickness < 3.20 ± 0.30mm)



Copyright FCJ.



TIN LEAD PART NUMBER

SHELL	A±0.38	B±0.12	C±0.10	D±0.25	E±0.07	PART NUMBER	PART NUMBER
09	30.81	24.99	16.96	16.79	10.96	--	D09P91C6P19C
15	39.14	33.32	25.18	25.12	19.18	--	D15P91C6P19C
25	53.03	47.04	39.12	38.84	33.12	--	D25P91C6P19C
37	69.32	63.50	55.68	55.30	49.68	--	D37P91C6P19C
						---	0.76µ gold

GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:
SEE DRAWING C01-8646-0001

LEAD FREE PART NUMBER

SHELL	A±0.38	B±0.12	C±0.10	D±0.25	E±0.07	PART NUMBER	PART NUMBER
09	30.81	24.99	16.96	16.79	10.96	--	D09P91C6P19CLF
15	39.14	33.32	25.18	25.12	19.18	--	D15P91C6P19CLF
25	53.03	47.04	39.12	38.84	33.12	--	D25P91C6P19CLF
37	69.32	63.50	55.68	55.30	49.68	--	D37P91C6P19CLF
						---	0.76µ gold

rev	ecn no	dr	date
A	-	JOU	1998/04/24
B	LS05-004	MPE	2005/02/11
C	LS06-0095	LGO	2006/07/22
D	LS06-0140	LGO	2006/09/16
E	LS07-0298	MPE	2007/11/20
-	-	-	-
-	-	-	-

www.fciconnect.com		surface ISO 1302 ✓	tolerance std ISO 406 ISO 1101	projection mm
TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	JOUBERT	1998/04/24	ANGULAR	LINEAR
Eng	PESSON	1998/04/24	0.X	±0.1
Chr	LEGARE	1998/04/24	0.XX	±0.1
Appr	LEGARE	1998/04/24	0.XXX	±0.1
Product family			D-SUB	Spec ref -
		MALE CONNECTOR DELTA D EUROPE straight press-fit		title C01-8646-0616 dwg no
catalog no		CUSTOMER		Rev. E sheet 1 of 1

REV F - 2006-04-17