

## Connector assembly frame - HC-SMR-D15 - 1604010

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

HEAVYCON connector assembly frame, for contact inserts of type D15



The illustration shows version HC-SMR- B 6



### Key commercial data

Packing unit	1 PCE
Weight per Piece (excluding packing)	180.0 GRM
Custom tariff number	85389099
Country of origin	Germany

### Technical data

#### General

Note	For contact inserts D15; swiveling frame
Material	PA
Inflammability class according to UL 94	HB
Design	D15

### Classifications

#### eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27140816
eCl@ss 5.0	27143424
eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 7.0	27440209

# Connector assembly frame - HC-SMR-D15 - 1604010

## Classifications

### eCl@ss

eCl@ss 8.0	27440209
------------	----------

### ETIM

ETIM 3.0	EC002310
ETIM 4.0	EC002310
ETIM 5.0	EC002310

### UNSPSC

UNSPSC 6.01	31251501
UNSPSC 7.0901	31251501
UNSPSC 11	31251501
UNSPSC 12.01	31251501
UNSPSC 13.2	31251501

## Approvals

### Approvals

---

Approvals

GOST


---

Ex Approvals

---

Approvals submitted

### Approval details

GOST 
--

## Accessories

Accessories

Device marking

# Connector assembly frame - HC-SMR-D15 - 1604010

## Accessories


Contact marker – zack marker strip - SS-ZB WH - 5031171




Contact marker – zack marker strip, Strip, white, Unlabeled, Can be labeled with: Plotter, Mounting type: Snap into flat marker groove, Lettering field: 20 mm x 8 mm

## Drawings

Dimensioned drawing



Dimensioned drawing



Schematic diagram

