


**Data sheet | Item number: 280-438**

Operating tool; made of insulating material; 8-way

[www.wago.com/280-438](http://www.wago.com/280-438)



**Data**

**Technical data**

Main product function	Operating tool
Number of spacings	8 -way

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Physical data

Depth	150 mm / 5.91 inches
Pin spacing	5/5.08 mm

## Mechanical Data

Suitable	for male and female connectors with CAGE CLAMP® connection
----------	--

## Material Data

Fire load	0.915 MJ
Weight	30.8 g

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	30 (1) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332277334
Customs tariff number	82055980000

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Downloads

### Documentation

#### Bid Text

280-438 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
280-438 doc - Datei	2017 年9月11 日	doc 24.1 kB	Download

Subject to changes. Please also observe the further product documentation!



## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 280-438

URL

Download

Operating tool; made of insulating material; 8-way

---

## Installation Notes



Inserting a male connector via multipole operating tool.

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.