TECHNICAL DATA SHEET



Description: 25x25x12 GNSS+L2 Active Antenna

PART NUMBER: ANT1825JB01BGNL2A

Features:

- Size: 25x25x12 mm³
- High radiation efficiency
- · Low noise figure
- · RoHS compliant

Applications:

- Navigation device
- Telematics box
- Fleet management

SPECIFICATIONS

Ceramic Patch Antenna

DESCRIPTION	VALUE
Dimension	25×25×9.0 mm³
Centre Frequency	L2 Band:1227.6 MHz
	BD:1561 MHz
	GPS:1575.42 MHz
	GLONASS:1602 MHz
	L2 Band : 1227.6 ± 10MHz
Bandwidth	BD:1561 ± 2MHz
	GPS:1575.42 ± 2MHz
	$GLONASS: 1602 \pm 4MHz$
	L2 Band: 2.58 dBic
Peak Gain	BD: 1.80 dBic
Feak Gain	GPS: 2.5 dBic
	GLONASS : 1.86 dBic
VSWR	2.0 Max.
Polarization	Right Hand Circular Polarization

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: 25x25x12 GNSS+L2 Active Antenna

PART NUMBER: ANT1825JB01BGNL2A

SPECIFICATIONS

DESCRIPTION	VALU
	L2 Band ∶ 1227.6 M⊦
Contro Fraguenov	BD:1561 MF
Centre Frequency	GPS:1575.42 MF
	GLONASS : 1602 MF
Gain	L2 Band $:$ 38 \pm 3 c
	BD:38 ± 3 c
	GPS:38±3 c
	$GLONASS$: 38 \pm 3 c
Output VSWR	2.0 (Max
Noise Figure	< 1.5 c
Supply Voltage	3.0 ~ 3.6
Current Consumption	15 mA (Ma>
Output Impedance	50
Operating Temperature	-30 ~ +85 °
Humidity	< 95
Storage Temperature	-40 ~ +90 °

NOTE

LNA

1. Based on 25×25 mm² ground plane (free space)

2. Centre frequency will be offset to working frequency while changes of customer's housing and ground plane.

3. Please contact local sales if you need customized design to gain optimum antenna performance.

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.




TECHNICAL DATA SHEET



Description: 25x25x12 GNSS+L2 Active Antenna

PART NUMBER: ANT1825JB01BGNL2A

MECHANICAL DRAWING



Length	25.0 ± 0.3 mm
Width	25.0 ± 0.3 mm
Thickness	12 mm (Max.)
Cable	Diameter = 1.13 mm ; Length = $100 \text{ mm} \pm 2 \text{ mm}$; Black
Connector	I-PEX Connector 20278

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.



3



TECHNICAL DATA SHEET

Description: 25x25x12 GNSS+L2 Active Antenna

PART NUMBER: ANT1825JB01BGNL2A

REVISION HISTORY

Revision	Date	Description	
Version 1	Feb. 4, 2021	- New issue for Pulse version.	

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

