

**NOTES, UNLESS OTHERWISE SPECIFIED:**

- Punch drive adapters holes to be punched in sheet metal with minimal burrs. Go to [www.panduit.com](http://www.panduit.com) for more information.

**Size Chart:**

Consult table below to select appropriate punch adapter required for the appropriate hole size, sheet metal thickness and Panduit Tool:

Panduit P/N	Largest Hole Size	Thickest Sheet Metal	Compatible with Panduit Tool(s)
CD-2001-PDA	2" (50mm) Conduit Size	10 Gauge (3.42 mm) mild steel	CT-3001/CCP
CD-920-PDA	5-5/8" (144mm) Dia. Round	10 Gauge (3.42 mm), mild steel	CT-2920/CCP, CT-920CH/CCP



\*NOTE: PICTURE FOR REFERENCE ONLY.

Punch Drive Adapter for  
CT-2920/CCP, CT-3001/CCP,  
CT-920CH/CCP

**Technical Information:**

Panduit P/N	Weight	Punch Adapter Dims
CD-2001-PDA	4.6 lbs (2.1 kg)	6.6" L X 3.3" H X 2.1" W [168 L X 83 H X 54 W] mm
CD-920-PDA	5.1 lbs (2.3 kg)	7.5" L X 3.3" H X 2.1" W [191 L X 83 H X 54 W] mm

Each box contains one punch adapter, one 3/4" threaded stud, one pilot hole drill and one spacer. Can be used with standard Greenlee Hole Punches.

REV	DATE	BY	CHK	APR	DESCRIPTION	ECN	CD-2001-PDA and CD-920-PDA Punch Drive Adapters					
							CUSTOMER DRAWING					
							ITEM REVISION NAME: 00084SMU_DC/00		PANDUIT			
							UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: (.x) ± --- (.xxx) ± --- (.xx) ± --- ANGLES ± ---		MATERIAL: -----			
							THIRD ANGLE PROJECTION		DRAWING NUMBER: 00084SMU_DC			
							DRAWN BY: ACC	DATE: 9-12-16	CHK BKA	SCALE NONE	SHT 1 OF 1	SIZE B
01	10-14-16	ACC	RAKL	JADE	CORRECTED PART NUMBERS	010819						
00	9-12-16	ACC	BKA	JADE	DRAWING RELEASED	010062						