


#### Z-PACK | Z-PACK 2mm HM

TE Internal #: 5352127-1 Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 19 Column, 7 Row, Mezzanine, 133 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM

#### View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Hard Metric Backplane Connectors >

Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm



PCB Connector Assembly Type: PCB Mount Header

Data Rate: **≤1 Gb/s** 

Number of Columns: 19

Number of Rows: 7

Backplane Architecture: Mezzanine

All Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm (124)



### Features

### **Product Type Features**

Backplane Interface Type	2mm HM		
PCB Connector Assembly Type	PCB Mount Header		
Connector System	Board-to-Board		
Sealable	No		
Connector & Contact Terminates To	Printed Circuit Board		
Configuration Features			
Mating & Unmating Configuration	Make First / Break Last		
Rows Loaded	A, B, C, D, E, F, Z		
Number of Signal Positions	133		
Number of Columns	19		
Number of Rows	7		
Backplane Architecture	Mezzanine		

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 19 Column, 7 Row, Mezzanine, 133 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM



Number of Positions	133
PCB Mount Orientation	Vertical
Signal Characteristics	
Crosstalk Version	Standard
Data Rate	≤1 Gb/s
Body Features	
Primary Product Color	Gray
Contact Features	
CompactPCI Designation	None
CompactPCI Designation Contact Type	None Pin
Contact Type	Pin
Contact Type Contact Underplating Material	Pin Nickel
Contact Type Contact Underplating Material PCB Contact Termination Area Plating Material	Pin Nickel Tin
Contact Type Contact Underplating Material PCB Contact Termination Area Plating Material Contact Base Material	PinNickelTinPhosphor Bronze

#### Mechanical Attachment

Connector Mounting Type	Board Mount
Housing Features	
Housing Material	Polyester - GF
Centerline (Pitch)	2 mm[.078 in]
Dimensions	
Backplane Module Length	38 mm
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Shielded	No
Circuit Application	Power & Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	

**L** For support call+1 800 522 6752

08/17/2023 07:11PM | Page 2

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 19 Column, 7 Row, Mezzanine, 133 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM



Packaging Quantity	11			
Packaging Method	Tube			
Other				
Backplane Connector Comment	Row Configuration 5+2			
Product Compliance For compliance documentation, visit the product page on TE.com>				
EU RoHS Directive 2011/65/EU	Compliant			
EU ELV Directive 2000/53/EC	Compliant			
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold			
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC			
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.			
Solder Process Capability	Not applicable for solder process capability			

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 19 Column, 7 Row, Mezzanine, 133 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM



# Also in the Series Z-PACK 2mm HM

	and the second s		
Backplane Coding Keys(60)	Backplane Connector Housings(4)	Backplane Guide Hardware(37)	Backplane Power Connectors(6)
A Contraction of the second se			
Board-to-Board Connector Contacts(2)	Hard Metric Backplane Connectors (269)	High Speed Backplane Connectors(1)	Insertion & Extraction Tools(2)
and the second			



PCB Connector Covers(4)	PCB Connector Shrouds(39)	PCB Ferrules & Shields(19)	Rectangular Power Connectors(87)	

# Customers Also Bought



Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 19 Column, 7 Row, Mezzanine, 133 Position, 2 mm [.078 in] Centerline, Z-PACK 2mm HM





### Documents

### Product Drawings Z-PACK,T-B MALE HEADER 133P

English

#### **CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_5352127-1\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_5352127-1\_A.3d\_igs.zip

English

Customer View Model

#### ENG\_CVM\_CVM\_5352127-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance MD\_5352127-1\_04142012314

English

MD\_5352127-1\_04142012314

English