

Data sheet | Item number: 264-364

End plate; with fixing flange; 4 mm thick; orange

www.wago.com/264-364



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Data

Physical data

Width	4 mm / 0.157 inches
Height	22.1 mm / 0.87 inches
Depth	32 mm / 1.26 inches

Material Data

Note (material data)

Information on material specifications can be found here

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.056 MJ
Weight	1.9 g

Commercial data

Product Group	9 (Std Chassis Mt Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	25 pcs
Packaging type	box
Country of origin	CN
GTIN	4017332144704
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Through terminal block

Subject to changes. Please also observe the further product documentation!



Item no.: 264-301 2-conductor end terminal block; without push-buttons; with fixing flange; 1-pole; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/264-301
Item no.: 264-304 2-conductor end terminal block; without push-buttons; suitable for Ex i applications; with fixing flange; 1-pole; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/264-304
Item no.: 264-306 2-conductor end terminal block; without push-buttons; with fixing flange; 1-pole; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; orange	www.wago.com/264-306
Item no.: 264-324 2-conductor center terminal block; without push-buttons; suitable for Ex i applications; 1-pole; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/264-324
Item no.: 264-321 2-conductor center terminal block; without push-buttons; 1-pole; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/264-321
Item no.: 264-331 4-conductor end terminal block; without push-buttons; with fixing flange; 1-pole; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/264-331
Item no.: 264-334 4-conductor end terminal block; without push-buttons; suitable for Ex i applications; with fixing flange; 1-pole; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/264-334
Item no.: 264-336 4-conductor end terminal block; without push-buttons; with fixing flange; 1-pole; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; orange	www.wago.com/264-336
Item no.: 264-326 2-conductor center terminal block; without push-buttons; 1-pole; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; orange	www.wago.com/264-326
Item no.: 264-354 4-conductor center terminal block; without push-buttons; suitable for Ex i applications; 1-pole; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; blue	www.wago.com/264-354
Item no.: 264-356 4-conductor center terminal block; without push-buttons; 1-pole; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; orange	www.wago.com/264-356
Item no.: 264-351 4-conductor center terminal block; without push-buttons; 1-pole; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/264-351
Item no.: 264-305 2-conductor end terminal block; without push-buttons; suitable for Ex e II applications; with fixing flange; 1-pole; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; black	www.wago.com/264-305
Item no.: 264-325 2-conductor center terminal block; without push-buttons; suitable for Ex e II applications; 1-pole; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; black	www.wago.com/264-325
Item no.: 264-335 4-conductor end terminal block; without push-buttons; suitable for Ex e II applications; with fixing	

Subject to changes. Please also observe the further product documentation!



flange; 1-pole; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; black www.wago.com/264-335

Item no.: 264-355

4-conductor center terminal block; without push-buttons; suitable for Ex e II applications; 1-pole; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; black www.wago.com/264-355

Ground terminal block

Item no.: 264-307

2-conductor end terminal block; without push-buttons; with fixing flange; 1-pole; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; green-yellow www.wago.com/264-307

Item no.: 264-327

2-conductor center terminal block; without push-buttons; 1-pole; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; green-yellow www.wago.com/264-327

Item no.: 264-337

4-conductor end terminal block; without push-buttons; with fixing flange; 1-pole; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; green-yellow www.wago.com/264-337

Item no.: 264-357

4-conductor center terminal block; without push-buttons; 1-pole; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; green-yellow www.wago.com/264-357

Downloads**Documentation****Bid Text**

264-364 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
------------------------	--------------	---------------	----------

264-364 doc - Datei	2017 年6月14 日	doc 23.6 kB	Download
------------------------	--------------	----------------	----------

Additional Information

	pdf 2.3 MB	Download
--	---------------	----------

CAD/CAE-Data**CAD data**

2D/3D Models 264-364	URL	Download
----------------------	-----	----------

CAE data

EPLAN Data Portal 264-364	URL	Download
---------------------------	-----	----------

ZUKEN Portal 264-364	URL	Download
----------------------	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



WSCAD Universe 264-364

[URL](#)

[Download](#)

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 264-364

[URL](#)

[Download](#)

End plate; with fixing flange; 4 mm thick; orange

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.