



End stop, Mounting type: Mounting rail TS 35/7.5 and TS 35/15, Width: 8 mm, Colour: Black

RAL: 9005

Business data

Article number	17250.4
Article name	SES 35 BK
GTIN (EAN)	4044211179106
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	7.85 g
Weight per piece (including packaging)	7.95 g
Unit of weight	G
Customs number	85389099
Country of origin	CZ
Prio-Article	17250.2
Product description	End bracket



Technical data

Dimensions	
Length	48 mm
Width	8 mm
Height TS 35/7.5	47.1 mm
Height TS 35/15	56.8 mm
Materials	
Material	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Mounting rail TS 35/7,5 and TS 35/15
Environmental Product Compliance	
REACH Conform	Yes
REACH Candidate Substance Note	No
RoHS Conform	Yes

Media





Accessories

Quick marking

	Terminal mark	er / Pocket Maxicard, Length: 5 mm, Wi	dth: 8 mm, Colour: Wh	ite
	Article number	Article name	GTIN (EAN)	Packaging unit
	9323.7	PMC SB 8/40 WH	4044211129231	400 ST
	Terminal mark	er / Pocket Maxicard, Length: 12 mm, W	vidth: 8 mm, Colour: W	'hite
	Article number	Article name	GTIN (EAN)	Packaging unit
Langershield.	9410.7	PMC BSTR 8x12/21 WH	4044211154998	210 ST

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17566.2	SRKD 4/D5 BG	4044211234669	100 ST



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17569.2	SRKD 4/RD5 BG	4044211234690	100 ST



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17563.2	SRKD 4/D2 BG	4044211234638	100 ST



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17564.2	SRKD 4/D3 BG	4044211234645	100 ST



##INVERSE##CONTA-CONNECT

	erminal with electronic components, rail TS 35/7.5, Rated cross-section:		•
Article number	Article name	GTIN (EAN)	Packaging unit
17565.2	SRKD 4/D4 BG	4044211234652	100 ST
	erminal with electronic components, rail TS 35/7.5, Rated cross-section:		
Article number	Article name	GTIN (EAN)	Packaging unit
17570.2	SRKD 4/LED1(RD)/24V DC BG	4044211234706	100 ST
	erminal with electronic components, rail TS 35/7.5, Rated cross-section:		•
Article number	Article name	GTIN (EAN)	Packaging unit
17571.2	SRKD 4/LED1(GN)/24V DC BG	4044211234713	100 ST
	erminal with electronic components, rail TS 35/7.5, Rated cross-section:		, Colour: Beige
Article number	Article name	GTIN (EAN)	Packaging
			unit
17572.2	SRKD 4/LED2(RD)/24V DC BG	4044211234720	unit 100 ST
Double-level te	SRKD 4/LED2(RD)/24V DC BG erminal with electronic components, rail TS 35/7.5, Rated cross-section:	Screw connection, Mo	100 ST
Double-level te	erminal with electronic components,	Screw connection, Mo	100 ST
Double-level to	erminal with electronic components, rail TS 35/7.5, Rated cross-section:	Screw connection, Mou 4 mm ² , Width: 6.1 mm	100 ST unting , Colour: Beige Packaging
Double-level te type:Mounting Article number <u>17575.2</u> Double-level te	erminal with electronic components, rail TS 35/7.5, Rated cross-section: Article name	Screw connection, Mou 4 mm², Width: 6.1 mm GTIN (EAN) 4044211234751 Screw connection, Mou	100 ST Unting , Colour: Beige Packaging unit 100 ST
Double-level te type:Mounting Article number <u>17575.2</u> Double-level te	erminal with electronic components, rail TS 35/7.5, Rated cross-section: Article name SRKD 4/LED3(GN)/24V DC BG erminal with electronic components,	Screw connection, Mou 4 mm², Width: 6.1 mm GTIN (EAN) 4044211234751 Screw connection, Mou	100 ST Unting , Colour: Beige Packaging unit 100 ST
Double-level te type:Mounting Article number <u>17575.2</u> Double-level te type:Mounting	erminal with electronic components, rail TS 35/7.5, Rated cross-section: Article name SRKD 4/LED3(GN)/24V DC BG erminal with electronic components, rail TS 35/7.5, Rated cross-section:	Screw connection, Mou 4 mm², Width: 6.1 mm GTIN (EAN) 4044211234751 Screw connection, Mou 4 mm², Width: 6.1 mm	100 ST Unting , Colour: Beige Packaging unit 100 ST Unting , Colour: Beige Packaging
Double-level te type:Mounting Article number <u>17575.2</u> Double-level te type:Mounting Article number <u>17576.2</u> Double-level te	erminal with electronic components, rail TS 35/7.5, Rated cross-section: Article name SRKD 4/LED3(GN)/24V DC BG erminal with electronic components, rail TS 35/7.5, Rated cross-section: Article name	Screw connection, Mou 4 mm², Width: 6.1 mm GTIN (EAN) 4044211234751 Screw connection, Mou 4 mm², Width: 6.1 mm GTIN (EAN) 4044211234768 Screw connection, Mou	100 ST Unting , Colour: Beige Packaging unit 100 ST Unting , Colour: Beige Packaging unit 100 ST 100 ST

SRKD 4/LED5(RD)/24V AC BG

17578.2

4044211234782

100 ST



##INVERSE##CONTA-CONNECT

	Article number	Article name	GTIN (EAN)	Packaging unit
	17579.2	SRKD 4/LED5(RD)/230V AC BG	4044211234799	100 ST
		erminal with electronic components rail TS 35/7.5, Rated cross-section		•
	Article number	Article name	GTIN (EAN)	Packaging unit
	17561.2	SRKD 4/D0 BG	4044211234614	100 ST
		erminal with electronic components rail TS 35/7.5, Rated cross-section		•
0	Article number	Article name	GTIN (EAN)	Packaging unit
And and a second s				enne
	17562.2	SRKD 4/D1 BG	4044211234621	100 ST
	Double-level te	SRKD 4/D1 BG erminal with electronic components rail TS 35/7.5, Rated cross-section	, Screw connection, Mo	100 ST unting
	Double-level te	erminal with electronic components	, Screw connection, Mo	100 ST unting
	Double-level te	erminal with electronic components rail TS 35/7.5, Rated cross-section	, Screw connection, Mo a: 4 mm², Width: 6.1 mm	100 ST unting , Colour: Beige Packaging
	Double-level te type:Mounting Article number <u>17567.2</u> Double-level te	erminal with electronic components rail TS 35/7.5, Rated cross-section Article name	, Screw connection, Mo a: 4 mm², Width: 6.1 mm GTIN (EAN) 4044211234676 , Screw connection, Mo	100 ST unting , Colour: Beige Packaging unit 100 ST unting
	Double-level te type:Mounting Article number <u>17567.2</u> Double-level te	erminal with electronic components rail TS 35/7.5, Rated cross-section Article name SRKD 4/D6 BG erminal with electronic components	, Screw connection, Mo a: 4 mm², Width: 6.1 mm GTIN (EAN) 4044211234676 , Screw connection, Mo	100 ST unting , Colour: Beige Packaging unit 100 ST unting
	Double-level te type:Mounting Article number <u>17567.2</u> Double-level te type:Mounting	erminal with electronic components rail TS 35/7.5, Rated cross-section Article name SRKD 4/D6 BG erminal with electronic components rail TS 35/7.5, Rated cross-section	, Screw connection, Mo : 4 mm², Width: 6.1 mm GTIN (EAN) 4044211234676 , Screw connection, Mo : 4 mm², Width: 6.1 mm	100 ST unting , Colour: Beige Packaging unit 100 ST unting , Colour: Beige Packaging
	Double-level te type:Mounting Article number <u>17567.2</u> Double-level te type:Mounting Article number <u>17568.2</u> Double-level te	erminal with electronic components rail TS 35/7.5, Rated cross-section Article name SRKD 4/D6 BG erminal with electronic components rail TS 35/7.5, Rated cross-section Article name	, Screw connection, Mo a: 4 mm², Width: 6.1 mm GTIN (EAN) 4044211234676 , Screw connection, Mo a: 4 mm², Width: 6.1 mm GTIN (EAN) 4044211234683 , Screw connection, Mo	100 ST unting , Colour: Beige Packaging unit 100 ST unting , Colour: Beige Packaging unit 100 ST unting
	Double-level te type:Mounting Article number <u>17567.2</u> Double-level te type:Mounting Article number <u>17568.2</u> Double-level te	erminal with electronic components rail TS 35/7.5, Rated cross-section Article name SRKD 4/D6 BG erminal with electronic components rail TS 35/7.5, Rated cross-section Article name SRKD 4/RD1 BG erminal with electronic components	, Screw connection, Mo a: 4 mm², Width: 6.1 mm GTIN (EAN) 4044211234676 , Screw connection, Mo a: 4 mm², Width: 6.1 mm GTIN (EAN) 4044211234683 , Screw connection, Mo	100 ST unting , Colour: Beige Packaging unit 100 ST unting , Colour: Beige Packaging unit 100 ST unting

Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17574.2	SRKD 4/LED3(RD)/24V DC BG	4044211234744	100 ST



##INVERSE##CONTA-CONNECT

	Article number	Article name	GTIN (EAN)	Packaging unit
	17577.2	SRKD 4/LED4(GN)/24V DC BG	4044211234775	100 ST
		ct terminal, Screw connection, Mour ection: 6 mm², Width: 8.1 mm, Color	0 71 0	I TS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	17523.2	SPTK 6/LT/HB BG	4044211209223	50 ST
A-I¹¹-		ct terminal, Screw connection, Mour ection: 6 mm², Width: 8.1 mm, Color	• • • •	I TS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	17524.2	SPTK 6/LT/STBI/YE BG	4044211209919	50 ST
	Article number	Article name SSIK 6/2A BK	GTIN (EAN) 4044211188993	Packaging unit
				50 ST
, A ,		ect terminal, Screw connection, Mou	0 71 0	
		ect terminal, Screw connection, Mou ection: 4 mm², Width: 6.1 mm, Color Article name	0 71 0	il TS 35/7.5,
	Rated cross-s	ection: 4 mm ² , Width: 6.1 mm, Color	ur: Black	il TS 35/7.5, Packaging
	Rated cross-s Article number 17172.4 Fuse-disconne	ection: 4 mm², Width: 6.1 mm, Color Article name	ur: Black GTIN (EAN) 4044211180447 Inting type: Mounting ra	il TS 35/7.5, Packaging unit 25 ST
	Rated cross-s Article number 17172.4 Fuse-disconne	ection: 4 mm ² , Width: 6.1 mm, Color Article name SSIK 4/2A/LED 30-60V AC/DC BK ect terminal, Screw connection, Mou	ur: Black GTIN (EAN) 4044211180447 Inting type: Mounting ra	il TS 35/7.5, Packaging unit 25 ST
	Rated cross-s Article number <u>17172.4</u> Fuse-disconne Rated cross-s	Article name SSIK 4/2A/LED 30-60V AC/DC BK ect terminal, Screw connection, Mou ection: 6 mm ² , Width: 8.1 mm, Color	ur: Black GTIN (EAN) 4044211180447 Inting type: Mounting ra ur: Black	il TS 35/7.5, Packaging unit 25 ST il TS 35/7.5, Packaging
	Rated cross-s Article number 17172.4 Fuse-disconne Rated cross-s Article number 17176.4 Fuse-disconne	Article name SSIK 4/2A/LED 30-60V AC/DC BK ect terminal, Screw connection, Mou ection: 6 mm ² , Width: 8.1 mm, Color Article name	ur: Black GTIN (EAN) 4044211180447 Inting type: Mounting ra ur: Black GTIN (EAN) 4044211188931	il TS 35/7.5, Packaging unit 25 ST il TS 35/7.5, Packaging unit 50 ST
	Rated cross-s Article number 17172.4 Fuse-disconne Rated cross-s Article number 17176.4 Fuse-disconne	ection: 4 mm ² , Width: 6.1 mm, Color Article name SSIK 4/2A/LED 30-60V AC/DC BK ect terminal, Screw connection, Mou ection: 6 mm ² , Width: 8.1 mm, Color Article name SSIK 6/2A/LED 30-60V AC/DC BK ect terminal, Screw connection, Mou	ur: Black GTIN (EAN) 4044211180447 Inting type: Mounting ra ur: Black GTIN (EAN) 4044211188931	il TS 35/7.5, Packaging unit 25 ST il TS 35/7.5, Packaging unit 50 ST

SSIK 6/2A/LED 500V AC/DC BK

17178.4

4044211188948



##INVERSE##CONTA-CONNECT

Alt-B-tA	Rated cross-se	ection: 6 mm ² , Width: 8.1 mm, Colou	r: Beige	
	Article number	Article name	GTIN (EAN)	Packaging unit
	17520.2	SPTK 6/DU BG	4044211209650	50 ST
		ct terminal, Screw connection, Mount ection: 6 mm², Width: 8.1 mm, Colou	• • • •	I TS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	17521.2	SPTK 6/LT BG	4044211209162	50 ST
		ct terminal, Screw connection, Mount ection: 6 mm², Width: 8.1 mm, Colou	• • •	I TS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	17522.2	SPTK 6/QT BG	4044211209216	50 ST
	Article number	Article name	GTIN (EAN)	Packaging unit
	Article number	Article name SPTK 6/LT/STBI/BU BG	GTIN (EAN) 4044211209926	
	17525.2 Fuse-disconne		4044211209926 nting type: Mounting ra	unit 50 ST il TS 35/7.5,
	17525.2 Fuse-disconne	SPTK 6/LT/STBI/BU BG ect terminal, Screw connection, Mour	4044211209926 nting type: Mounting ra	unit 50 ST
	17525.2 Fuse-disconne Rated cross-se	SPTK 6/LT/STBI/BU BG ect terminal, Screw connection, Mour ection: 4 mm ² , Width: 6.1 mm, Colour	4044211209926 nting type: Mounting ra r: Black	unit 50 ST il TS 35/7.5, Packaging
	17525.2 Fuse-disconne Rated cross-se Article number 17150.4 Fuse-disconne	SPTK 6/LT/STBI/BU BG ect terminal, Screw connection, Mour ection: 4 mm ² , Width: 6.1 mm, Colour Article name	4044211209926 hting type: Mounting ra r: Black GTIN (EAN) 4044211179816 hting type: Mounting ra	unit 50 ST il TS 35/7.5, Packaging unit 50 ST
	17525.2 Fuse-disconne Rated cross-se Article number 17150.4 Fuse-disconne	SPTK 6/LT/STBI/BU BG ect terminal, Screw connection, Mour ection: 4 mm ² , Width: 6.1 mm, Colour Article name SSIK 4/2A BK ect terminal, Screw connection, Mour	4044211209926 hting type: Mounting ra r: Black GTIN (EAN) 4044211179816 hting type: Mounting ra	unit 50 ST il TS 35/7.5, Packaging unit 50 ST
	17525.2 Fuse-disconne Rated cross-se Article number 17150.4 Fuse-disconne Rated cross-se	SPTK 6/LT/STBI/BU BG ect terminal, Screw connection, Mour ection: 4 mm ² , Width: 6.1 mm, Colour Article name SSIK 4/2A BK ect terminal, Screw connection, Mour ection: 4 mm ² , Width: 6.1 mm, Colour	4044211209926 nting type: Mounting ra r: Black GTIN (EAN) 4044211179816 nting type: Mounting ra r: Black	unit 50 ST il TS 35/7.5, Packaging unit 50 ST il TS 35/7.5, Packaging
	17525.2 Fuse-disconne Rated cross-se Article number 17150.4 Fuse-disconne Rated cross-se Article number 17171.4 Fuse-disconne Fuse-disconne Rated cross-se Article number 17171.4 Fuse-disconne	SPTK 6/LT/STBI/BU BG ect terminal, Screw connection, Mour ection: 4 mm ² , Width: 6.1 mm, Colour Article name SSIK 4/2A BK ect terminal, Screw connection, Mour ection: 4 mm ² , Width: 6.1 mm, Colour Article name	4044211209926 nting type: Mounting ra r: Black GTIN (EAN) 4044211179816 nting type: Mounting ra r: Black GTIN (EAN) 4044211180430 nting type: Mounting ra	unit 50 ST il TS 35/7.5, Packaging unit 50 ST il TS 35/7.5, Packaging unit 25 ST
	17525.2 Fuse-disconne Rated cross-se Article number 17150.4 Fuse-disconne Rated cross-se Article number 17171.4 Fuse-disconne Fuse-disconne Rated cross-se Article number 17171.4 Fuse-disconne	SPTK 6/LT/STBI/BU BG ect terminal, Screw connection, Mour ection: 4 mm ² , Width: 6.1 mm, Colour Article name SSIK 4/2A BK ect terminal, Screw connection, Mour ection: 4 mm ² , Width: 6.1 mm, Colour Article name SSIK 4/2A/LED 12-30V AC/DC BK ect terminal, Screw connection, Mour	4044211209926 nting type: Mounting ra r: Black GTIN (EAN) 4044211179816 nting type: Mounting ra r: Black GTIN (EAN) 4044211180430 nting type: Mounting ra	unit 50 ST il TS 35/7.5, Packaging unit 50 ST il TS 35/7.5, Packaging unit 25 ST



##INVERSE##CONTA-CONNECT



Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
17174.4	SSIK 4/2A/LED 500V AC/DC BK	4044211180461	25 ST

Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5,



Fuse-disconnect terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 6 mm², Width: 8.1 mm, Colour: Black

Article number	Article name	GTIN (EAN)	Packaging unit
17177.4	SSIK 6/2A/LED 110-250V AC/DC BK	4044211188955	50 ST



Protective-earth double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Green-yellow

Arti	cle number	Article name	GTIN (EAN)	Packaging unit
171	82.2	SSLD 2,5 GNYE	4044211190705	100 ST



Protective-earth double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 10.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
17192.2	SSLD 10 GNYE	4044211190804	50 ST



Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
17111.2	SSL 6/2A GNYE	4044211141769	100 ST



Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
17131.2	SSL 16/2A/IS GNYE	4044211181079	50 ST



##INVERSE##CONTA-CONNECT



Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
17147.2	SSL 35/2A/IS GNYE	4044211186678	20 ST



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17180.2	SRKD 2,5 BG	4044211190668	100

Article number	Article name	GTIN (EAN)	Packaging unit
17181.2	SRKD 2,5/SV BG	4044211190682	100

Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated

cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17185.2	SRKD 4 BG	4044211190712	100



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17186.2	SRKD 4/SV BG	4044211190736	100



Protective-earth double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Green-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
17187.2	SSLD 4 GNYE	4044211190750	100 ST



Double-level terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 10.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17190.2	SRKD 10 BG	4044211190767	50



##INVERSE##CONTA-CONNECT

e e	Article number	Article name	GTIN (EAN)	Packaging unit
	17191.2	SRKD 10/SV BG	4044211190781	50
		th terminal, Screw connection ection: 2.5 mm², Width: 5 mm	· · · · · · · · · · · · · · · · · · ·	I TS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
	17103.2	SSL 2,5/2A GNYE	4044211141684	100 ST
	•	terminal, Screw connection, N 4 mm², Width: 6 mm, Colour:	••••	
	Article number	Article name	GTIN (EAN)	Packaging unit
	17106.2	SRK 4/2A/Z BG	4044211141714	100 ST
A		h terminal, Screw connection	• • • •	I TS 35/7.5,
		th terminal, Screw connection ection: 4 mm², Width: 6 mm, 0 Article name	• • • •	
	Rated cross-se	ection: 4 mm ² , Width: 6 mm, C	Colour: Green-yellow	Packaging
	Rated cross-se Article number <u>17107.2</u> Protective eart	ection: 4 mm², Width: 6 mm, 0 Article name	Colour: Green-yellow GTIN (EAN) 4044211141721 , Mounting type: Mounting rai	Packaging unit 100 ST
	Rated cross-se Article number <u>17107.2</u> Protective eart	ection: 4 mm², Width: 6 mm, 0 Article name SSL 4/2A GNYE th terminal, Screw connection	Colour: Green-yellow GTIN (EAN) 4044211141721 , Mounting type: Mounting rai	Packaging unit 100 ST I TS 35/7.5,
	Rated cross-se Article number <u>17107.2</u> Protective eart Rated cross-se	ection: 4 mm², Width: 6 mm, C Article name SSL 4/2A GNYE th terminal, Screw connection ection: 16 mm², Width: 10 mm	Colour: Green-yellow GTIN (EAN) 4044211141721 , Mounting type: Mounting rai a, Colour: Green-yellow	Packaging unit 100 ST I TS 35/7.5, Packaging
	Rated cross-set Article number 17107.2 Protective earth Rated cross-set Article number 17115.2 Protective earth	ection: 4 mm ² , Width: 6 mm, C Article name SSL 4/2A GNYE th terminal, Screw connection ection: 16 mm ² , Width: 10 mm Article name	Colour: Green-yellow GTIN (EAN) 4044211141721 , Mounting type: Mounting rai h, Colour: Green-yellow GTIN (EAN) 4044211141806 , Mounting type: Mounting rai	Packaging unit 100 ST I TS 35/7.5, Packaging unit 100 ST
	Rated cross-set Article number 17107.2 Protective earth Rated cross-set Article number 17115.2 Protective earth	ection: 4 mm², Width: 6 mm, C Article name SSL 4/2A GNYE th terminal, Screw connection ection: 16 mm², Width: 10 mm Article name SSL 10/2A GNYE th terminal, Screw connection	Colour: Green-yellow GTIN (EAN) 4044211141721 , Mounting type: Mounting rai h, Colour: Green-yellow GTIN (EAN) 4044211141806 , Mounting type: Mounting rai	Packaging unit 100 ST I TS 35/7.5, Packaging unit 100 ST

Article number	Article name	GTIN (EAN)	Packaging unit
17132.2	SRK 6/2A/PE BKYE	4044211200718	100 ST




Packaging

unit

50 ST

##INVERSE##CONTA-CONNECT



Protective earth terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5,

GTIN (EAN)

4044211206192

Article number	Article name	GTIN (EAN)	Packaging unit
17145.2	SSL 35/2A GNYE	4044211186661	20 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17100.2	SRK 2,5/2A BG	4044211141653	100



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17113.2	SRK B 10/2A BG	4044211141783	100



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 12.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17124.2	SRK 16/2A BG	4044211180942	50



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 12.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17127.2	SRK 16/2A/Z/IS BG	4044211181048	50 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 12.1 mm, Colour: Black-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
17128.2	SRK 16/2A/PE BKYE	4044211199739	50 ST



##INVERSE##CONTA-CONNECT

	Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm ² , Width: 5 mm, Colour: Black-yellow					
	Article number	Article name	GTIN (EAN)	Packaging unit		
-	17129.2	SRK 2,5/2A/PE BKYE	4044211200688	100 ST		
	•	terminal, Screw connection, Mounting t 35 mm², Width: 16.1 mm, Colour: Beig		35/7.5, Rated		
	Article number	Article name	GTIN (EAN)	Packaging unit		
-m)	17141.2	SRK 35/2A/Z BG	4044211186630	20 ST		
	Food through t	terminal Carow connection Mounting	hunai Maunting tail TC (DE/ZE Datad		

Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17143.2	SRK 35/2A/Z/IS BG	4044211186654	20 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Black-yellow

Article number	Article name	GTIN (EAN)	Packaging unit
17155.2	SRK 4/2A/PE BKYE	4044211186692	100 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 50 mm², Width: 18.5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17156.2	SRK 50/2A BG	4044211186715	10



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17104.2	SRK 4/2A BG	4044211141691	100



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17105.2	SRK B 4/2A BG	4044211141707	100 ST



##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17109.2	SRK B 6/2A BG	4044211141745	100 ST

Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17112.2	SRK 10/2A BG	4044211141776	100

Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

3	Article number	Article name	GTIN (EAN)	Packaging unit
	17119.2	SRK 2,5/2A SAS BG	4044211149048	80



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 12.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17125.2	SRK 16/2A/Z BG	4044211181024	50 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17140.2	SRK 35/2A BG	4044211186616	20



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 35 mm², Width: 16.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17142.2	SRK 35/2A/IS BG	4044211186647	20



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 70 mm², Width: 20.5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17161.2	SRK 70/2A BG	4044211189273	10



##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17108.2	SRK 6/2A BG	4044211141738	100

Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17101.2	SRK B 2,5/2A BG	4044211141660	100 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17102.2	SRK 2,5/2A/Z BG	4044211141677	100 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article num	nber Article name	GTIN (EAN)	Packaging unit
17110.2	SRK 6/2A/Z BG	4044211141752	100 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 10 mm², Width: 8 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17110.2	SRK 6/2A/Z BG	4044211141752	100 ST



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17114.2	SRK 10/2A/Z BG	4044211141790	100



Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm², Width: 10 mm, Colour: Beige

3	Article number	Article name	GTIN (EAN)	Packaging unit
	17118.2	SRK 10/2A SAS BG	4044211149024	80



##INVERSE##CONTA-CONNECT

	Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 16 mm ² , Width: 12.1 mm, Colour: Beige			
	Article number	Article name	GTIN (EAN)	Packaging unit
	17126.2	SRK 16/2A/IS BG	4044211181031	50
	0	terminal, Screw connection, Mounting 16 mm², Width: 12.1 mm, Colour: Be	5 71 0	S 35/7.5, Rated
	Article number	Article name	GTIN (EAN)	Packaging unit
21)	17126.2	SRK 16/2A/IS BG	4044211181031	50
		earth terminal, Screw connection, Mo ection: 16 mm², Width: 10 mm, Colou		y rail TS 35/7.5,
	Article number	Article name	GTIN (EAN)	Packaging unit
M	87808.2	SSL 10/2A Ex GNYE	4044211199821	100 ST
	•	terminal, Screw connection, Mounting 4 mm ² , Width: 6 mm, Colour: Beige	g type: Mounting rail T	
	Article number	Article name	GTIN (EAN)	Packaging unit
	17116.2	SRK 4/2A SAS BG	4044211148980	80
	•	terminal, Screw connection, Mounting 4 mm², Width: 6 mm, Colour: Beige	g type: Mounting rail T	S 35/7.5, Rated
	Article number	Article name	GTIN (EAN)	Packaging unit
	17116.2	SRK 4/2A SAS BG	4044211148980	80
	•	terminal, Screw connection, Mounting 16 mm², Width: 10 mm, Colour: Beig	5 71 0	S 35/7.5, Rated
	Article number	Article name	GTIN (EAN)	Packaging unit

Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 50 mm², Width: 18.5 mm, Colour: Black-yellow

SRK 10/2A Ex BG

	Article number	Article name	GTIN (EAN)	Packaging unit
.0	17157.2	SRK 50/2A/PE BKYE	4044211186722	10 ST

87807.2

4044211199807

100



##INVERSE##CONTA-CONNECT

	Feed-through terminal, Screw connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 70 mm ² , Width: 20.5 mm, Colour: Black-yellow			
	Article number	Article name	GTIN (EAN)	Packaging unit
a / 1	17162.2	SRK 70/2A/PE BKYE	4044211186777	10 ST
	0	erminal, Screw connection, Mounting t 16 mm², Width: 10 mm, Colour: Beige	ype: Mounting rail TS	35/7.5, Rated
	Article number	Article name	GTIN (EAN)	Packaging unit
	Article number 87807.2	Article name SRK 10/2A Ex BG	GTIN (EAN) 4044211199807	
	87807.2 Feed-through t		4044211199807	unit 100
	87807.2 Feed-through t	SRK 10/2A Ex BG	4044211199807	unit 100

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Screw connection, Mounting type:Mounting rail TS 35/7.5, Rated cross-section: 4 mm², Width: 6.1 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
17566.2	SRKD 4/D5 BG	4044211234669	100 ST