

**Data sheet | Item number: 236-200**

End plate; 1 mm thick; snap-fit type; dark gray

[www.wago.com/236-200](http://www.wago.com/236-200)



**i** Picture differs from the item.

**Color:**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Physical data

Width	1 mm / 0.039 inches
Height	13 mm / 0.512 inches
Depth	14 mm / 0.551 inches

### Mechanical Data

Mounting type	snap-on type
---------------	--------------

### Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	dark gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.004 MJ
Weight	0.1 g

### Commercial data

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	2000 (100) pcs
Packaging type	box
Country of origin	CH
GTIN	4017332267595
Customs tariff number	85389099990

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Approvals / Certificates

### Approvals for marine applications

Logo	Approval	Additional Approval Text	Certificate name
	<b>BV</b> Bureau Veritas S.A.	IEC 60998	11915/D0 BV

## Required accessories

### End plate

PCB terminal block		
<b>Item no.: 236-743/332-000/999-950</b>	Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-743/332-000/999-950">www.wago.com/236-743/332-000/999-950</a>
<b>Item no.: 236-747</b>	Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/236-747">www.wago.com/236-747</a>
<b>Item no.: 236-744</b>	Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/236-744">www.wago.com/236-744</a>
<b>Item no.: 236-746/332-000</b>	Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/236-746/332-000">www.wago.com/236-746/332-000</a>
<b>Item no.: 236-745</b>	Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; green	<a href="http://www.wago.com/236-745">www.wago.com/236-745</a>
<b>Item no.: 236-743/999-950</b>	Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-743/999-950">www.wago.com/236-743/999-950</a>
<b>Item no.: 236-746</b>	Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/236-746">www.wago.com/236-746</a>
<b>Item no.: 236-747/332-000</b>	Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/236-747/332-000">www.wago.com/236-747/332-000</a>
<b>Item no.: 236-753/332-000/999-950</b>	Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-753/332-000/999-950">www.wago.com/236-753/332-000/999-950</a>
<b>Item no.: 236-755</b>	Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; green	<a href="http://www.wago.com/236-755">www.wago.com/236-755</a>
<b>Item no.: 236-752</b>		

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-752">www.wago.com/236-752</a>
<b>Item no.: 236-744/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/236-744/332-000">www.wago.com/236-744/332-000</a>
<b>Item no.: 236-753</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-753">www.wago.com/236-753</a>
<b>Item no.: 236-752/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-752/332-000">www.wago.com/236-752/332-000</a>
<b>Item no.: 236-756</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/236-756">www.wago.com/236-756</a>
<b>Item no.: 236-753/999-950</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-753/999-950">www.wago.com/236-753/999-950</a>
<b>Item no.: 236-757/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/236-757/332-000">www.wago.com/236-757/332-000</a>
<b>Item no.: 236-763/332-000/999-950</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-763/332-000/999-950">www.wago.com/236-763/332-000/999-950</a>
<b>Item no.: 236-754</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/236-754">www.wago.com/236-754</a>
<b>Item no.: 236-762/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-762/332-000">www.wago.com/236-762/332-000</a>
<b>Item no.: 236-763/999-950</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-763/999-950">www.wago.com/236-763/999-950</a>
<b>Item no.: 236-763</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-763">www.wago.com/236-763</a>
<b>Item no.: 236-757</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/236-757">www.wago.com/236-757</a>
<b>Item no.: 236-762</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-762">www.wago.com/236-762</a>
<b>Item no.: 236-710</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning	<a href="http://www.wago.com/236-710">www.wago.com/236-710</a>

Subject to changes. Please also observe the further product documentation!

option; 2,50 mm<sup>2</sup>; red**Item no.: 236-501**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray [www.wago.com/236-501](http://www.wago.com/236-501)**Item no.: 236-501/332-000**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray [www.wago.com/236-501/332-000](http://www.wago.com/236-501/332-000)**Item no.: 236-764/332-000**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue [www.wago.com/236-764/332-000](http://www.wago.com/236-764/332-000)**Item no.: 236-766**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; orange [www.wago.com/236-766](http://www.wago.com/236-766)**Item no.: 236-767**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light green [www.wago.com/236-767](http://www.wago.com/236-767)**Item no.: 236-767/332-000**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light green [www.wago.com/236-767/332-000](http://www.wago.com/236-767/332-000)**Item no.: 236-764**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue [www.wago.com/236-764](http://www.wago.com/236-764)**Item no.: 236-851**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black [www.wago.com/236-851](http://www.wago.com/236-851)**Item no.: 236-765**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; green [www.wago.com/236-765](http://www.wago.com/236-765)**Item no.: 236-852**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black [www.wago.com/236-852](http://www.wago.com/236-852)**Item no.: 236-853**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black [www.wago.com/236-853](http://www.wago.com/236-853)**Item no.: 236-854**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black [www.wago.com/236-854](http://www.wago.com/236-854)**Item no.: 236-766/332-000**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; orange [www.wago.com/236-766/332-000](http://www.wago.com/236-766/332-000)**Item no.: 236-891**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; violet [www.wago.com/236-891](http://www.wago.com/236-891)**Item no.: 236-884**Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning [www.wago.com/236-884](http://www.wago.com/236-884)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



option; 2,50 mm<sup>2</sup>; brown

**Item no.: 236-855**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black [www.wago.com/236-855](http://www.wago.com/236-855)

**Item no.: 236-301**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray [www.wago.com/236-301](http://www.wago.com/236-301)

**Item no.: 236-401**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray [www.wago.com/236-401](http://www.wago.com/236-401)

**Item no.: 236-401/332-000**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray [www.wago.com/236-401/332-000](http://www.wago.com/236-401/332-000)

**Item no.: 236-712**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; dark gray [www.wago.com/236-712](http://www.wago.com/236-712)

**Item no.: 236-714**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue [www.wago.com/236-714](http://www.wago.com/236-714)

**Item no.: 236-715**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; green [www.wago.com/236-715](http://www.wago.com/236-715)

**Item no.: 236-716**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; orange [www.wago.com/236-716](http://www.wago.com/236-716)

**Item no.: 236-717**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light green [www.wago.com/236-717](http://www.wago.com/236-717)

**Item no.: 236-722**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; dark gray [www.wago.com/236-722](http://www.wago.com/236-722)

**Item no.: 236-723**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light gray [www.wago.com/236-723](http://www.wago.com/236-723)

**Item no.: 236-711**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; yellow [www.wago.com/236-711](http://www.wago.com/236-711)

**Item no.: 236-724**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue [www.wago.com/236-724](http://www.wago.com/236-724)

**Item no.: 236-713**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light gray [www.wago.com/236-713](http://www.wago.com/236-713)

**Item no.: 236-727**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light green [www.wago.com/236-727](http://www.wago.com/236-727)

**Item no.: 236-732**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-732">www.wago.com/236-732</a>
<b>Item no.: 236-733</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-733">www.wago.com/236-733</a>
<b>Item no.: 236-734</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/236-734">www.wago.com/236-734</a>
<b>Item no.: 236-735</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; green	<a href="http://www.wago.com/236-735">www.wago.com/236-735</a>
<b>Item no.: 236-736</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/236-736">www.wago.com/236-736</a>
<b>Item no.: 236-726</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/236-726">www.wago.com/236-726</a>
<b>Item no.: 236-740</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; red	<a href="http://www.wago.com/236-740">www.wago.com/236-740</a>
<b>Item no.: 236-742</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-742">www.wago.com/236-742</a>
<b>Item no.: 236-742/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-742/332-000">www.wago.com/236-742/332-000</a>
<b>Item no.: 236-743/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-743/332-000">www.wago.com/236-743/332-000</a>
<b>Item no.: 236-743</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-743">www.wago.com/236-743</a>
<b>Item no.: 236-737</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/236-737">www.wago.com/236-737</a>
<b>Item no.: 236-741</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; yellow	<a href="http://www.wago.com/236-741">www.wago.com/236-741</a>
<b>Item no.: 236-101</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/236-101">www.wago.com/236-101</a>
<b>Item no.: 236-201</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/236-201">www.wago.com/236-201</a>
<b>Item no.: 236-601</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/236-601">www.wago.com/236-601</a>

Subject to changes. Please also observe the further product documentation!



option; 2,50 mm<sup>2</sup>; gray

**Item no.: 236-601/332-000**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray [www.wago.com/236-601/332-000](http://www.wago.com/236-601/332-000)

**Item no.: 236-885**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; brown [www.wago.com/236-885](http://www.wago.com/236-885)

**Item no.: 236-894**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; violet [www.wago.com/236-894](http://www.wago.com/236-894)

**Item no.: 236-881**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; brown [www.wago.com/236-881](http://www.wago.com/236-881)

**Item no.: 236-882**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; brown [www.wago.com/236-882](http://www.wago.com/236-882)

**Item no.: 236-725**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; green [www.wago.com/236-725](http://www.wago.com/236-725)

**Item no.: 236-856**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black [www.wago.com/236-856](http://www.wago.com/236-856)

**Downloads**

**Documentation**

**Additional Information**

2019 年4月3日

pdf  
2.0 MB

Download

**CAD/CAE-Data**

**CAE data**

EPLAN Data Portal 236-200

URL

Download

ZUKEN Portal 236-200

URL

Download

**CAD data**

2D/3D Models 236-200

URL

Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.





## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 236-200  
End plate; 1 mm thick; snap-fit type; dark gray

URL

Download

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!