

**Data sheet | Item number: 890-302**

Mounting carrier; 2-pole; for sockets and plugs; Plastic; gray

[www.wago.com/890-302](http://www.wago.com/890-302)



**Color:**

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Item description

### Mounting accessories *WINSTA*® MINI 2-pole

Implement the energy supply with ease: The mounting accessories from the *WINSTA*® MINI product line is the solution for error-free electrical installation. With WAGO, you get enjoy the advantages of a large selection of accessories for the *WINSTA*® product line. *WINSTA*® MINI satisfies the demand for miniaturisation. Our smallest pluggable connection system is very good for lights, for example, since as a result of LED technology; due to complex systems, these offer much less space for the connection technology.

### Push-in *CAGE CLAMP*® spring pressure connection technology – pluggable installation instead of laborious screw connections!

The *WINSTA*® Pluggable Connection System allows pluggable electrical installation. This significantly reduces the need for servicing and lowers costs. Now you can also lower installation costs without compromising safety and quality: with protection against mismatching eliminates the need for servicing and prevents unnecessary downtime.

- 
- easy tool-free operation, a wide range of coding options
- quick replacement of defective units during ongoing operation

## Data

### Connection data

#### Connection 1

Pole number	2
-------------	---

### Mechanical Data

Suitable	for socket and plug
----------	---------------------

### Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	gray
-------	------

Insulation material	Polyamide (PA66)
---------------------	------------------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Flammability class per UL94	V0
Fire load	0.053 MJ
Weight	0.5 g

### Environmental requirements

Processing temperature	-5 ... +40 °C
Continuous operating temperature	-35 ... +85 °C
Note on continuous operating temperature	Insulating parts for temperatures ≤ 105 °C

### Commercial data

Product Group	20 (Winsta)
eCl@ss 10.0	27-44-06-92
eCl@ss 9.0	27-44-06-92
ETIM 8.0	EC002863
ETIM 7.0	EC002863
PU (SPU)	100 (50) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143838511
Customs tariff number	39269097900

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

### Downloads

#### Documentation

#### Bid Text

890-302 X81 - Datei	2019 年2月19 日	xml 2.7 kB	Download
890-302 doc - Datei	2015 年3月16 日	doc 24.1 kB	Download

### Environmental Product Compliance

#### Compliance Search

Subject to changes. Please also observe the further product documentation!

Data sheet | Item number: 890-302

[www.wago.com/890-302](http://www.wago.com/890-302)



[URL](#)

[Download](#)

Environmental Product Compliance 890-302

Mounting carrier; 2-pole; for sockets and plugs; Plastic; gray

---

## Installation Notes

## Product family

**WINSTA® MINI**

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.