
-XX IN THE ENDING OF THE CABLE PART NUMBER IS CALLING OUT THE LENGTH OF THE ASSEMBLY FROM CENTER TO MATING FLANGE OF CONNECTORS. EXAMPLES SHOWN BELOW:

LTI P/N: CB1.17LL-IPX4L-SAMGT-4IN (4 INCHES) CB1.17LL-IPX4L-SAMGT-10IN (10 INCHÉS)

_												
	REVISIONS											
İ	REV	ECR	DESCRIPTION	DRAWN	DATE							
Ī	1		PRODUCTION RELEASE	M. LARSEN	08/08/2022							

SCALE: NONE



ITEM	PART NUMBER	DESCRIPITION	QTY					
1	IPX4LLF11GPB-113	IPX4L (MHF4L), RHT ANGLE, JACK, CABLE CRIMP (I-PEX 20565-001R-13)						
2	SASM11GT-316	SMA, STRAIGHT, PLUG CABLE CRIMP	1					
3	1.17LL MICRO COAX	CABLE, 1.17LL LOW LOSS MICRO COAX, GRAY	AR					
4	1635F-1/8"	.125 (1/8) DIA, .75 LENGTH, GREEN	1					

IPX® AND MHF® ARE REGISTERED TRADEMARKS OF I-PEX CO., LTD. CORPORATION

DO NOT SCALE DRAWING				Lighthorse Technologies				
TOLERANCES UNLESS OTHERWISE SPECIFIED								
DIMENSIO MILLIMETE	NS ARE IN	: IN			San Diego, CA WWW.RFCONNECTOR.COM			
X = ±0.5	5	⊕ €-]-	TITLE:CABLE ASSEMBLY, IPX4L (MHF4L), R/A CRIMP TO SMA, PLUG, CRIMP,			R/A J/	ACK,	
X.X = ±0.2 X.XX = ±0.2 ANGLE = ±3	13	THIRD ANGLE PROJECTION						
CUSTOMER APPROVAL				USING 1.17LL (LOW LOSS) MICRO COAX, GRAY				
SIGN / DATE:			SIZE	PAI	RT/DWG. NO:		REV	
ENG APPR.	P. BURDGE	08/08/2022						
CHECKED M. HELD		08/08/2022	1 B	CB1.17LL-IPX4L-SAMGT-xxIN			Α	
DRAWN	M. LARSEN	08/08/2022						
	NAME	DATE	SCALE: 4:1 FILE NAME		FILE NAME	SHEET 1 OF 1		

PROPRIETARY AND CONFIDENTIAL

6

UNLESS OTHERWISE SPECIFIED: THIS DOCUMENT CONTAINS LIGHTHORSE TECHNOLOGIES INFORMATION, REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LIGHTHORSE TECHNOLOGIES LIGHTHORSE TECHNOLOGIES RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS OF LIGHTHORSE TECHNOLOGIES SECRETS. COPY RIGHTS OF LIGHTHORSE TECHNOLOGIES 2011, ALL RIGHTS NUMBER DESCRETS. COPY RIGHTS OF LIGHTHORSE TECHNOLOGIES 2011, ALL RIGHTS NESERVED.

Pb

3

В