

FASTON | FASTON 110

TE Internal #: 928884-2

Quick Disconnects, Receptacle, 22-18 AWG Wire Size, .32-.82 mm 2 Wire Size, Mating Tab Width 2.8 mm [.11 in], Flag, Brass, Tin

Plating, FASTON 110

View on TE.com >



Terminals & Splices > Quick Disconnects

Quick Disconnect Terminal Type: Receptacle

Wire Size: .32 – .82 mm²

Mating Tab Width: 2.8 mm [.11 in]

Mating Tab Thickness: .81 mm [.032 in]

Features

Product Type Features

Insertion Force	Low	

Configuration Features

Connection Capacity	Single
Compatible With Wire & Cable Type	Discrete Wire

Contact Features

Quick Disconnect Terminal Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]
Mating Tab Thickness	.81 mm[.032 in]
Terminal Orientation	Flag
Contact Base Material	Brass
Terminal Plating Material	Tin
Crimp Type	F-Crimp
Barrel Type	Open

Termination Features

Mechanical Attachment

Wire Insulation Support	With
Mating Retention Type	Dimple

Dimensions

Terminal Material Thickness	.33 mm[.013 in]



Product Length	10.8 mm[.425 in]
Compatible Insulation Diameter Range	1.4 – 2.5 mm[.055 – .098 in]
Wire Size	.32 – .82 mm²
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]
Industry Standards	
Agency/Standard	UL
Packaging Features	
Packaging Quantity	5000
Packaging Method	Strip/Reel
Other	

FASTON .110

Product Compliance

Line

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

Quick Disconnects, Receptacle, 22 – 18 AWG Wire Size, .32 – .82 mm² Wire Size, Mating Tab Width 2.8 mm [.11 in], Flag, Brass, Tin Plating, FASTON 110



requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

TE Part # 2-4150035-2 OCEAN-2.0-APPLICATOR-E-070F120O	TE Part # 4150035-1 OCEAN-2.0-APPLICATOR-E-070F120O	TE Part # 626481-1 .110 FLAG FASTON RE
TE Part # 7-4150035-1 OCEAN-2.0-APPLICATOR-E-070F120O	TE Part # 7-4150035-2 OCEAN-2.0-APPLICATOR-E-070F120O	TE Part # 7-4150035-7 OCEAN_2.0_SPARE_PART_KIT- 070F120O
FASTON 110		
Insertion & Extraction Tools(1)	PCB Terminals(21)	Quick Disconnects(172)
	TE Part # 7-4150035-1 OCEAN-2.0-APPLICATOR-E-070F120O FASTON 110	TE Part # 7-4150035-1 OCEAN-2.0-APPLICATOR-E-070F1200 TE Part # 7-4150035-2 OCEAN-2.0-APPLICATOR-E-070F1200 TE Part # 7-4150035-2 OCEAN-2.0-APPLICATOR-E-070F1200 PCB Terminals(21)

08/13/2023 03:45PM | Page 3

Quick Disconnects, Receptacle, 22 – 18 AWG Wire Size, .32 – .82 mm² Wire Size, Mating Tab Width 2.8 mm [.11 in], Flag, Brass, Tin Plating, FASTON 110



TE Part #9-965382-2 TE Part #1544316-1 TE Part #1544332-1 TE Part #917309-1 MQS, CONNECTOR HOUSING JOINT VERT G2 MINI MLC CONN. TAB CONT. LANGUETTE 8MM NG1 TE Part #2-160967-2 TE Part #965383-1 TE Part #1801431-1 TE Part #2-2208018-1 CABLE TY 98X2.5 BLA RCPT CONT, 8MM NG1+, MAXIFUSE, 22POS,0.64 MALE GEN. Y,PIN HSG, MQS SICHERGSCHIEBER 8POS 2.5-4 MM2 **ASSY** TE Part #2404790-1 MSSL SA001453 L246 COAX CABLE ASSY

Documents

Product Drawings

110 FASTON FLAG REC 22-18 AWG BR

English

CAD Files

Customer View Model

ENG_CVM_CVM_928884-2_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_928884-2_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_928884-2_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.