






PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Rainbow Zhan	2015/12/14	projection	MM	size	A3	scale	3:2										
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2015/12/25			ecn no	-	rel level	Released										
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2015/12/25			product family	PwrBlade+	rel level	Released										
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.5</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.25</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.10</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table>	linear	0.X	±0.5		0.XX	±0.25		0.XXX	±0.10	angular	0°	±2°	appr	Pei-Ming Zheng	2015/12/25	product family	PwrBlade+	rel level	Released
linear	0.X	±0.5																		
	0.XX	±0.25																		
	0.XXX	±0.10																		
angular	0°	±2°																		
ASME Y14.5	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.5</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.25</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.10</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table>	linear	0.X	±0.5		0.XX	±0.25		0.XXX	±0.10	angular	0°	±2°	www.fci.com	cat. no.	2LP + 8S + 2LP RA PF HEADER	dwg no	10106263-0402001	rev	A
linear	0.X	±0.5																		
	0.XX	±0.25																		
	0.XXX	±0.10																		
angular	0°	±2°																		
Product - Customer Drw						sheet 1 of 3														

PRODUCT NO.	ROWS	LP		S	LP	
		E1	P1 P2	1 2	P3 P4	E2
10106263-0402001LF	DCBA					



CODE	DESCRIPTION
HA	METAL HOLD DOWN
LA	LMFB SIGNAL CONTACT, ROW A (3.05)
LB	LMFB SIGNAL CONTACT, ROW B (3.05)
LC	LMFB SIGNAL CONTACT, ROW C (3.05)
LD	LMFB SIGNAL CONTACT, ROW D (3.05)
LR	MFBL LOW POWER CONTACT (3.05)
LS	STD LOW POWER CONTACT (3.05)

dr	Rainbow Zhan	2015/12/14	projection 	size A3	scale 3:2	
eng	Rainbow Zhan	2015/12/25				
chr	Fancy Zhang	2015/12/25				
appr	Pei-Ming Zheng	2015/12/25	product family	PwrBlade+	rel level	Released
			2LP + 8S + 2LP RA PF HEADER		dwg no 10106263-0402001	rev A
<a href="http://www.fci.com">www.fci.com</a>			cat. no.	Product - Customer Drw		sheet 2 of 3




Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.  
-SIGNAL CONTACT - COPPER ALLOY.  
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7)  $1.15 \pm 0.025$ MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn  
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A  $1.02 \pm 0.07$ MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.  
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.  
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Rainbow Zhan	2015/12/14	projection 	MM 	size	A3	scale	3:2
eng	Rainbow Zhan	2015/12/25			ecn no	-		
chr	Fancy Zhang	2015/12/25			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2015/12/25					title 2LP + 8S + 2LP RA PF HEADER	dwg no 10106263-0402001
www.fci.com			cat. no.	Product - Customer Drw			sheet 3 of 3	