## XMLZL009

# Cooler, for pressure sensor XML F, with 1/4" BSP fluid connection



Complementary	
Accessory / Separate Part Type	Cooler
Product compatibility	Pressure switch with 1/4*0.0000001 BSP fluid connection
Temperature of controlled fluid	32302 °F (0150 °C)
Net Weight	0.82 lb(US) (0.37 kg)

|--|

Ambient Air Temperature for Operation	32122 °F (050 °C)	
---------------------------------------	-------------------	--

### Ordering and shipping details

Category	22661-XMLA,B,C,D PRESSURE SWITCHES	_
Discount Schedule	DS2	
GTIN	3389110299694	
Nbr. of units in pkg.	1	
Package weight(Lbs)	11.96 oz (339.0 g)	
Returnability	No	
Country of origin	СН	

### **Packing Units**

Unit Type of Package 1	PCE	
Package 1 Height	1.06 in (2.7 cm)	
Package 1 width	4.84 in (12.3 cm)	
Package 1 Length	1.06 in (2.7 cm)	
Unit Type of Package 2	S01	
Number of Units in Package 2	25	
Package 2 Weight	19.18 lb(US) (8.7 kg)	
Package 2 Height	5.91 in (15 cm)	
Package 2 width	5.91 in (15 cm)	
Package 2 Length	15.75 in (40 cm)	

#### Offer Sustainability

WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov	
Pro-active compliance (Product out of EU RoHS legal scope) EV RoHS  Declaration	
Yes	
₽¥Yes	

Warranty 18 months

### **Dimensions**

