


## VC-TFS 4

Order No.: 1607460

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1607460>

Contact insert, for sleeve housing, with screw terminal blocks, 4-pos.

| Commercial data |  |
|-----------------|--|
| GTIN (EAN)      | <br>4 017918 943578 |
| sales group     | D224   |
| Pack            | 10 pcs.  |
| Customs tariff  | 85366990   |

**Product notes**WEEE/RoHS-compliant since:  
12/15/2006

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

**Certificates / Approvals**

Certification

CUL, UL

**Accessories**

| Item                | Designation             | Description  |
|---------------------|-------------------------|--|
| <b>Marking</b>      |                         |  |
| 0804073             | SK 3,5/2,8:FORTL.ZAHLEN | Marker card, printed horizontally, self-adhesive, 10-section marker strip, 14 identical decades marked 1-10, 11-20 etc. up to 91-100, sufficient for 140 terminal blocks                             |
| 0804183             | SK 5/3,8:FORTL.ZAHLEN   | Marker card, printed horizontally, self-adhesive, 12 identical decades marked 1-10, 11-20 etc. up to 91-(99)100, sufficient for 120 terminal blocks  |
| 0804455             | SK 7,5/3,8:FORTL.ZAHLEN | Marker card, self-adhesive, 10-section marker strip, 12 identical decades marked 1-10, 11-20 etc. up to 91-100, sufficient for 120 terminal blocks   |
| 0803906             | SK U/3,8 WH:UNBEDRUCKT  | Unprinted marker cards, DIN A4 format, pitch as desired, self-adhesive, with 40 stamped marker strips, 185 mm strip length, can be labeled with the CMS system or manually with the B-STIFT or X-PEN |
| 0803922             | SK U/5,0 WH:UNBEDRUCKT  | Unprinted marker cards, DIN A4 format, pitch as desired, self-adhesive, with 35 stamped marker strips, 185 mm strip length, can be labeled with the CMS system or manually with the B-STIFT or X-PEN |
| <b>Plug/Adapter</b> |                         |  |
| 1600027             | CP-HCC 4                | Coding profile, Color: red   |
| 1734634             | CP-MSTB                 | Keying profile, is inserted into the slot on the plug or inverted header, red insulating material  |

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;