

794993-1 ✓ ACTIVE

MATE-N-LOK | Universal MATE-N-LOK

TE Internal #: 794993-1

Rectangular Connector Seals, Interface Seal, -55 – 105 °C [-67 – 221 °F], Black, Silicone Foam, Universal MATE-N-LOK

[View on TE.com >](#)



Connectors > Rectangular Connectors > Rectangular Connector Accessories > Rectangular Connector Seals



Connector Seal & Plug Type: **Interface Seal**

Operating Temperature Range: **-55 – 105 °C [-67 – 221 °F]**

Primary Product Color: **Black**

Operating Temperature (Max): **105 °C [221 °F]**

Seal Material: **Silicone Foam**

### Features

#### Product Type Features

Connector Seal & Plug Type	Interface Seal
----------------------------	----------------

#### Body Features

Primary Product Color	Black
Seal Material	Silicone Foam

#### Usage Conditions

Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operating Temperature (Max)	105 °C[221 °F]

#### Packaging Features

Packaging Quantity	1000
Packaging Method	Package

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC

Compliant

China RoHS 2 Directive MIIT Order No 32, 2016

No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023 (235)

Candidate List Declared Against: JAN 2023 (233)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I &lt; 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

## Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts






TE Part # 770262-3  
06P UMNL SOK HDR ASSY 94VO LF



TE Part # 643407-1  
06P UMNL PIN HDR ASSY POL NATL



TE Part # 640581-1  
06P UMNL PLUG HSG



TE Part # 643408-1  
06P UMNL PIN HDR ASSY POL 94VO



TE Part # 640587-1  
06P UMNL HDR ASSY R/A V2



TE Part # 1-640415-0  
UMNL KEYING PLUG V0



TE Part # 794785-1  
04P UMNL INTERFACE SEAL



TE Part # 3-643234-0  
06P UMNL HDR ASSY R/A 94VO LF




TE Part # 2029383-1  
06P UMNL-II FRONT2RR FOAM SPCR




TE Part # 2029442-1  
06P UMNL-II TPA FOAM SPACER


Also in the Series | **Universal MATE-N-LOK**




Circular Power Connectors(2)




Connector Contacts(7)




Connector Strain Relief(34)



Insertion & Extraction Tools(4)




Power Contacts(201)



Rectangular Connector Adapters(7)




Rectangular Connector Hardware(1)



Rectangular Connector Housings(1)



Rectangular Connector Keying Plugs(3)





Rectangular Connector Seals(26)



Rectangular Power Connectors(662)

## Customers Also Bought

TE Part #1376397-1  
5MM POWER KEY D/L PLATE GREENTE Part #177914-1  
AMP POWER DBL LOCK REC (S)TE Part #350715-1  
06P UMNL PLUG HSGTE Part #794276-1  
06P UMNL WIRE SEALTE Part #794096-1  
06P UMNL PLUGTE Part #42800-1  
187 FASTON REC 20-16 AWG BRTE Part #1376357-8  
025/090 26POS CAP ASSY H  
SELECTIVE-TINTE Part #1969443-2  
EP 2.5 TPA Retainer, 2 PosTE Part #2-2232265-1  
PTL 1X2 PLUG HSG HOT WIRE KEY B  
NAT

## Documents

### Product Drawings

[06P UMNL BLACK INTERFACE SEAL](#)

English

### CAD Files

[3D PDF](#)

3D

[Customer View Model](#)

[ENG\\_CVM\\_CVM\\_794993-1\\_C.2d\\_dxf.zip](#)



English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_794993-1\\_C.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_CVM\\_794993-1\\_C.3d\\_stp.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_794993-1\\_E.3d\\_igs.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_794993-1\\_E.3d\\_stp.zip](#)

English

**Customer View Model**

[ENG\\_CVM\\_794993-1\\_E.2d\\_dxf.zip](#)

English

**3D PDF**

3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Datasheets & Catalog Pages

[SOFT\\_SHELL\\_PIN\\_AND\\_SOCKET\\_CONNECTORS\\_CATALOG](#)

English

---

### Product Specifications

[Application Specification](#)

English

---

### Product Environmental Compliance

[MD\\_794993-1\\_04192018210\\_dmtec](#)

English

[MD\\_794993-1\\_04192018210\\_dmtec](#)

English