

## Electronic housing - UM 72-LG 10 - 2959366

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)

Profile housing and board base, 10 mm wide module, consisting of two side elements



### Key commercial data

Packing unit	1 PCE
Minimum order quantity	10 PCE
Weight per Piece (excluding packing)	13.94 GRM
Custom tariff number	39269097
Country of origin	Poland

### Technical data

Product type	Component housing lower part
Approval	UL Recognized
Ambient temperature (operation)	-15 °C ... 50 °C
Color	green
Depth	89.6 mm
Width	8 mm
Functional earth ground contact	without

### Classifications

#### eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506

# Electronic housing - UM 72-LG 10 - 2959366

## Classifications

### eCl@ss

eCl@ss 6.0	27180802
eCl@ss 7.0	27182701
eCl@ss 8.0	27182701

### ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC000721

### UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

## Approvals

### Approvals

---

Approvals

UL Recognized

---


Ex Approvals

---

Approvals submitted

---

### Approval details

UL Recognized 
---

## Accessories

### Accessories

## Electronic housing - UM 72-LG 10 - 2959366

### Accessories

#### Mounting material

Mounting flange - UMK-BF - 2976077



Mounting flange, for mounting directly on the wall

---

### Drawings

Dimensioned drawing

