

1544969-1 ✓ ACTIVE



NG Power Terminals and Connectors, NG1

TE Internal #: 1544969-1

Automotive Terminals, Tab, Mating Tab Width 8 mm [.315 in], Tab Thickness 1 mm [.039 in], 9 – 7 AWG Wire Size, NG Power Terminals and Connectors

[View on TE.com >](#)

Terminals & Splices > Automotive Terminals



Terminal Type: **Tab**

Mating Tab Width: **8 mm [.315 in]**

Mating Tab Thickness: **1 mm [.039 in]**

Terminal Transmits: **41 – 100 A (High Power)**

Wire Size: **9 – 7 AWG**

Features

Product Type Features

| | |
|-------------------------|------------|
| Sealable | No |
| Primary Locking Feature | Clean Body |

Contact Features

| | |
|------------------------|------------------|
| Contact Size | 8mm |
| Contact Fabrication | Stamped & Formed |
| Typical Current Rating | 67 A |
| Crimp Type | F-Crimp |
| Terminal Type | Tab |
| Mating Tab Width | 8 mm [.315 in] |
| Mating Tab Thickness | 1 mm [.039 in] |
| Interface Plating | Tin (Sn) |

Termination Features

| | |
|------------------------------------|-------|
| Termination Method to Wire & Cable | Crimp |
| Product Terminates To | Wire |



Dimensions

| | |
|--------------------------------------|-------------------------------|
| Compatible Insulation Diameter Range | 4.9 – 5.9 mm [.193 – .233 in] |
| Wire Size | 7 – 10 mm ² |
| Wire Size Search | 7 AWG, 8 AWG, 9 AWG |

Usage Conditions

| | |
|-----------------------------|--|
| Insulation Option | Uninsulated |
| Operating Temperature (Max) | 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C, 140 °C, 145 °C, 150 °C [176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F][284 °F][293 °F][302 °F] |
| Operating Temperature Range | -40 – 150 °C [-40 – 302 °F] |

Operation/Application

| | |
|------------------------------------|--------|
| Compatible With Wire Base Material | Copper |
|------------------------------------|--------|

Packaging Features

| | |
|--------------------|------|
| Packaging Quantity | 850 |
| Packaging Method | Reel |

Other

| | |
|--------------------|-------------------------|
| Terminal Transmits | 41 – 100 A (High Power) |
|--------------------|-------------------------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|--|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer




This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 1544316-2
JOINT ORANGE G3



TE Part # 1544316-1
JOINT VERT G2



TE Part # 1544334-1
PL 2V 8MM NG1 MONT



TE Part # 1544980-1
TAB HOUSING, 8MM NG1 PLUS, 2 WAY



TE Part # 1544970-1
SEAL, NG9K



TE Part # 1544334-2
PL 2V 8MM NG1 MONT



TE Part # 1544334-3
PL 2V 8MM NG1 MONT



TE Part # 1544650-2
PC 2V 8NG1 BLEU JT



TE Part # 1544650-3
PC 2V 8NG1 GRIS JT



TE Part # 1544653-1
PC 2V 8NG1 NOIR



TE Part # 1544653-2
PC 2V 8NG1 BLEU



TE Part # 1544678-1
SEALED 8NG1 2W HSG WITHOUT SKIRT AND CPA



TE Part # 1544678-2
SEALED 8NG1 2W HSG WITHOUT SKIRT AND CPA



TE Part # 1544678-3
SEALED 8NG1 2W HSG WITHOUT SKIRT AND CPA








TE Part # 1544679-1
2POS,NG1 CLIP 8MM,REC HSG,WITH CPA,ASSY







TE Part # 1544679-2
2POS,NG1 CLIP 8MM,REC HSG,WITH CPA,ASSY



Also in the Series | NG Power Terminals and Connectors




Also in the Series | NG1





Insertion & Extraction Tools(12)


Customers Also Bought



TE Part #1-640526-0
36P MR II PLUG HSG V0



TE Part #1801600-1
RECEPTACLE HOUSING, MCON, 10 W, SEALED



TE Part #350591-1
MR KEYING PLUG BR/RED



TE Part #1544334-1
PL 2V 8MM NG1 MONT



TE Part #179631-2
DIAGNOSTIC PLUG HSG 16P BLACK




TE Part #1544228-1
CLIP 8 MM NG1-1 PO



TE Part #1544965-1
8MM NG1+ TERMINAL



TE Part #1544970-1
SEAL, NG9K



TE Part #1743064-2
MT-2/JPT SLD 36P PLUG COVER BK



TE Part #1743065-2
MT-II/JPT SLD 36P CAP COVER

Documents

Product Drawings

[TAB, 8MM NG1 PLUS](#)

English

CAD Files

[Customer View Model](#)

[ENG_CVM_CVM_1544969-1_A.2d_dxf.zip](#)

English

[3D PDF](#)



3D

Customer View Model

[ENG_CVM_CVM_1544969-1_A.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_1544969-1_A.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[Application Specification](#)

English