


Data sheet | Item number: 788-121

Accessories for relay modules; Operation status indicator: red; Nominal operating voltage range: 48 ... 60 VDC



www.wago.com/788-121



**Data
Notes**

Note Only required when using relays without integrated status indicator!

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Technical data

Operating Data

Nominal operating voltage	DC 48 V
Operating voltage	48 ... 60 VDC
Current consumption at U_N	1.9 mA

Signaling

Status indicator	Red LED
------------------	---------

Safety and protection

Protection type	IP20
-----------------	------

Mechanical data

Mounting type	Pluggable module
---------------	------------------

Material Data

Fire load	0.027 MJ
Weight	1.7 g

Commercial data

Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	27-37-16-92
eCl@ss 9.0	27-37-16-92
ETIM 8.0	EC002586
ETIM 7.0	EC002586
Recupel Type	
PU (SPU)	50 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454550349
Customs tariff number	85318070000

Subject to changes. Please also observe the further product documentation!



Environmental Product Compliance

CAS-No.	7439-92-1 79-94-7
REACH Candidate List Substance	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	7(a)
SCIP notification number (Bulgaria)	b37affb3-7a63-4c08-b562-9c2aa4b1e704
SCIP notification number (Czech Republic)	e6884efa-4b07-4509-b20b-c1ccd6476458

Downloads

Documentation

Bid Text

788-121 docx - Datei	2019 年2月20 日	docx 15.5 kB	Download
788-121 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download

Additional Information

Disposal and Recycling Electrical and electronic equipment, Batteries, Packaging	V 1.1.0 2022 年8月18 日	pdf 2.2 MB	Download
---	-------------------------	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 788-121	URL	Download
----------------------	-----	----------

CAE data

WSCAD Universe 788-121	URL	Download
EPLAN Data Portal 788-121	URL	Download
ZUKEN Portal 788-121	URL	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 788-121

URL

Download

Accessories for relay modules; Operation status indicator: red; Nominal operating voltage range: 48 ... 60 VDC

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.