



- NOTES:
- MATERIALS: HOUSING, CAM, DUMMY CARD: HIGH TEMP THERMOPLASTIC, UL94V-0, BLACK
TERMINAL, DETECT PIN: COPPER ALLOY
METAL SHELL, COIL SPRING, CAM PIN: STAINLESS STEEL
 - FINISHES: 0.76µm MIN GOLD ON CONTACT AREA OVER 1.27µm NICKEL UNDERPLATE.
2.54µm MIN MATTE TIN ON SOLDER TAIL AREA OVER 1.27µm NICKEL UNDERPLATE.
GOLD FLASH ON SHELL SOLDER TAB OVER 1.27µm NICKEL UNDERPLATE.
 - PRODUCT SPECIFICATION: PS-78526-001
 - PACKAGING SPECIFICATION: PK-78526-001
 - MOLEX LOGO LOCATED APPROXIMATELY AS SHOWN.
- △ MINIMUM KEEP OUT ZONE FROM TOP SURFACE OF SHELL DURING INSERTION AND WITHDRAWAL OF SIM CARD
▽ DATE CODE PRINTING: XX XX X
DAY
WEEK
YEAR

HALOGEN FREE



785260011	W/O DUMMY CARD
785260001	WIHT DUMMY CARD
ASSEMBLY P/N.	DESCRIPTION




ADD NEW P/N	2012/07/31
EC NO: S2012-0960	2012/08/27
DRWN: JZENG	2012/09/05
CHKD: JTAN02	
APPR: KHL JM	
A8	

QUALITY SYMBOLS	DESCRIPTION
▽ _A =0	
▽ _E =0	
▽ _P =0	

GENERAL TOLERANCES (UNLESS SPECIFIED)	
	mm INCH
4 PLACES	± --- ± ---
3 PLACES	± --- ± ---
2 PLACES	± 0.25 ± ---
1 PLACE	± --- ± ---
ANGULAR ± 3 °	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	

DIMENSION STYLE	
MM ONLY	
DRAWN BY	DATE
CGOH	2009/07/17
CHECKED BY	DATE
JTAN02	2009/08/17
APPROVED BY	DATE
BOKOK	2010/11/11
MATERIAL NO.	DOCUMENT NO.
SEE TABLE	SD-78526-001
SIZE	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION
A3	

SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
NTS	METRIC	
TITLE		
SIM CARD CONNECTOR PUSH PUSH TYPE HEIGHT 1.5MM		
MOLEX INCORPORATED		
DOCUMENT NO.		SHEET NO.
SD-78526-001		1 OF 3




CIRCUIT TRACE KEEP OUT AREA

SOLDERING PAD AREA

SEE SHEET 1 EC NO: S2012-0960 DRWN: JZENG CHKD: JTAN02 APPR: KHL JM	2012/07/11 2012/08/27 2012/09/05	QUALITY SYMBOLS $F_A=0$ $F_G=0$ $F_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH	DIMENSION STYLE MM ONLY	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	
	4 PLACES ± --- ± --- 3 PLACES ± --- ± --- 2 PLACES ± 0.25 ± --- 1 PLACE ± --- ± ---	DRAWN BY: CGOH CHECKED BY: JTAN02 APPROVED BY: BOKOK	DATE: 2009/07/17 DATE: 2009/08/17 DATE: 2010/11/11	ANGULAR ± 3 °	TITLE: SIM CARD CONNECTOR PUSH PUSH TYPE HEIGHT 1.5MM	MATERIAL NO.	DOCUMENT NO.	SHEET NO.
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE SHEET 1	MOLEX INCORPORATED	SD-78526-001	2 OF 3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		
	A8	REV	SIZE A3					


10 9 8 7 6 5 4 3 2 1

TAPE AND REEL PACKING




NOTES:




1. LEADER AND TRAILER TAPE



2. PEELING OFF FORCE OF THE TOP TAPE: 10 - 130gf. (PEELING DIRECTION AS SHOWN IN FOLLOWING FIGURE)



- 3. TAPE AND REEL SPECIFICATION IS AS PER EIA-481.
- 4. TAPE AND REEL QUANTITY : 600 PCS/ REEL.
- 5. THE TAPE IS TREATED FOR ANTI-STATIC.



785260011	28.50	477995127
785260001	30.70	887962916
ASSEMBLY P/N	DIM (B0)	PACKAGING P/N

SEE SHEET 1 EC NO: S2012-0960 DRWN: JZENG CHKD: JTAN02 APPR: KHLIM	2012/07/31 2012/08/27 2012/09/05	DESCRIPTION QUALITY SYMBOLS $F_A=0$ $F_G=0$ $F_P=0$	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY CGOH	DATE 2009/07/17	TITLE SIM CARD CONNECTOR PUSH PUSH TYPE HEIGHT 1.5MM				
			4 PLACES	± ---	± ---	CHECKED BY JTAN02	DATE 2009/08/17	MOLEX INCORPORATED DOCUMENT NO. SD-78526-001 SHEET NO. 3 OF 3				
			3 PLACES	± ---	± ---	APPROVED BY BOKOK	DATE 2010/11/11					
2 PLACES	± 0.25	± ---	MATERIAL NO.		SEE TABLE							
1 PLACE	± ---	± ---	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION							
ANGULAR ± 3 °												

9 8 7 6 5 4 3 2 1