

**Data sheet | Item number: 869-395**

End plate; with fixing flange M4; 2.5 mm thick; gray

[www.wago.com/869-395](http://www.wago.com/869-395)



Color:

## Data

### Physical data

Width	2.5 mm / 0.098 inches
Height	27.6 mm / 1.087 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	33.4 mm / 1.315 inches
-------	------------------------

## Material Data

Note (material data)

Information on material specifications can be found here

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.05 MJ
Weight	1.7 g

## Commercial data

Product Group	16 (Rail Mounted Terminal Blocks with CCC)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332573559
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block

**Item no.: 869-321**2-conductor terminal block; without push-buttons; without snap-in mounting foot; 1-pole; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray[www.wago.com/869-321](http://www.wago.com/869-321)**Item no.: 869-324**2-conductor terminal block; without push-buttons; suitable for Ex i applications; without snap-in mounting foot; 1-pole; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue[www.wago.com/869-324](http://www.wago.com/869-324)**Item no.: 869-329**2-conductor terminal block; without push-buttons; without snap-in mounting foot; 1-pole; 2.5 mm<sup>2</sup>;[www.wago.com/869-329](http://www.wago.com/869-329)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



CAGE CLAMP®; 2,50 mm²; light gray

**Item no.: 869-326**

2-conductor terminal block; without push-buttons; without snap-in mounting foot; 1-pole; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; orange

[www.wago.com/869-326](http://www.wago.com/869-326)**Item no.: 869-351**

2-conductor end terminal block; without push-buttons; with fixing flange M4; 1-pole; for screw or similar mounting types; Fixing hole 4.2 mm Ø; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray

[www.wago.com/869-351](http://www.wago.com/869-351)**Item no.: 869-354**

2-conductor end terminal block; without push-buttons; suitable for Ex i applications; with fixing flange M4; 1-pole; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; blue

[www.wago.com/869-354](http://www.wago.com/869-354)**Item no.: 869-359**

2-conductor end terminal block; without push-buttons; with fixing flange M4; 1-pole; for screw or similar mounting types; Fixing hole 4.2 mm Ø; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; light gray

[www.wago.com/869-359](http://www.wago.com/869-359)

## Ground terminal block

**Item no.: 869-327**

2-conductor center terminal block; without push-buttons; without snap-in mounting foot; 1-pole; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; green-yellow

[www.wago.com/869-327](http://www.wago.com/869-327)**Item no.: 869-328**

2-conductor terminal block; without push-buttons; without snap-in mounting foot; 1-pole; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; green-yellow

[www.wago.com/869-328](http://www.wago.com/869-328)**Item no.: 869-357**

2-conductor end terminal block; without push-buttons; with fixing flange; 1-pole; for screw or similar mounting types; Fixing hole 3.2 mm Ø; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; green-yellow

[www.wago.com/869-357](http://www.wago.com/869-357)**Downloads****Documentation****Bid Text**

869-395 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
869-395 doc - Datei	2017 年6月14 日	doc 23.6 kB	Download

**Additional Information**pdf  
2.3 MB  
Download**CAD/CAE-Data****CAD data**

2D/3D Models 869-395	URL	Download
----------------------	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



#### CAE data

EPLAN Data Portal 869-395	<a href="#">URL</a>	<a href="#">Download</a>
ZUKEN Portal 869-395	<a href="#">URL</a>	<a href="#">Download</a>
WSCAD Universe 869-395	<a href="#">URL</a>	<a href="#">Download</a>

#### Environmental Product Compliance

##### Compliance Search

Environmental Product Compliance 869-395 End plate; with fixing flange M4; 2.5 mm thick; gray	<a href="#">URL</a>	<a href="#">Download</a>
--	---------------------	--------------------------

#### Installation Notes

Subject to changes. Please also observe the further product documentation!