

Bus system flat-type plug - SACCBP-M12MSD-4CON-M16/0,5-933 - 1552340

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Bus system flush-type plug, PROFINET, 4-pos., M12, shielded, D-coded, rear/screw mounting with M16 thread, with 0.5 m bus cable, 2 x 2 x 0.34 mm²



Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	66.2 g
Custom tariff number	85444290
Country of origin	Germany

Classifications

eCl@ss

eCl@ss 4.0	27250313
eCl@ss 4.1	27250313
eCl@ss 5.0	27143423
eCl@ss 5.1	27143423
eCl@ss 6.0	27143423
eCl@ss 7.0	27449001
eCl@ss 8.0	27440103

ETIM

ETIM 3.0	EC002061
ETIM 4.0	EC002061
ETIM 5.0	EC002061

UNSPSC

UNSPSC 6.01	31251501
-------------	----------

Bus system flat-type plug - SACCBP-M12MSD-4CON-M16/0,5-933 - 1552340


Classifications

UNSPSC


UNSPSC 7.0901	31251501
UNSPSC 11	31251501
UNSPSC 12.01	31251501
UNSPSC 13.2	31251501

Drawings

Dimensional drawing




Schematic diagram



Pin assignment M12 male connector, 4-pos., D-coded, male side


Housing cutout for M16 fastening thread, mounting panel with feed-through hole (alternatively with surface as protection against rotation)

Cable cross section



PROFINET PVC stranded CAT5 [93B]


Circuit diagram



Contact assignment of the M12 plug

Bus system flat-type plug - SACCBP-M12MSD-4CON-M16/0,5-933 - 1552340

Dimensional drawing



M12 flush-type plug

Phoenix Contact 2015 © - all rights reserved
<http://www.phoenixcontact.com>