

## Master cable - KC-0161ZE451020 - 1609039

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Master cable, Application: Sensor/actuator box Plastic, Number of positions: 19, Slot assignment: Double, Status indication: No; Master cable connection: M23 plug connection, PUR/PVC, Cable length: 20 m, Shielding: No



### Key Commercial Data

Packing unit	1 pc
Weight per Piece (excluding packing)	4600.0 g
Custom tariff number	85444290
Country of origin	Germany

### Technical data

Product type	Master cable, assembled
Approval	EAC
Master cable connection method	Fixed connection
Type	Socket, angled
Thread	M23
Number of positions	19
Shielding	No

### Classifications

eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260708

# Master cable - KC-0161ZE451020 - 1609039

## Classifications

### eCl@ss

eCl@ss 7.0	27440312
eCl@ss 8.0	27440390

### ETIM

ETIM 3.0	EC001121
ETIM 4.0	EC001121
ETIM 5.0	EC001121

### UNSPSC

UNSPSC 6.01	43172015
UNSPSC 7.0901	43201404
UNSPSC 11	43172015
UNSPSC 12.01	43201404
UNSPSC 13.2	43201404

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approvals submitted

---


### Approval details

EAC
-----

## Drawings


## Master cable - KC-0161ZE451020 - 1609039

Schematic diagram



Pin assignment M23 socket, 19-pos., female side view

Cable cross section



PUR/PVC black [PUR]