

**Data sheet | Item number: 236-850**

End plate; 1 mm thick; snap-fit type; black

[www.wago.com/236-850](http://www.wago.com/236-850)



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Physical data

Width	1 mm / 0.039 inches
Height	13 mm / 0.512 inches
Depth	14 mm / 0.551 inches

### Mechanical Data

Mounting type	snap-on type
---------------	--------------

### Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	black
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.004 MJ
Weight	0.1 g

### Commercial data

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	2000 (100) pcs
Packaging type	box
Country of origin	CH
GTIN	4017332444002
Customs tariff number	85389099990

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



## Required accessories

### End plate

PCB terminal block	
<b>Item no.: 236-743/332-000/999-950</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-743/332-000/999-950">www.wago.com/236-743/332-000/999-950</a>
<b>Item no.: 236-747</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/236-747">www.wago.com/236-747</a>
<b>Item no.: 236-744</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/236-744">www.wago.com/236-744</a>
<b>Item no.: 236-746/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/236-746/332-000">www.wago.com/236-746/332-000</a>
<b>Item no.: 236-745</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; green	<a href="http://www.wago.com/236-745">www.wago.com/236-745</a>
<b>Item no.: 236-743/999-950</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-743/999-950">www.wago.com/236-743/999-950</a>
<b>Item no.: 236-746</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/236-746">www.wago.com/236-746</a>
<b>Item no.: 236-747/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/236-747/332-000">www.wago.com/236-747/332-000</a>
<b>Item no.: 236-753/332-000/999-950</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-753/332-000/999-950">www.wago.com/236-753/332-000/999-950</a>
<b>Item no.: 236-755</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; green	<a href="http://www.wago.com/236-755">www.wago.com/236-755</a>
<b>Item no.: 236-752</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-752">www.wago.com/236-752</a>
<b>Item no.: 236-744/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/236-744/332-000">www.wago.com/236-744/332-000</a>
<b>Item no.: 236-753</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-753">www.wago.com/236-753</a>

Subject to changes. Please also observe the further product documentation!



<b>Item no.: 236-752/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-752/332-000">www.wago.com/236-752/332-000</a>
<b>Item no.: 236-756</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/236-756">www.wago.com/236-756</a>
<b>Item no.: 236-753/999-950</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-753/999-950">www.wago.com/236-753/999-950</a>
<b>Item no.: 236-757/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/236-757/332-000">www.wago.com/236-757/332-000</a>
<b>Item no.: 236-763/332-000/999-950</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-763/332-000/999-950">www.wago.com/236-763/332-000/999-950</a>
<b>Item no.: 236-754</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/236-754">www.wago.com/236-754</a>
<b>Item no.: 236-762/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-762/332-000">www.wago.com/236-762/332-000</a>
<b>Item no.: 236-763/999-950</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-763/999-950">www.wago.com/236-763/999-950</a>
<b>Item no.: 236-763</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-763">www.wago.com/236-763</a>
<b>Item no.: 236-757</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/236-757">www.wago.com/236-757</a>
<b>Item no.: 236-762</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-762">www.wago.com/236-762</a>
<b>Item no.: 236-710</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; red	<a href="http://www.wago.com/236-710">www.wago.com/236-710</a>
<b>Item no.: 236-501</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/236-501">www.wago.com/236-501</a>
<b>Item no.: 236-501/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/236-501/332-000">www.wago.com/236-501/332-000</a>

**Item no.: 236-764/332-000**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue

[www.wago.com/236-764/332-000](http://www.wago.com/236-764/332-000)

**Item no.: 236-766**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; orange

[www.wago.com/236-766](http://www.wago.com/236-766)

**Item no.: 236-767**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light green

[www.wago.com/236-767](http://www.wago.com/236-767)

**Item no.: 236-767/332-000**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light green

[www.wago.com/236-767/332-000](http://www.wago.com/236-767/332-000)

**Item no.: 236-764**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue

[www.wago.com/236-764](http://www.wago.com/236-764)

**Item no.: 236-851**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black

[www.wago.com/236-851](http://www.wago.com/236-851)

**Item no.: 236-765**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; green

[www.wago.com/236-765](http://www.wago.com/236-765)

**Item no.: 236-852**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black

[www.wago.com/236-852](http://www.wago.com/236-852)

**Item no.: 236-853**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black

[www.wago.com/236-853](http://www.wago.com/236-853)

**Item no.: 236-854**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black

[www.wago.com/236-854](http://www.wago.com/236-854)

**Item no.: 236-766/332-000**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; orange

[www.wago.com/236-766/332-000](http://www.wago.com/236-766/332-000)

**Item no.: 236-891**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; violet

[www.wago.com/236-891](http://www.wago.com/236-891)

**Item no.: 236-884**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; brown

[www.wago.com/236-884](http://www.wago.com/236-884)

**Item no.: 236-855**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black

[www.wago.com/236-855](http://www.wago.com/236-855)

**Item no.: 236-301**

Stackable PCB terminal block; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray

[www.wago.com/236-301](http://www.wago.com/236-301)

**Item no.: 236-401**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/236-401">www.wago.com/236-401</a>
<b>Item no.: 236-401/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/236-401/332-000">www.wago.com/236-401/332-000</a>
<b>Item no.: 236-712</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-712">www.wago.com/236-712</a>
<b>Item no.: 236-714</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/236-714">www.wago.com/236-714</a>
<b>Item no.: 236-715</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; green	<a href="http://www.wago.com/236-715">www.wago.com/236-715</a>
<b>Item no.: 236-716</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/236-716">www.wago.com/236-716</a>
<b>Item no.: 236-717</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/236-717">www.wago.com/236-717</a>
<b>Item no.: 236-722</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-722">www.wago.com/236-722</a>
<b>Item no.: 236-723</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-723">www.wago.com/236-723</a>
<b>Item no.: 236-711</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; yellow	<a href="http://www.wago.com/236-711">www.wago.com/236-711</a>
<b>Item no.: 236-724</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/236-724">www.wago.com/236-724</a>
<b>Item no.: 236-713</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-713">www.wago.com/236-713</a>
<b>Item no.: 236-727</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/236-727">www.wago.com/236-727</a>
<b>Item no.: 236-732</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-732">www.wago.com/236-732</a>
<b>Item no.: 236-733</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-733">www.wago.com/236-733</a>
<b>Item no.: 236-734</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/236-734">www.wago.com/236-734</a>

Subject to changes. Please also observe the further product documentation!



<b>Item no.: 236-735</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; green	<a href="http://www.wago.com/236-735">www.wago.com/236-735</a>
<b>Item no.: 236-736</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/236-736">www.wago.com/236-736</a>
<b>Item no.: 236-726</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/236-726">www.wago.com/236-726</a>
<b>Item no.: 236-740</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; red	<a href="http://www.wago.com/236-740">www.wago.com/236-740</a>
<b>Item no.: 236-742</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-742">www.wago.com/236-742</a>
<b>Item no.: 236-742/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/236-742/332-000">www.wago.com/236-742/332-000</a>
<b>Item no.: 236-743/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-743/332-000">www.wago.com/236-743/332-000</a>
<b>Item no.: 236-743</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/236-743">www.wago.com/236-743</a>
<b>Item no.: 236-737</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/236-737">www.wago.com/236-737</a>
<b>Item no.: 236-741</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; yellow	<a href="http://www.wago.com/236-741">www.wago.com/236-741</a>
<b>Item no.: 236-101</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/236-101">www.wago.com/236-101</a>
<b>Item no.: 236-201</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/236-201">www.wago.com/236-201</a>
<b>Item no.: 236-601</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/236-601">www.wago.com/236-601</a>
<b>Item no.: 236-601/332-000</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/236-601/332-000">www.wago.com/236-601/332-000</a>
<b>Item no.: 236-885</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; brown	<a href="http://www.wago.com/236-885">www.wago.com/236-885</a>
<b>Item no.: 236-894</b>	

Subject to changes. Please also observe the further product documentation!



Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; violet	<a href="http://www.wago.com/236-894">www.wago.com/236-894</a>
<b>Item no.: 236-881</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; brown	<a href="http://www.wago.com/236-881">www.wago.com/236-881</a>
<b>Item no.: 236-882</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; brown	<a href="http://www.wago.com/236-882">www.wago.com/236-882</a>
<b>Item no.: 236-725</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; green	<a href="http://www.wago.com/236-725">www.wago.com/236-725</a>
<b>Item no.: 236-856</b> Stackable PCB terminal block; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; black	<a href="http://www.wago.com/236-856">www.wago.com/236-856</a>

## Downloads

### Documentation

#### Additional Information

	2019 年4月3日	pdf 2.0 MB	Download
--	------------	---------------	----------

## CAD/CAE-Data

### CAD data

2D/3D Models 236-850	URL	Download
----------------------	-----	----------

### CAE data

EPLAN Data Portal 236-850	URL	Download
---------------------------	-----	----------

ZUKEN Portal 236-850	URL	Download
----------------------	-----	----------

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 236-850 End plate; 1 mm thick; snap-fit type; black	URL	Download
---	-----	----------

## Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.