


UNCONTROLLED DOCUMENT


PART NUMBER SSA-LXR8825 REV.

REV. E.C.N. NUMBER AND REVISION COMMENTS DATE 7.3.01 E.C.N. #10BRDR, & REDRAWN.









NOTES:

- 1. 37 PIN LOCATIONS ON 2.54 [0.100] CENTERS.
- 2. 0.25 [0.010] x 0.75 [0.030] RAILED EDGE.
- 3. NO PIN LOCATION 4, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30, 32, 36.
- 4. TOLERANCES ARE NON-ACCUMULATED ON 101 LEDS.

*UNIESS OTHERWISE SPECFED TOLERANCES PER DECIMAL PRECISION ARE: X=±1 (±0,039), X,X=±0.5 (±0,020), X,XX=±0.127 (±0,005). LEAD SIZE=±0.05 (±0,002), LEAD LENGTH=±0.75 (±0,030). NN=+DECIMAL PRECISION WAX.=+0.00 (±0,000), X,XX=±0.127 (±0,000).

REV. PART NUMBER SSA-LXB8825 101 LED BAR GRAPH ARRAY, 635nm HIGH INTENSITY RED,

WATER CLEAR LENS.

CONFIDENTIAL INFORMATION
THE INFORMATION CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF LUMEX INC. EXCEPT AS SPECIFICALLY AUTHORIZED IN WRITING BY LUMEX INC., THE HOLDER OF THIS DOCUMENT SHALL KEEP ALL INFORMATION CONTAINED HEREIN CONFIDENTIAL AND SHALL PROTECT SAME IN WHOLE OR IN PART FROM DISCLOSURE AND DISSEMINATION TO ALL THIRD PARTIES.

RELIABILITY NOTE OUR MANY YEARS OF EXPERIENCE DATA ACCUMULATION INDICATE THAT SOLDER HEAT IS A MAJOR CAUSE OF EARLY AND FUTURE FAILURE. PLEASE PAY ATTENTION TO YOUR SOLDERING PROCESS.



CT

290 E. HELEN ROAD PALATINE, IL 60067-6976 PHONE: +1.847.359.2790

U\$ WEB: www.lumex.com TW WEB: www.lumex.com.tw

DRAWN BY: CHECKED BY:

APPROVED BY:

DATE: 5.22.96 PAGE: 1 OF 2 SCALE: N/A