

**Data sheet | Item number: 885-408**

Jumper; 2-way; unplated; silver-colored

[www.wago.com/885-408](http://www.wago.com/885-408)



 Picture differs from the item.

**Color:**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

**Data****Physical data**

Width	40.2 mm / 1.583 inches
Height	20 mm / 0.787 inches
Depth	4 mm / 0.157 inches
Jumper assignment	1-2

**Material Data**

Note (material data)

Information on material specifications can be found here

Color	silver-colored
Weight	24.7 g

**Commercial data**

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-40
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	5 pcs
Packaging type	bag
Country of origin	CN
GTIN	4050821049371
Customs tariff number	85366990990

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Downloads****Documentation****Additional Information**

pdf  
2.2 MB

Download

Subject to changes. Please also observe the further product documentation!



## CAD/CAE-Data

### CAE data

EPLAN Data Portal 885-408	<a href="#">URL</a>	<a href="#">Download</a>
WSCAD Universe 885-408	<a href="#">URL</a>	<a href="#">Download</a>
ZUKEN Portal 885-408	<a href="#">URL</a>	<a href="#">Download</a>

### CAD data

2D/3D Models 885-408	<a href="#">URL</a>	<a href="#">Download</a>
----------------------	---------------------	--------------------------

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 885-408 Jumper; 2-way; unplated; silver-colored	<a href="#">URL</a>	<a href="#">Download</a>
---	---------------------	--------------------------

## Installation Notes

Subject to changes. Please also observe the further product documentation!