

System connectors - FLKM 4X14-PA-MA12/S100 - 2288464


Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Front adapter, for Siemens SIMATIC® S5-95U and S5-100U I/O card 6ES5 482-8MA13 and S5-100U I/O card 6ES5 422-8MA11, 4 x 8 channels can be connected



Key commercial data

| | |
|--------------------------------------|--|
| Packing unit | 1 pc |
| GTIN |  4 017918 057015 |
| Weight per Piece (excluding packing) | 117.8 GRM |
| Custom tariff number | 85369010 |
| Country of origin | Germany |

Technical data

General

| | |
|--|---|
| Nominal voltage U_N | < 50 V AC |
| | 60 V DC |
| Max. perm. current (per branch) | 0.5 A |
| Max. perm. current (separate power supply) | 4 A (per slip-on connection (L+n+1, L+n, M)) |
| Channels which can be connected | 32 |
| Connection type, connector | Flat-ribbon cable connector in acc. with IEC 60603-13 |
| Number of connectors | 4 |
| No. of positions, connector | 14 |
| Number of positions | 40 |
| Standards/regulations | IEC 60664 |
| | IEC 60664 A |
| | DIN VDE 0110 |
| | DIN VDE 0160 (in parts) |

System connectors - FLKM 4X14-PA-MA12/S100 - 2288464

Technical data

Ambient conditions

| | |
|---------------------------------|------------------|
| Ambient temperature (operation) | -20 °C ... 50 °C |
|---------------------------------|------------------|

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 27250313 |
| eCl@ss 4.1 | 27250313 |
| eCl@ss 5.0 | 27250313 |
| eCl@ss 5.1 | 27250313 |
| eCl@ss 6.0 | 27242208 |
| eCl@ss 7.0 | 27242208 |

ETIM

| | |
|----------|----------|
| ETIM 2.0 | EC001423 |
| ETIM 3.0 | EC001423 |
| ETIM 4.0 | EC001423 |
| ETIM 5.0 | EC001423 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211824 |
| UNSPSC 7.0901 | 39121421 |
| UNSPSC 11 | 39121421 |
| UNSPSC 12.01 | 39121421 |
| UNSPSC 13.2 | 39121421 |

Approvals

Approvals

Approvals

UL Recognized / cUL Recognized / GOST / cULus Recognized




Ex Approvals

Approvals submitted

System connectors - FLKM 4X14-PA-MA12/S100 - 2288464

Approvals

Approval details



Drawings

System connectors - FLKM 4X14-PA-MA12/S100 - 2288464

Circuit diagram

