
	REVISION								
REV	DESCRIPTION	DATE	APPROVED						
Α	INITIAL RELEASE OF CD PER ECO-19-013153	9/18/2019	I. MYONG						



NOTES:

- 1. CHEMICAL AND HEAT RESISTANT EPOXY ADHESIVE.
- 2. TEMPERATURE RANGE: -55°C TO +150°C
- 3. BOXED KIT CONTENTS;

<u>KIT 1:</u> 5 ADHESIVE SACHETS, 10g EACH. 5 MIXING CUPS	KIT 4: 5 ADHESIVE SACHETS, 10g EACH
5 ABRASIVE PAPER SHEETS 5 MIXING STICKS 1 INSTALLATION PROCEDURE	<u>KIT 5:</u> 1 ADHESIVE SACHET, 10g.
KIT 8: 1 50 ML DUAL SYRINGE, 2-25 ML BARRELS, WITH MIXING NOZZLES. 5 MIXING CUPS 5 ABRASIVE PAPER SHEETS 5 MIXING STICKS 1 INSTALLATION PROCEDURE	

4. SPECIFICATIONS:

RT-1011 RK-6619 DIN VG-95343 NASA SP-R-022A

5. SDS DOCUMENTS

RAY 3006 RAY 3006A RAY 3006B

6. SHELF LIFE:

REFER TO TE SPEC SHEET No. 126-116006.

Raychem Harness & Components **CUSTOMER DRAWING**

	AND INCH DIMENSIONS .000 ± DECIMALS: .00 ±	ECIFIED DIMENSIONS ARE IN SHOWN IN (PARE) 0.000 0.000 ANGLES 0.0	N MILLIMETERS. ITHESES). : ± 0° 00°	4 7	E	TE C	Connectivi	ty
	TE CONNECTIVITY RESERVES THE RIGHT TO AMEND THIS DRAWING AT ANYTIME. USERS SHOULD EVALUATE THE		TE/Raychem CHEMICAL AND HEAT-RESISTANT ADHESIVE					
	SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.			DRAWING NO: S1125				
d.	DRAWN: 20Jun2019 G.Rositano	APPROVED: 19JUL2019 I.Myong	CAGE CODE 06090	CAD FILE: S1124_cd	SIZE: A	SCALE:	THIRD ANGLE PROJ.	SHEET: 1_OF_1

© 2019 TE Connectivity Corporation. All rights reserved