2291634-3 - ACTIVE

TE Internal #: 2291634-3 SFP, SFP+ & zSFP+, Cage Assembly, Data Rate (Max) 16 Gb/s, Internal/External EMI Springs, SFP+, Not Optional, 1 x 1, Through Hole - Press-Fit, 1 Port

View on TE.com >

connectivity

Connectors > Pluggable IO Connectors & Cages > SFP, SFP+ & zSFP+



Pluggable I/O Product Type: Cage Assembly

Data Rate (Max): 16 Gb/s

EMI Containment Feature Type: Internal/External EMI Springs

Pluggable I/O Applications: SFP+

Lightpipe Options: Not Optional

Features

Product Type Features

Form Factor	SFP+			
Cage Туре	Single			
Thermal Accessory Type Included	Heat Sink			
Pluggable I/O Product Type	Cage Assembly			
Lightpipe Options	Not Optional			
Connector System	Cable-to-Board			
Sealable	No			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Port Matrix Configuration	1 x 1			
Number of Ports	1			
Electrical Characteristics				
Data Rate (Max)	16 Gb/s			
Body Features				

C For support call+1 800 522 6752

2291634-3

SFP, SFP+ & zSFP+, Cage Assembly, Data Rate (Max) 16 Gb/s, Internal/External EMI Springs, SFP+, Not Optional, 1 x 1, Through Hole - Press-Fit, 1 Port



Heat Sink Height Class	Networking
Heat Sink Height	6.5 mm[.255 in]
Heat Sink Style	Pin
Termination Features	
Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Mechanical Attachment	
Connector Mounting Type	Board Mount
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-65 – 221 °F]
Operation/Application	
Heat Sink Compatible	Yes
For Use With Pluggable I/O Products	SFP+ SMT Connector
Pluggable I/O Applications	SFP+
Circuit Application	Signal
Packaging Features	
Packaging Method	Tray

Other

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not reviewed for solder process capability	

Product Compliance Disclaimer

2291634-3

SFP, SFP+ & zSFP+, Cage Assembly, Data Rate (Max) 16 Gb/s, Internal/External EMI Springs, SFP+, Not Optional, 1 x 1, Through Hole - Press-Fit, 1 Port



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



- TE	- TE	= TE	■ TE
TE Part # CAT-Q17-N49011 QSFP56-Four SFP56 Cable Assembly: 30 AWG	TE Part # CAT-Q17-N490333 QSFP56-Four SFP56 Cable Assembly: 26 AWG	TE Part # 4-2821222-5 SFP56 DIRECT ATTACH CA, 2M, 30AWG	TE Part # 4-2821224-5 SFP56 DIRECT ATTACH CA, 3M, 26AWG
= TE	= TE	-TE	
TE Part # 4-2334985-2 SFP56 DIRECT ATTACH CA, 1M, 32AWG	TE Part # 2334985-2 SFP28 DIRECT ATTACH CA, 1M, 32AWG	TE Part # 2215087-5 KIT, SEATING TOOL, 1X1 SFP+	TE Part # 1-2215067-0 ASSY, EXTRACTION TOOL, SFP+



TE Part # 2821033-8 QSFP TO [4]SFP+, 28G, 1M, 33AWG

2291634-3

SFP, SFP+ & zSFP+, Cage Assembly, Data Rate (Max) 16 Gb/s, Internal/External EMI Springs, SFP+, Not Optional, 1 x 1, Through Hole - Press-Fit, 1 Port



Customers Also Bought



Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2291634-3_A.2d_dxf.zip

English

Customer View Model ENG_CVM_CVM_2291634-3_A.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_2291634-3_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English