




QUANTITY
20,30Pin: 2
40Pin: 4

CKT	DIM A	DIM B	DIM C	DIM D	DIM E	DIM F	DIM G	DIM H
20	11.27	9.41	7.60	7.20	8.07	9.28	11.27	9.65
30	15.27	13.01	11.60	9.60	12.07	12.88	15.27	13.65
40	19.27	17.01	15.60	14.40	16.07	16.88	19.27	17.65






NOTES:

- MATERIAL:
 - HOUSING: LCP.
 - SHELL: PHOSPHOR BRONZE.
 - TERMINAL: CORSON ALLOY.
- FINISH:
 - TERMINAL:
 - 50"~100" NICKEL PLATING OVERALL
 - P: 10u" MIN GOLD PLATING OVER CONTACT AREA & GOLD FLASH OVER ALL SMT SOLDER AREA.
 - T: 10u" MIN GOLD PLATING OVER CONTACT AREA & GOLD FLASH OVER ALL SMT SOLDER AREA.
 - C: 15u" MIN GOLD PLATING OVER CONTACT AREA & GOLD FLASH OVER ALL SMT SOLDER AREA.
 - SHELL:
 - 50"~100" NICKEL PLATING OVERALL
 - GOLD FLASH ON ALL SMT SOLDER AREA.
- REFLOW SOLDER CAPABLE TO 260°C PER ACES SPEC.
- SPEC. PLS. REFER TO PS-51495-XXXX-XXX
- PACKAGE PLS. REFER TO 51495-XXXX-XX-TRP



6. PART NUMBER

51495-XXX	X	X-XXX	Other	HOUSING MATERIAL & COLOR	Halogen Free
			001	LCP/BLACK.	Y




NO OF CKT
PACKING 0: TAPE & REEL
PLAING SEE NOTE 2.1



DETAIL A
SCALE 6:1



DETAIL A
SCALE 16:1




PLUG P/N : 51496-xxxx-xxx

MATING CONDITION

QUALITY SYMBOLS MAJOR CRITICAL GENERAL TOLERANCES (UNLESS SPECIFIED) X ± 0.5 .X ± 0.25 .XX ± 0.15 .XXX ± 0.1 ANGLES ± 2°	DRAWN BY JIA HONG-XU DATE 2021/09/08	 ACES ELECTRONICS TITLE 0.4 PITCH LVDS VERTICAL TYPE RECEPTACLE
	CHECKED BY Liu Yuan Huang DATE 2021/09/08	
APPROVED BY Wang, Chun Sheng DATE 2021/09/08	UNITS mm	SIZE A4
SCALE 4:1	SHEET NO. 1 OF 2	REV G
		RFG NO. N/A
		DWG NO. 51495-xxxx-xxx




CKT	DIM I	DIM J	DIM K	DIM L	DIM M	DIM N	DIM P	DIM Q	DIM R	DIM S	DIM T
20	11.17	9.41	7.60	7.20	9.28	11.07	15.00	8.00	8.50	1.06	1.00
30	15.17	13.01	11.60	9.60	12.88	15.07	19.00	12.00	12.50	1.46	1.40
40	19.17	17.01	15.60	14.40	16.88	19.07	23.00	16.00	16.50	1.46	1.40



RECOMMENDED LAYOUT

NOTES:
 1.DO NOT MOUNT ANY COMPONENTS ON THIS AREA.
 2.SOLDER RESIST SHALL BE COATED IN CASE OF RUNNING TRACE ON THIS FOOT PRINT PATTERN PROHIBITION AREA.



CONNECTOR ON RECOMMENDED FOOTPRINT PATTERN

QUALITY SYMBOLS MAJOR CRITICAL	DRAWN BY JIA HONG-XU DATE 2021/09/08	
	CHECKED BY Liu Yuan Huang DATE 2021/09/08	
GENERAL TOLERANCES (UNLESS SPECIFIED) X. ±0.5 .X ±0.25 .XX ±0.15 .XXX ±0.1 ANGLES ±2°	APPROVED BY Wang, Chun Sheng DATE 2021/09/08	TITLE 0.4 PITCH LVDS VERTICAL TYPE RECEPTACLE
UNITS mm		SIZE A4
SCALE 4 : 1	SHEET NO. 2 OF 2	REV G
		RFG NO. N/A
		DWG NO. 51495-xxxxx-xxx