

AMPHENOL PART NUMBER CONFIGURATION
UE86-3G6620-00361



- LIGHT PIPE OPTION**
- 0 - NO LIGHT PIPE
 - 1 - 4 LP PER 2X1, NORMAL ORIENTATION
 - 2 - 2 INNER LP PER 2X1, NORMAL ORIENTATION
 - 3 - 2 OUTER LP PER 2X1, NORMAL ORIENTATION
 - 4 - 4 LP PER 2X1, REVERSING ORIENTATION
 - 5 - 2 INNER LP PER 2X1, REVERSING ORIENTATION
 - 6 - 2 OUTER LP PER 2X1, REVERSING ORIENTATION
 - 7 - 3 LP PER 2X1, 2 OUTER LP, NORMAL ORIENTATION
 - 8 - 3 LP PER 2X1, 2 OUTER LP, REVERSING ORIENTATION

- PACKAGING**
- 1 - TRAY PACKAGING (STACKED)
- PLATING OPTIONS FOR CONNECTOR**
- 2 - 30µ" GOLD PLATING ON MATING AREA
 - 15-100µ" MATTE TIN ON TERMINATION
 - 3 - 30µ" GOLD PLATING ON MATING AREA
 - 150-300µ" MATTE TIN ON TERMINATION
 - 5 - 15µ" GOLD PLATING ON MATING AREA
 - 15-100µ" MATTE TIN ON TERMINATION
 - 6 - 15µ" GOLD PLATING ON MATING AREA
 - 150-300µ" MATTE TIN ON TERMINATION


REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		INITIAL RELEASE	02/12/2014	J. SI
B		UPDATE PLATING OPTIONS	JUN 25/14	J.SI
C		UPDATE NOTES	AUG 19/14	J.SI

PART NUMBER
 (LAST DIGIT INDICATING
 PACKAGING TYPE, NOT
 PRINTED ON THE PART)


DATE CODE




NO LIGHT PIPES
 UE86-3G6620-00361




4 LIGHT PIPES
 UE86-3G6620-10361



2 INNER LIGHT PIPES
 UE86-3G6620-20361




2 OUTER LIGHT PIPES
 UE86-3G6620-30361




4 LIGHT PIPES UPSIDE DOWN
 UE86-3G6620-40361




2 INNER LIGHT PIPES UPSIDE DOWN
 UE86-3G6620-50361



2 OUTER LIGHT PIPES UPSIDE DOWN
 UE86-3G6620-60361



3 LIGHT PIPES
 UE86-3G6620-70361



3 LIGHT PIPES UPSIDE DOWN
 UE86-3G6620-80361

MATERIAL: (RoHS COMPLIANT)

1. CAGE - PRESS FIT: COPPER ALLOY (NICKEL SILVER)
2. CONNECTOR - PRESS FIT:
 - PLASTIC HOUSING: LCP, FLAMMABILITY RATING UL94-V0
 - CONTACTS: PHOSPHOR BRONZE
3. LIGHT PIPE: CLEAR POLYCARBONATE, FLAMMABILITY RATING UL94-V0
4. PACKAGING: TRAY PACKAGING
5. TEMPERATURE RANGE: -40°C TO +85°C



THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS SPECIFIED OTHERWISE	DRAWN	P. OU	FEB10/14
DIMENSIONS ARE IN MILLIMETERS	CHECKED	J. SI	FEB 12/14
REFERENCE IN PARENTHESES	M.E. APPD		
GENERAL TOLERANCES	Q.A. APPD		
1 DECIMAL PLACE ±0.25	DWG APPD	J. SI	FEB 12/14
2 DECIMAL PLACE ±0.15	MATERIAL AND FINISH	SEE NOTES	
3 DECIMAL PLACE N/A	REF.	ECN Exxxxx	
ANGULAR DEG REES ±1°	THIRD ANGLE PROJECTION		
ENG. REL. NO.	DO NOT SCALE DRAWING		






Amphenol High Speed Interconnects
 A Division of Amphenol Corp. www.amphenolcanada.com

2X6 SFP ULTRA PORT WITH LIGHT PIPE
 OPTIONS AND EMI SPRING FINGER

DWG. NO.	P-UE86-3G6620-X0X61	REV	C
CODE ID NO.	03554	DWG SIZE:	A4
SCALE:	2:3	SHEET 1 OF 5	

REVISIONS

REV.	ECN	DESCRIPTION	DATE	APPROVED
A		INITIAL RELEASE	02/12/2014	J. SI
B		UPDATE PLATING OPTIONS	JUN 25/14	J.SI
C		UPDATE NOTES	AUG 19/14	J.SI



THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS SPECIFIED OTHERWISE	DRAWN	P. OU	FEB10/14
DIMENSIONS ARE IN MILLIMETERS	CHECKED	J. SI	FEB 12/14
REFERENCE IN PARENTHESES	M.E. APPD		
GENERAL TOLERANCES	Q.A. APPD		
1 DECIMAL PLACE ±0.25	DWG APPD	J. SI	FEB 12/14
2 DECIMAL PLACE ±0.15	MATERIAL AND FINISH	SEE NOTES	
3 DECIMAL PLACE N/A	REF.	ECN Exxxxx	
ANGULAR DEGREES ±1°	THIRD ANGLE PROJECTION		
ENG. REL. NO.	DO NOT SCALE DRAWING		

Amphenol High Speed Interconnects
A Division of Amphenol Corp. www.amphenolcanada.com





2X6 SFP ULTRA PORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER

DWG. NO. **P-UE86-3G6620-X0X61** REV **C**

CODE ID NO. 03554 | DWG SIZE: A4 | SCALE: 1:1 | SHEET 2 OF 5

1 2 3 4 5 6

REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		INITIAL RELEASE	02/12/2014	J. SI
B		UPDATE PLATING OPTIONS	JUN 25/14	J.SI
C		UPDATE NOTES	AUG 19/14	J.SI




DETAIL D
SCALE 2 : 1

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS SPECIFIED OTHERWISE		DRAWN	P. OU	FEB10/14	Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenolcanada.com
DIMENSIONS ARE IN MILLIMETERS		CHECKED	J. SI	FEB 12/14	
REFERENCE IN PARENTHESES		M.E. APPD			
GENERAL TOLERANCES		Q.A. APPD			2X6 SFP ULTRA PORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER
1 DECIMAL PLACE	±0.25	DWG APPD	J. SI	FEB 12/14	
2 DECIMAL PLACE	±0.15	MATERIAL AND FINISH	SEE NOTES		
3 DECIMAL PLACE	N/A	REF.	ECN Exxxxx		DWG. NO.
ANGULAR DEGREES	±1°	THIRD ANGLE PROJECTION			P-UE86-3G6620-X0X61
ENG. REL. NO.					REV C
					DO NOT SCALE DRAWING
					CODE ID NO. 03554 DWG SIZE: A4 SCALE: 1:1 SHEET 3 OF 5

1 2 3 4 5 6

REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		INITIAL RELEASE	02/12/2014	J.SI
B		UPDATE PLATING OPTIONS	JUN 25/14	J.SI
C		UPDATE NOTES	AUG 19/14	J.SI




NOTES:
1. 0.56 mm DIAMETER HOLES ARE CHASSIS GROUND (99HOLES).

2X6 PCB LAYOUT

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS SPECIFIED OTHERWISE		DRAWN	P. OU	FEB10/14	Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenolcanada.com
DIMENSIONS ARE IN MILLIMETERS		CHECKED	J. SI	FEB 12/14	
REFERENCE IN PARENTHESES					2X6 SFP ULTRAPORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER
GENERAL TOLERANCES					
1 DECIMAL PLACE	±0.25				DWG. NO. P-UE86-3G6620-X0X61
2 DECIMAL PLACE	±0.15				
3 DECIMAL PLACE	N/A				REV C
ANGULAR DEGREES	±1°				
ENG. REL. NO.		REF.	ECN Exxxxx		CODE ID NO. 03554
		THIRD ANGLE PROJECTION		DO NOT SCALE DRAWING	DWG. SIZE: A4
				SCALE: 3:2	SHEET 4 OF 5

REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		INITIAL RELEASE	02/12/2014	J.SI
B		UPDATE PLATING OPTIONS	JUN 25/14	J.SI
C		UPDATE NOTES	AUG 19/14	J.SI



THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PURPOSES WITHOUT WRITTEN PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS SPECIFIED OTHERWISE		DRAWN	P. OU	FEB10/14	Amphenol High Speed Interconnects A Division of Amphenol Corp. www.amphenolcanada.com 2X6 SFP ULTRAPORT WITH LIGHT PIPE OPTIONS AND EMI SPRING FINGER	DWG. NO. P-UE86-3G6620-X0X61 REV C
DIMENSIONS ARE IN MILLIMETERS		CHECKED	J. SI	FEB 12/14		
REFERENCE IN PARENTHESES		M.E. APPD				
GENERAL TOLERANCES		Q.A. APPD				
1 DECIMAL PLACE ±0.25		DWG APPD J. SI FEB 12/14				
2 DECIMAL PLACE ±0.15		MATERIAL AND FINISH		SEE NOTES	CODE ID NO. 03554 DWG SIZE: A4 SCALE: 2:1 SHEET 5 OF 5	
3 DECIMAL PLACE N/A		REF. ECN Exxxxx				
ANGULAR DEGREES ±1°		THIRD ANGLE PROJECTION DO NOT SCALE DRAWING				
ENGR. REL. NO.						