



Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	POWER			SIGNAL						POWER							
		P1	P2	P3	1	2	3	4	5	6	P4	P5	P6	P7	P8	P9	P10	P11
51516-001-- NOTE:3	D C B A	PA	PA	PA	UUUUUU	UUUUUU	UUUUUU	UUUUUU	UUUUUU	UUUUUU	PA	PA	PA	PA	PA	PA	PA	PA



CODE	DIM "M" MATING LENGTH	DIM "T" TAIL LENGTH	CONTACT TYPE
E	.220 [5.59]	.135 [3.43]	SIGNAL
R	.270 [6.86]	.135 [3.43]	SIGNAL
S	.270 [6.86]	.135 [3.43]	SIGNAL
T	.270 [6.86]	.135 [3.43]	SIGNAL
U	.270 [6.86]	.135 [3.43]	SIGNAL
PA	N/A [N/A]	.135 [3.43]	POWER

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER	
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	COPY		FCI www.fciconnect.com	
A	V90585	CHB	02/23/99		.XXX±.005/0.XX±0.13	projection		title 3P + 24S + 8P	
B	V12517	JWS	12/27/01		.XXX±.002/0.XX±0.051	INCH/MM		RIGHT ANGLE SOLDER HEADER	
C	DG06-0011	CS	01/09/06	angles	0° ± 2°	scale 1:1		product family PwrBlade code 213	
				dr	J. SHAFFER 12/27/01	A		size 51516 sheet 1 of 4	
				enr	J. ALLISON 12/27/01				
				chr	J. ALLISON 12/27/01				
				appd	J. ALLISON 12/27/01				
sheet index	revision	C	C	C	C				
sheet	1	2	3	4					

sheet index		revision	C	C	C	C													
sheet	1	2	3	4															

cage code 22526 4

Pro/E

PDM: Rev:C


STATUS:Released

Printed: Dec 20, 2010


Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


PRODUCT NUMBER
51516-001__
NOTE: 3



SECTION D-D



SECTION A-A



SECTION B-B

mat'l code		SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	COPY		title	
C					.XXX±.005/0.XX±0.13	projection		3P + 24S + 8P	
				angles	XXXX±.0020/0.XXX±0.051	 INCH/MM		RIGHT ANGLE SOLDER HEADER	
				dr	0° ± 2°	 1:1		product family	
				enr	J. SHAFFER 12/27/01	A		PwrBlade	
				chr	J. ALLISON 12/27/01	size		code	
				appd	J. ALLISON 12/27/01	51516		213	
sheet index	revision sheet					scale		sheet	
						A		2 of 4	

cage code 22526

Pro/E

PDM: Rev:C


STATUS: Released

Printed: Dec 20, 2010

Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51516-001__
NOTE: 3



RECOMMENDED PCB LAYOUT

mat'l code		SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3	COPY		title	
C				angles	.XXX±.005/0.XX±0.13	projection		3P + 24S + 8P	
				dr	.XXX±.0020/0.XX±0.051			RIGHT ANGLE SOLDER HEADER	
				enr	0°±2°	INCH/MM		product family	
				chr	J. SHAFFER 12/27/01	scale		PwrBlade	
				appd	J. ALLISON 12/27/01	1:1		code	
sheet index		revision sheet						213	
								sheet	
								3 of 4	

cage code 22526

Pro/E

PDM: Rev:C

STATUS: Released

Printed: Dec 20, 2010




Tous droits strictement réservés. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER
51516-001--
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.
- CONNECTORS NOTES:
 ② HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH TEMP THERMO PLASTIC
 POWER CONTACT MATERIAL: COPPER ALLOY
 SIGNAL PIN MATERIAL: COPPER ALLOY
3. PLATING:
 51516-001,51516-001LF,PLATING SPEC SEE PRINT:100064183.
4. "MANUFACTURER" NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.
5. PRODUCT SPECIFICATION GS-12-149.
- PCB - NOTES:
 6. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
7. $\varnothing .0453 \pm 0.0010$ [1.151 \pm 0.025] DRILLED HOLES PLATED WITH 0.0003 [0.008] MIN SnPb OVER .001 [0.03] TO .003 [0.08] Cu PLATING TO ACHIEVE $\varnothing .040 \pm .003$ [1.02 \pm .07] HOLE.
8. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.

mat'l code				SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER				 www.fciconnect.com			
ltr	ecn no.	dr	date	linear	.XX±.01/0.X±0.3			COPY				projection				title			
C					.XXX±.005/0.XX±0.13							3P + 24S + 8P							
				angles	XXXX±.0020/0.XXX±0.051							RIGHT ANGLE SOLDER HEADER							
				dr	J. SHAFFER	12/27/01	INCH/MM				product family								
				enr	J. ALLISON	12/27/01	scale				PwrBlade								
				chr	J. ALLISON	12/27/01	1:1				size								
				appd	J. ALLISON	12/27/01	A				dwg no								
sheet index		revision sheet										51516							
												code							
												213							
												4 of 4							

cage code 22526 4