

MIKROELEKTRONIKA D.O.O, Batajnički drum 23, 11000 Belgrade, Serbia VAT: SR105917343 Registration No. 20490918
Phone: + 381 11 78 57 600 Fax: + 381 11 63 09 644 E-mail: office@mikroe.com

www.mikroe.com

Click Shield for Pi Pico





PID: MIKROE-4985

Click shield for Pi Pico

Mikroe produces entire development toolchains for all major microcontroller architectures.

Committed to excellency, we are dedicated to helping engineers bring the project development up to speed and achieve outstanding results.






health and safety management system.



MIKROELEKTRONIKA D.O.O, Batajnički drum 23, 11000 Belgrade, Serbia VAT: SR105917343 Registration No. 20490918 Phone: + 381 11 78 57 600 Fax: + 381 11 63 09 644 E-mail: office@mikroe.com www.mikroe.com



Mikroe produces entire development toolchains for all major microcontroller architectures. Committed to excellency, we are dedicated to helping engineers bring the project development up to speed and achieve outstanding results.











MIKROELEKTRONIKA D.O.O, Batajnički drum 23, 11000 Belgrade, Serbia VAT: SR105917343 Registration No. 20490918
Phone: + 381 11 78 57 600 Fax: + 381 11 63 09 644 E-mail: office@mikroe.com

Specifications

Туре	Adapter,Shield
Applications	Click Shield for Pi PICO allows you to use Click boards™ on your Raspberry Pi PICO board
On-board modules	2x mikroBUS [™] sockets, connector for connecting compatible Raspberry Pi PICO board, four TXS0108E level-shifting voltage translators, power part for converting 5V USB to the 3.3V
Interface	Analog,GPIO,I2C,PWM,SPI,UART
Compatibility	mikroBUS,Raspberry Pi
Input Voltage	3.3V,5V (via USB)

Resources

mikroBUS™

mikroSDK

Click board™ Catalog

Click Boards™

Downloads

Click Shield for Pi Pico schematic

Click Shield for Pi Pico 2D and 3D files

Mikroe produces entire development toolchains for all major microcontroller architectures.

Committed to excellency, we are dedicated to helping engineers bring the project development up to speed and achieve outstanding results.





health and safety management system.