




PRODUCT NUMBER
89099-XYX(L)LF


L REFER ;LUBRICATED (OPTIONAL) \triangle
SEE NOTE 3

X REFER PLATING PERFORMANCE \triangle
SEE NOTE 3



spec ref	*	dr	Terran Huang	2010/07/09	projection	MM	size	A4	scale	2:1	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Rahul Mohan-M	2021/06/17			ecn no		ELX-I-41243-1		
ISO 406		chr	-	-			rel level		Released		
ISO 1101		appr	Kuriakose, San	2021/08/13	product family		METRAL				
surface	3.200 linear	Amphenol FCI title METRAL POWER HEADER I MOD, 5 ROW PRESS-FIT www.fci.com			dwg no		89099		rev		
	0.X				±0.3					AY	
	0.XX				±0.13						
	0.XXX	±0.051									
ISO 1302	angular	0°	±2°	cat. no.		-		Product - Customer Drw		sheet 1 of 6	

Creo F-114-ELX-MC-AAC, REV F, 2020-12-21





KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
P01	6.50	4.30
P02	7.25	4.30
P03	8.00	4.30
P04	6.50	13.60
P05	7.25	13.60
P06	8.00	13.60
P07	6.50	17.00
P08	7.25	17.00
P09	8.00	17.00
PI6	5.00	4.30
PI7	5.75	4.30




REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
REFER DRAWING 58351 FOR PTH DETAILS

spec ref	*	dr	Terran Huang	2010/07/09	projection 	MM 	size	A4	scale	2:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Rahul Mohan-M	2021/06/17			ecn no	ELX-I-41243-1		
ISO 406 ISO 1101		chr	-	-			rel level	Released		
surface	3.200 linear	appr	Kuriakose, San	2021/08/13	product family	METRAL	dwg no	89099	rev	AY
ISO 1302	angular	0°	±2°	www.fci.com	title	METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT	cat. no.	-	Product - Customer Drw	sheet 2 of 6

METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I								
		1	2			1	2			1	2			1	2	1	2					
89099-X01LF	E	P16	P16	89099-X05LF	E	P01	P01	89099-X11LF	E	P01	P01	89099-X15LF	E	P02	P02	89099-X20LF	E	P04	P04			
	D	P16	P16		D	P01	P01		D	P01	P01		D	P02	P02		D	P04	P04	D	P04	P04
	C	P16	P16		C	P02	P02		C	P01	P01		C	P02	P02		C	P02	P02	C	P05	P05
	B	P16	P16		B	P03	P03		B	P01	P01		B	P02	P02		B	P02	P02	B	P06	P06
	A	P16	P16		A	P03	P03		A	P01	P01		A	P02	P02		A	P02	P02	A	P05	P05
89099-X02LF	E	P16	P16	89099-X06LF	E	P17	P17	89099-X12LF	E	P01	P01	89099-X16LF	E	P01	P01	89099-X21LF	E	P04	P04			
	D	P16	P16		D	P17	P17		D	P01	P01		D	P01	P01		D	P04	P04	D	P04	P04
	C	P16	P16		C	P17	P17		C	P01	P01		C	P02	P02		C	P04	P04	C	P04	P04
	B	P16	P16		B	P17	P17		B	P03	P03		B	P02	P02		B	P04	P04	B	P04	P04
	A	P01	P01		A	P17	P17		A	P01	P01		A	P03	P03		A	P03	P03	A	P04	P04
89099-X03LF	E	P17	P17	89099-X07LF	E	P02	P02	89099-X13LF	E	P01	P01	89099-X17LF	E	P01	P01	89099-X22LF	E	P04	P04			
	D	P01	P01		D	P02	P02		D	P01	P01		D	P01	P01		D	P04	P04	D	P04	P04
	C	P17	P17		C	P02	P02		C	P02	P02		C	P01	P01		C	P04	P04	C	P04	P04
	B	P17	P17		B	P02	P02		B	P03	P03		B	P01	P01		B	P06	P06	B	P06	P06
	A	P01	P01		A	P02	P02		A	P03	P03		A	P03	P03		A	P03	P03	A	P04	P04
89099-X04LF	E	P17	P17	89099-X10LF	E	P01	P01	89099-X14LF	E	P03	P03	89099-X18LF	E	P01	P01	89099-X23LF	E	P04	P04			
	D	P17	P17		D	P01	P01		D	P03	P03		D	P01	P01		D	P04	P04	D	P04	P04
	C	P17	P17		C	P02	P02		C	P03	P03		C	P03	P03		C	P05	P05	C	P05	P05
	B	P02	P02		B	P03	P03		B	P03	P03		B	P03	P03		B	P06	P06	B	P06	P06
	A	P17	P17		A	P02	P02		A	P03	P03		A	P03	P03		A	P06	P06	A	P06	P06

spec ref *		dr Terran Huang	2010/07/09	projection 	size MM 	size A4	scale 1:1								
tolerance std ISO 406 ISO 1101		eng Rahul Mohan-M	2021/06/17			ecn no ELX-I-41243-1									
TOLERANCES UNLESS OTHERWISE SPECIFIED surface $3.200_{\text{in}} \checkmark$		chr -	-			rel level Released									
		appr Kuriakose, San		2021/08/13	product family METRAL										
surface $3.200_{\text{in}} \checkmark$ ISO 1302		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>0.X</td> <td>±0.3</td> </tr> <tr> <td>0.XX</td> <td>±0.13</td> </tr> <tr> <td>0.XXX</td> <td>±0.051</td> </tr> <tr> <td>angular</td> <td>0° ±2°</td> </tr> </table>	0.X	±0.3	0.XX	±0.13	0.XXX	±0.051	angular	0° ±2°	Amphenol FCI title METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT		dwg no 89099 rev AY	www.fci.com cat. no. - Product - Customer Drw sheet 3 of 6	
0.X	±0.3														
0.XX	±0.13														
0.XXX	±0.051														
angular	0° ±2°														

METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2			1	2			1	2			1	2	1	2		
89099-X24LF	E	P06	P06	89099-X28LF	E	P04	P04	89099-X33LF	E	P07	P07	89099-X37LF	E	P07	P07				
	D	P06	P06		D	P04	P04		D	P07	P07		D	P07	P07	D	P03	P03	
	C	P06	P06		C	P06	P06		C	P08	P08		C	P07	P07	C	P03	P03	
	B	P06	P06		B	P06	P06		B	P09	P09		B	P07	P07	B	P03	P03	
	A	P06	P06		A	P06	P06		A	P09	P09		A	P09	P09	A	P02	P02	
89099-X25LF	E	P05	P05	89099-X30LF	E	P07	P07	89099-X34LF	E	P09	P09	89099-X38LF	E	P07	P07				
	D	P05	P05		D	P07	P07		D	P09	P09		D	P07	P07	89099-X42LF	E	P01	P01
	C	P05	P05		C	P08	P08		C	P09	P09		C	P09	P09		D	P02	P02
	B	P05	P05		B	P09	P09		B	P09	P09		B	P09	P09		C	P02	P02
	A	P05	P05		A	P08	P08		A	P09	P09		A	P09	P09		B	P02	P02
												A	P01	P01					
89099-X26LF	E	P04	P04	89099-X31LF	E	P07	P07	89099-X35LF	E	P08	P08	89099-X39LF	E	P03	P03				
	D	P04	P04		D	P07	P07		D	P08	P08		D	P01	P01	89099-X43LF	E	P03	P03
	C	P05	P05		C	P07	P07		C	P08	P08		C	P01	P01		D	P03	P03
	B	P05	P05		B	P07	P07		B	P08	P08		B	P01	P01		C	P03	P03
	A	P06	P06		A	P07	P07		A	P08	P08		A	P01	P01		B	P02	P02
												A	P02	P02					
89099-X27LF	E	P04	P04	89099-X32LF	E	P07	P07	89099-X36LF	E	P07	P07	89099-X40LF	E	P02	P02				
	D	P04	P04		D	P07	P07		D	P07	P07		D	P01	P01	89099-X44LF	E	P03	P03
	C	P04	P04		C	P07	P07		C	P08	P08		C	P02	P02		D	P03	P03
	B	P04	P04		B	P09	P09		B	P08	P08		B	P01	P01		C	P03	P03
	A	P06	P06		A	P07	P07		A	P09	P09		A	P02	P02		B	P16	P16
												A	P03	P03					

spec ref *		dr Terran Huang		2010/07/09		projection		size A4		scale 1:1			
tolerance std		eng Rahul Mohan-M		2021/06/17						ecn no ELX-I-41243-1			
ISO 406 ISO 1101		chr -		-						rel level Released			
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr Kuriakose, San		2021/08/13		product family METRAL		rev		89099			
surface 3.200		0.X ±0.3				METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT		www.fci.com		cat. no. - Product - Customer Drw			
linear		0.XX ±0.13										sheet 4 of 6	
angular		0° ±2°											
ISO 1302													

Creo F110:ELX-MC:AC,REV F,2020-12-21

METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2			1	2			1	2			1	2
89099-X45LF	E	P03	P03	89099-X49LF	E	P02	P02	89099-X53LF	E	P05	P05	89099-X57LF	E	P03	P03
	D	P02	P02		D	P03	P03		D	P05	P05		D	P01	P01
	C	P17	P17		C	P03	P03		C	P06	P06		C	P01	P01
	B	P17	P17		B	P03	P03		B	P04	P04		B	P01	P01
	A	P17	P17		A	P02	P02		A	P04	P04		A	P03	P03
89099-X46LF	E	P03	P03	89099-X50LF	E	P01	P01	89099-X54LF	E	P02	P02	89099-X58LF	E	P01	P01
	D	P03	P03		D	P01	P01		D	P02	P02		D	P03	P03
	C	P01	P01		C	P03	P03		C	P03	P03		C	P01	P01
	B	P03	P03		B	P01	P01		B	P01	P01		B	P03	P03
	A	P01	P01		A	P01	P01		A	P01	P01		A	P01	P01
89099-X47LF	E	P01	P01	89099-X51LF	E	P01	P01	89099-X55LF	E	P02	P02	89099-X59LF	E	P16	P16
	D	P01	P01		D	P01	P01		D	P02	P02		D	P03	P03
	C	P02	P02		C	P16	P16		C	P02	P02		C	P03	P03
	B	P03	P03		B	P01	P01		B	P03	P03		B	P03	P03
	A	P02	P02		A	P01	P01		A	P03	P03		A	P03	P03
89099-X48LF	E	P04	P04	89099-X52LF	E	P03	P03	89099-X56LF	E	P05	P05	89099-X60LF	E	P01	P01
	D	P04	P04		D	P02	P02		D	P05	P05		D	P01	P01
	C	P06	P06		C	P03	P03		C	P05	P05		C	P03	P03
	B	P04	P04		B	P03	P03		B	P05	P05		B	P03	P03
	A	P04	P04		A	P03	P03		A	P04	P04		A	P01	P01
89099-X61LF	E	P03	P03	89099-X62LF	E	P06	P06	89099-X63LF	E	P01	P01	89099-X64LF	E	P02	P02
	D	P03	P03		D	P05	P05		D	P02	P02		D	P02	P02
	C	P02	P02		C	P05	P05		C	P01	P01		C	P01	P01
	B	P01	P01		B	P06	P06		B	P02	P02		B	P02	P02
	A	P01	P01		A	P05	P05		A	P03	P03		A	P03	P03

spec ref *		dr Terran Huang		2010/07/09		projection		size A4		scale 1:1	
tolerance std		eng Rahul Mohan-M		2021/06/17						ecn no ELX-I-41243-1	
ISO 406 ISO 1101		chr -		-						rel level Released	
TOLERANCES UNLESS OTHERWISE SPECIFIED		appr Kuriakose, San		2021/08/13		product family METRAL		rev		89099	
surface $3.200 \mu\text{m}$ linear		0.X ± 0.3		Amphenol FCI title METRAL POWER HEADER I MOD, 5 ROW PRESS-FIT www.fci.com		cat. no. -		Product - Customer Drw		dwg no	
		0.XX ± 0.13								89099	
		0.XXX ± 0.051								AY	
ISO 1302		angular 0° $\pm 2^\circ$								sheet 5 of 6	

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X65LF	E	P17	P17
	D	P03	P03
	C	P03	P03
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X69LF	E	P03	P03
	D	P16	P16
	C	P16	P16
	B	P16	P16
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X73LF	E	P03	P02
	D	P03	P02
	C	P03	P03
	B	P03	P03
	A	P16	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X66LF	E	P17	P17
	D	P17	P17
	C	P02	P02
	B	P02	P02
	A	P17	P17

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X70LF	E	P01	P01
	D	P03	P01
	C	P03	P03
	B	P03	P03
	A	P03	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X74LF	E	P02	P16
	D	P02	P02
	C	P02	P02
	B	P02	P02
	A	P02	P02


METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X67LF	E	P01	P01
	D	P02	P02
	C	P02	P02
	B	P03	P03
	A	P03	P03



METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X71LF	E	P03	P03
	D	P03	P03
	C	P03	P02
	B	P03	P02
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X68LF	E	P01	P01
	D	P02	P02
	C	P02	P02
	B	P02	P02
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X72LF	E	P01	P01
	D	P02	P02
	C	P16	P16
	B	-	-
	A	P02	P02

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- MATERIAL: BODY : LCP UL94-V0
CONTACT: COPPER ALLOY
- FOR PLATING PERFORMANCE REFER DRAWIGN #10159408
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
- PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-075
- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.
- ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN CONVECTION, INFAR-RED OR VAPOR PHASE REFLOW OVEN.
- A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION

spec ref	*	dr	Terran Huang	2010/07/09	projection 	MM 	size	A4	scale	1:1
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Rahul Mohan-M	2021/06/17			ecn no	ELX-I-41243-1		
ISO 406 ISO 1101		chr	-	-			rel level	Released		
surface	3.200 linear	appr	Kuriakose, San	2021/08/13	product family	METRAL	rev	89099	AY	
ISO 1302	angular 0° ±2°	Amphenol FCI		title		METRAL POWER HEADER		cat. no.		
		www.fci.com		Product - Customer Drw		sheet 6 of 6				