
2-1747066-3 <

GRACE INERTIA 2.5 TE Internal #: 2-1747066-3 Housing, Plug, Wire-to-Board, 3 Position, .098 in [2.5 mm] Centerline, Crimp, 1 Row, Blue, Mating Retention, Wire & Cable, GRACE INERTIA 2.5

### View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Plug Connector System: Wire-to-Board Number of Positions: 3 Centerline (Pitch): 2.5 mm [.098 in ]

## Features

## Product Type Features

Connector Product Type	Housing
Connector & Housing Type	Plug
Connector System	Wire-to-Board
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	3
Number of Rows	1
Electrical Characteristics	
Operating Voltage	50 VAC
Body Features	
Primary Product Color	Blue
Contact Features	

**C** For support call+1 800 522 6752

Housing, Plug, Wire-to-Board, 3 Position, .098 in [2.5 mm] Centerline, Crimp, 1 Row, Blue, Mating Retention, Wire & Cable, GRACE INERTIA 2.5



Contact Layout	Inline
Contact Type	Pin
Contact Base Material	Copper Alloy
Termination Features	
Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
Strain Relief	Without
Panel Mount Feature	Without
PCB Mount Retention	Without
Mating Retention Type	Latch
Mating Retention	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Entry Configuration	Both Ends Open
Housing Material	Nylon 6/6 GF
Centerline (Pitch)	2.5 mm[.098 in]

## Dimensions

	08/22/2023 02
EU RoHS Directive 2011/65/EU	Compliant
For compliance documentation, visit the product page on TE.com>	
Product Compliance	
Packaging Method	Bag
Packaging Quantity	800
Packaging Features	
Glow Wire Rating	Standard Part - Not Glow Wire
Industry Standards	
Circuit Application	Power & Signal
Operation/Application	
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]
Usage Conditions	
Connector Height	7.35 mm[.289 in]
Connector Length	9.6 mm[.377 in]

**L** For support call+1 800 522 6752

Housing, Plug, Wire-to-Board, 3 Position, .098 in [2.5 mm] Centerline, Crimp, 1 Row, Blue, Mating Retention, Wire & Cable, GRACE INERTIA 2.5



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## **Compatible Parts**






# Also in the Series **GRACE INERTIA 2.5**

Housing, Plug, Wire-to-Board, 3 Position, .098 in [2.5 mm] Centerline, Crimp, 1 Row, Blue, Mating Retention, Wire & Cable, GRACE INERTIA 2.5





# Customers Also Bought




250 PL EX FLAG REC. 18-12AWG PTBR

GRACE INERTIA CONNECTOR 6.2 MM PITCH 2P C

GIC7.92 2POS PLUG HSG.BLUE

TPBR

187 FASTON, FLAG, REC., 16-20 AWG,



TE Part #1871865-1 BOARD-IN CONTACT M-TYPE

## Documents

**Product Drawings** GRACE INERTIA CONN 2.5 PLUG HSG 3P BLUE

English

### **CAD** Files

**Customer View Model** 

ENG\_CVM\_CVM\_2-1747066-3\_E.2d\_dxf.zip

English

3D PDF

**C** For support call+1 800 522 6752

Housing, Plug, Wire-to-Board, 3 Position, .098 in [2.5 mm] Centerline, Crimp, 1 Row, Blue, Mating Retention, Wire & Cable, GRACE INERTIA 2.5



3D

Customer View Model ENG\_CVM\_CVM\_2-1747066-3\_E.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-1747066-3\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance TE Material Declaration

English