

## Zack marker strip - ZB 6,6 CUS - 0824978

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Zack marker strip, Can be ordered: Strip, white, Labeled according to customer specifications, Mounting type: Snap into tall marker groove, For terminal block width: 6.6 mm, Lettering field: 6.6 x 10.5 mm

The illustration shows the variants of the ZB 5

### Product Features

- Labeling service: Phoenix Contact can custom-label all zack marker strip markers according to your requirements
- The ZB zack marker strip system is a marking solution for modular terminal blocks and electronics modules with tall marker grooves



### Key commercial data

|                      |          |
|----------------------|----------|
| Packing unit         | 1 pc     |
| Custom tariff number | 39269097 |
| Country of origin    | Germany  |

### Technical data

#### Dimensions

|           |        |
|-----------|--------|
| Width (a) | 6.5 mm |
|-----------|--------|

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 100 °C |
|---------------------------------|-------------------|

#### General

|   |  |
|---|--|
| Note                                    | labeled according to customer specifications |
|   | labeled according to customer specifications |
| Color                                   | white  |
| Components                              | free from silicone and halogen               |
| Inflammability class according to UL 94 | V2   |
| Material                                | PA   |
| Wipe resistance                         | DIN EN 61010-1 (VDE 0411-1)                  |

## Zack marker strip - ZB 6,6 CUS - 0824978

### Technical data

#### General

|                                     |              |
|-------------------------------------|--------------|
|                                     | DIN VDE 0611 |
| Number of individual labels         | 10           |
| Number of individual labels per row | 10           |
| Number of marker strips             | 10           |

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 24190219 |
| eCl@ss 4.1 | 24190219 |
| eCl@ss 5.0 | 27141137 |
| eCl@ss 5.1 | 27141137 |
| eCl@ss 6.0 | 27141137 |
| eCl@ss 7.0 | 27141137 |
| eCl@ss 8.0 | 27141137 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC000761 |
| ETIM 5.0 | EC000761 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 39121410 |

### Drawings

## Zack marker strip - ZB 6,6 CUS - 0824978

Schematic diagram

