

Specification Sheet

Part Number: 102-69067



The different fixing orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters.

Article Number	102-69067
Type	ATSBCKSFT6.5
Color	Black (BK)
Quantity Per	bag
Product Description	HellermannTyton Bundling Clips are designed to provide simple and easy methods for securing cable bundles, hoses, or pipes. They are fastened onto the tape bar using tape or cable ties.
Short Description	Bundling Clip with Arrowhead, 1.5" Long, 0.03 - 0.05" Panel Thickness, PA66HIRHS, Black, 500/pkg
Global Part Name	ATSBCKSFT6.5-PA66HIRHS-BK

Length L (Imperial)	1.5
Length L (Metric)	39.0
Fixation Method	Arrowhead (Small Mount)
Width W (Imperial)	0.354
Width W (Metric)	9.0
Bundle Diameter Max (Imperial)	0.75
Bundle Diameter Max (Metric)	20.0
Power supply unit	Electrical
Panel Thickness Min (Imperial)	0.03
Panel Thickness Max (Imperial)	0.05
Panel Thickness Min (Metric)	0.7
Panel Thickness Max (Metric)	1.3
Mounting Hole Diameter D (Imperial)	0.25 - 0.28
Mounting Hole Diameter D (Metric)	6.3 - 6.7 mm
Mounting Hole Diameter D Min (Imperial)	0.25
Mounting Hole Diameter D Max (Imperial)	0.26
Mounting Hole Diameter D Max (Metric)	6.7

Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS
UV Resistant (Yes/No)	No
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	500
Package Quantity (Metric)	500
Customs Number	3926909988

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).