

## Cable gland - G-INESR-M40-M68N-NEPDS-S - 1415195

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Cable gland, Cable gland material: Nickel-plated brass, Application: Standard, External cable diameter 16 mm ... 28 mm, Shielding: No, Connecting thread: M40, Color: silver

The figure shows version G-INESR-M25-M68N-NEPDS-S



### Key Commercial Data

Packing unit	1 STK
Custom tariff number	74199990
Country of origin	Germany

### Technical data

#### Dimensions

Length	54 mm
Length without connecting thread	46 mm
Wrench size, union nut	46 mm
Wrench size, support	46 mm
Hexagon angular dimension GRP	51 mm
Length of the connecting thread	8 mm
Feed-through hole diameter	40.1 mm ... 40.3 mm
External cable diameter	16 mm ... 28 mm
Clamping range of the strain relief clip	16.00 mm ... 28.00 mm

#### Ambient conditions

Degree of protection	IP68 (5 bar / 0.5 h)
	IP69K
Ambient temperature (operation)	-40 °C ... 100 °C (static)

# Cable gland - G-INESR-M40-M68N-NEPDS-S - 1415195


## Technical data

### General

No. of conductors	1
Cable gland material	Nickel-plated brass
Material, insert	PA
Cable seal material	EPDM
O-ring material	EPDM
Shielded	No
Thread type on connection side	M40
Torque	Union nut
	Support
Color	silver

## Drawings

Dimensional drawing



## Classifications

### eCl@ss

eCl@ss 5.1	27149109
eCl@ss 6.0	27149109
eCl@ss 8.0	27149109
eCl@ss 9.0	27144432

### ETIM

ETIM 5.0	EC000441
----------	----------

## Approvals

### Approvals

---

# Cable gland - G-INESR-M40-M68N-NEPDS-S - 1415195

## Approvals

### Approvals

UL Recognized / cUL Recognized / GOST-R / cULus Recognized

---

### Ex Approvals


---


### Approvals submitted

---

## Approval details

UL Recognized 

cUL Recognized 

GOST-R 

cULus Recognized 

## Accessories

### Accessories

#### Flat nut

Nut - A-INL-M40-N-S - 1411246



Nut, Nickel-plated brass, For threads M40, Color: silver

