

ITEM	MOLEX P/N	DESCRIPTION	QTY	UOM
A,B	781720002	120MM WTB RECEPT CONN CKT02 H>F	2	PC
C	781720410	12MM WTB RECEPT CRIMP TERM H>F	4	PC
D	-	LABEL	1	PC

FROM	TO	CABLE DESCRIPTION	COLOR
A1	B2	28 AWG UL1571 BLACK DISCRETE WIRE	BLACK
A2	B1		




TABLE			
PART NUMBER	L1	L2	TITLE
369200200	50±5	13REF	PicoEZMate 2 Circuit 50MM
369200201	100±8	38REF	PicoEZMate 2 Circuit 100MM
369200202	150±10	63REF	PicoEZMate 2 Circuit 150MM
369200203	300±10	138REF	PicoEZMate 2 Circuit 300MM
369200205	450±15	213REF	PicoEZMate 2 Circuit 450MM
369200206	600±15	288REF	PicoEZMate 2 Circuit 600MM

- NOTES**
1. Cable assembly must pass 100% continuity and polarity test.
 2. Label text must be 2mm max. In height with Arial font.
 3. Connector view shown is from mating side.
 4. Label must be wrapped in Flag type.

P/N:36920XXXX — MOLEX PN
 MOLEX
 BATCH WK/YR

DATE	REV	DESCRIPTION	REVISED BY
2019.03.20	A	INITIAL RELEASE	SSHIVASHANKA

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SYMBOLS	DIMENSION UNITS	SCALE	CURRENT REV DESC:
▽ = 0	mm	NTS	EC NO: 616869 DRWN: SSHIVASHANKA 2019/03/20 CHK'D: MNARAYAN01 2019/05/09 APPR: MNARAYAN01 2019/05/09 INITIAL REVISION: DRWN: SSHIVASHANKA 2019/03/20 APPR: MNARAYAN01 2019/05/09
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		
▽ = 0	ANGULAR TOL ± °		
▽ = 0	4 PLACES ±		
▽ = 0	3 PLACES ±		
▽ = 0	2 PLACES ±		
▽ = 0	1 PLACE ±		
▽ = 0	0 PLACES ±		
□ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		
▽ = 0	THIRD ANGLE PROJECTION		

molex		
SEE TABLE		
PRODUCT CUSTOMER DRAWING		
DOCUMENT NUMBER	DOC TYPE	DOC PART
369200200	PSD	000
REVISION		
A		
MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
SEE TABLE	GENERAL MARKET	1 OF 1