

**Data sheet | Item number: 282-373**

Coupling device; mechanically locks multiple links; 3-way; yellow

[www.wago.com/282-373](http://www.wago.com/282-373)



**i** Picture differs from the item.

**Color:**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Material Data

Note (material data)

Information on material specifications can be found here

|                             |                  |
|-----------------------------|------------------|
| Color                       | yellow           |
| Material group              | I                |
| Insulation material         | Polyamide (PA66) |
| Flammability class per UL94 | V0               |
| Fire load                   | 0.019 MJ         |
| Weight                      | 0.7 g            |

### Environmental requirements

|                                  |                 |
|----------------------------------|-----------------|
| Processing temperature           | -35 ... +85 °C  |
| Continuous operating temperature | -60 ... +105 °C |

### Commercial data

|                       |                                  |
|-----------------------|----------------------------------|
| Product Group         | 1 (Rail Mounted Terminal Blocks) |
| eCl@ss 10.0           | 27-14-11-92                      |
| eCl@ss 9.0            | 27-14-11-92                      |
| ETIM 8.0              | EC002848                         |
| ETIM 7.0              | EC002848                         |
| PU (SPU)              | 50 (10) pcs                      |
| Packaging type        | box                              |
| Country of origin     | CN                               |
| GTIN                  | 4017332817745                    |
| Customs tariff number | 39269097900                      |

### Environmental Product Compliance

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

## Downloads

### Documentation

#### Bid Text

282-373

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



---

|             |              |               |          |
|-------------|--------------|---------------|----------|
| X81 - Datei | 2019 年2月19 日 | xml<br>2.6 kB | Download |
|-------------|--------------|---------------|----------|

---

|                        |             |                |          |
|------------------------|-------------|----------------|----------|
| 282-373<br>doc - Datei | 2017 年3月3 日 | doc<br>24.1 kB | Download |
|------------------------|-------------|----------------|----------|

---

#### Additional Information

|  |  |               |          |
|--|--|---------------|----------|
|  |  | pdf<br>2.3 MB | Download |
|--|--|---------------|----------|

---

#### CAD/CAE-Data

##### CAE data

|                        |  |     |          |
|------------------------|--|-----|----------|
| WSCAD Universe 282-373 |  | URL | Download |
|------------------------|--|-----|----------|

---

##### CAD data

|                      |  |     |          |
|----------------------|--|-----|----------|
| 2D/3D Models 282-373 |  | URL | Download |
|----------------------|--|-----|----------|

---

#### Environmental Product Compliance

##### Compliance Search

|   |  |     |          |
|---|--|-----|----------|
| Environmental Product Compliance 282-373<br>Coupling device; mechanically locks multiple links; 3-way; yellow |  | URL | Download |
|---|--|-----|----------|

---

#### Installation Notes

Subject to changes. Please also observe the further product documentation!