

Marking Tapes



Colors and combinations meet specific industry and OSHA 29 CFR §1910.144 warning requirements





Mark specific areas and promote safety by identifying potential hazard areas with visible tapes.

- 0.006" vinyl adheres to floors, walls, piping, posts, beams, handrails, stairways, machinery, and equipment
- Waterproof, wear-resistant, minor resistance to acids, oils, grease, caustics, alkalis, and most solvents
- · Permanent self-adhesive back



Color/Combination	Code	Application	
Solid Colors			
White	WHT	General Facility	
Gray	GRY	General Facility	
Brown	BRN	General Facility	
Black	BLK	General Facility	
Red	RED	Fire Protection Equipment & Danger Hazards	
Orange	ORN	Danger Points on Machines	
Yellow	YEL	Physical Hazards	
Green	GRN	First Aid & Safety Equipment	
Blue	BLU	Machinery being Worked On	
Purple	PUR	X-ray & Radiation Hazards	
Checkerboard and Stripe Pa	ttern		
Black/Yellow	BY	General, Physical Hazards	
Red/White	RW	Fire Protection & Equipment	
Black/White	BW	Housekeeping, Aisles, Traffic, & Passageways	
Magenta/Yellow	MY	Radiation Areas	
Green/White	GW	Safety & First Aid	
Blue/White	BLW	Defective Equipment	
Orange/White	0W	Traffic and Caution	

To Order: Add color code after part number. Example: Part No. PFM2X36 + Color Code WHT = PFM2X36WHT

Part No.	Size	UOM			
Solid Colors					
PFM2X36	2" x 108-ft.	Roll			
PFM2X60	2" x 180-ft.	Roll			
Checkerboard Pattern					
PFMC2X18 2" x 54-ft. Roll					
Stripe Pattern					
PFM2X18	2" x 54-ft.	Roll			
PFM2X36	2" x 108-ft.	Roll			

Size	UOM			
Solid Colors				
x 108-ft.	Roll			
PFM3X60 3" x 180-ft.				
Checkerboard Pattern				
x 54-ft.	Roll			
x 54-ft.	Roll			
x 108-ft.	Roll			
	x 108-ft. x 180-ft.			

Reflective Tapes



- Safety-grade with 'bounce-back' reflectivity
- Improved daytime, low-light and night time visibility
- 0.0055" thick urethane tape
- Permanent adhesive with peel-off liner
- Suitable for outdoor use on poles, barricades, fences, buildings, private roads, and off-road vehicles

Available colors with color code:

Color	Code	
Solid Colors		
Black	BLK	
Blue	BLU	
Green	GRN	
Orange	ORN	
Red	RED	
White	WHT	
Yellow	YEL	
Stripe Colors		
Black/White	BW	
Black/Yellow	BY	
Orange/White	OW	
Red/White	RW	

To Order: Add color code after part number. Example: Part No. PFMR2X15 + Color Code BW = PFMR2X15BW

Part No.	Size	UOM
PFMR2X15	2" x 15-ft.	Roll
PFMR2X30	2" x 30-ft.	Roll
PFMR3X15	3" x 15-ft.	Roll

Message Marking Tapes


Use marking tape with specific message to point out potential hazard areas.

- · Bold contrasting message printed repeatedly
- 6-mil vinyl adheres to floors, walls, and equipment
- Clear overlaminate protective film resists dirt, light chemicals and light abrasions
- · Permanent, self-adhesive back
- 2" x 54-ft. rolls

UOM	
Roll	

CAUTION CAUTION CAUTION CA

PFM0114



PFM0115



PFM0116

Non-Slip Floor Marking Tapes



Use non-slip tapes to mark and identify aisles, pathways, and designated locations in your facility.

Sub-surface printed 0.004" vinyl tapes are overlaminated with a 0.017" clear, protective pebble-textured tread. The dimpled non-slip surface is ideal for pedestrian traffic areas.

- Dual-layer, color vinyl and clear textured vinyl construction
- · Strong acrylic-based adhesive peel-off back liner
- · Adhere to clean, smooth, dry surface
- Service temperature range: -20° to 140°F
- · Available in solid colors or with messages



To Order Solid Color Tapes:

Add color code after part number: Red – RED, Orange – ORN, Yellow – YEL, Green – GRN, Blue – BLU, White – WHT, Black – BLK.



Example: Part No. PFMT2X100 + Color Code YEL = PFMT2X100YEL

Part No.	Size	UOM
PFMT2X100	2"W x 100-ft.	Roll
PFMT3X100	3"W x 100-ft.	Roll

Message Tapes

AREA

PFM0597

Size	UOM	CAUTIO	ON	CAUTION
3"W x 50-ft.	Roll	OAUTI		OAUTION
		PFM0598		
Manua	*******			
CAUTIO DO NOT E		CAUTION NOT ENTER		
PFM0600				
111110000		·	*******	
		FORKLI TRAFF		FORKLIFT TRAFFIC
		PFM0599		
····	******			
STAGIN	G S	TAGING		

PFM0601

AREA




Non-Slip Floor Marking Shapes

Mark pallets, storage, and walkways in your facility – ideal for 5S programs.

- Self-adhesive 0.004" vinyl
- Protective non-slip,
- pebble-textured overlaminateStrong acrylic-based adhesive peel-off back liner
- Adhere to clean, smooth, dry surface
- Service temperature range: -20° to 140°F





To Order: Add color code after part number: Red – RED, Orange – ORN, Yellow – YEL, Green – GRN, Blue – BLU, White – WHT, Black – BLK.
Example: Part No. PFMTS09 + Color Code GRN = PFMTS09GRN

Part No.	Size	UOM
Corner		
PFMTS09	6" x 6"	Each
PFMTS10	12" x 12"	Each
45° Corner		
PFMTS20	6"	Each
PFMTS19	12"	Each
T-Corner		
PFMTS11	6" x 9"	Each
PFMTS12	8" x 12"	Each
Quad Corne	r	
PFMTS17	9" x 9"	Each
PFMTS18	12" x 12"	Each
Part No.	Length	иом
Footprints		
PFMTS01	6"	Pair
PFMTS02	12"	Pair

PFM1S09GRN		
Part No.	Size	UOM
Arrow		
PFMTS14	3"	Each
PFMTS15	6"	Each
PFMTS16	12"	Each
Square		
PFMTS05	3" x 3"	Each
PFMTS06	6" x 6"	Each
Circle, Dot		
PFMTS03	3" dia	Each
PFMTS04	6" dia	Each
Triangle		
PFMTS07	3"	Each
PFMTS08	6"	Each

PANDUIT®

Floor Marking Shapes

Mark directional traffic paths or hazardous areas on floors, stairways, and walls.

- 0.005" vinyl
- Individually die-cut shapes
- · Aggressive, permanent, self-adhesive back
- · Peel-off liner

Available colors with color code:

Red - RED, Blue - BLU, Green - GRN, Black - BLK, Yellow - YEL, Orange - ORN, White - WHT

To Order: Add color code after part number. Example: Part No. PFMD2 + Color Code BLU = PFMD2BLU

Size*	Std. Pkg. Qty.	UOM
2"	250	Roll
3"	250	Roll
4"	100	Roll
6"	5 Pair	Pkg.
12"	5 Pair	Pkg.





*Size for: Dot by diameter

*Size for: Arrow measured by width of point

*Size for: Footprint is 6" or 12" length

Glow-in-the-Dark Tapes & Shapes



Visibility and safety in emergency blackout situations

- Photoluminescent tapes and shapes store energy from any light source
- 10-hour glow rating
- 0.010" polyester with laminated gloss surface
- · Permanent adhesive backing with peel-off liner



Glow-in-the-Dark Tapes


Solid Color		Stripe	Stripe Pattern		Arrow Pattern	
Part No.	UOM	Part No.	UOM	Part No.	UOM	Size
PFM0243	Roll	PFM0246	Roll	PFM0249	Roll	2" x 15-ft.
PFM0244	Roll	PFM0247	Roll	PFM0250	Roll	2" x 30-ft.
PFM0245	Roll	PFM0248	Roll	PFM0251	Roll	3" x 15-ft.






Glow-in-the-Dark Shapes

		-
Size	Std. Pkg. Qty.	UOM
2"	50	Roll
3"	50	Roll
6"	1 Pair	Pkg.
12"	1 Pair	Pkg.









800.777.3300 | Panduit.com

Non-Skid Floor Tapes

Create a high-traction surface to prevent slips, trips, and falls.

- · Durable surface provides good grip, wear resistance, and water resistance
- Suitable for indoor and outdoor environments
- · Resists sliding, buckling, wrinkling, and peeling
- · Black tape is 60-grit aluminum oxide compound layer fused onto thick PVC base; colored and striped tapes are 46-grit
- · High-tack acrylic adhesive back
- Peel-off liner



OSHA 29 CFR

§1910.24 (f)





Part No.	Size	UOM				
Solid Black						
PFM0090	1" x 60-ft.	Roll				
PFM0092	2" x 60-ft.	Roll				
PFM0094	3" x 60-ft.	Roll				
PFM0095	4" x 60-ft.	Roll				
PFM0097	6" x 60-ft.	Roll				



Part No.	Size	UOM		
Solid Yellow				
PFM0091	1" x 60-ft.	Roll		
PFM0093	2" x 60-ft.	Roll		
PFM0096	4" x 60-ft.	Roll		
Striped Black/Yellow				
PFM0103	2" x 60-ft.	Roll		
PFM0105	4" x 60-ft.	Roll		







· Muted yellow appearance masks dirt and grime

Part No.	Size	UOM				
Muted Yellow w/ Black Particles						
PFM0107	2" x 60-ft.	Roll				
PFM0108	4" x 60-ft.	Roll				

Non-Skid Floor Signs

High-traction, anti-skid, clear grit surface. 6" x 24". Sub-surface printed vinyl floor signs. High-tack, acrylic adhesive back. Peel-off liner.





















PFM0043

PFM0047

Non-Skid Floor Shape Tapes

Get a finished look to your anti-skid tapes in pre-cut shapes.

- Rounded corners to prevent corners from lifting
- Aggressive 60-grit aluminum oxide compound layer fused onto a thick PVC base
- · Peel-off liner with high-tack acrylic adhesive back
- · Suitable for indoor and outdoor environments, water resistant





Part No.	Description	Size	UOM
PFM0110	Square	5 1/2" x 5 1/2"	Each
PFM0109	Wide Strip	3" x 24"	Each
PFM0111	Cleat	6" x 24"	Each
PFM0112	Cleat w/ Refl. Yellow	6" x 24"	Each
PFM0113	Cleat w/ Glow	6" x 24"	Each



High Performance Marking Tapes

Heavy-duty composite tape outperforms standard floor marking tapes.

Printed 0.002" polyester tape with 2-mil gloss overlaminate provides superior durability for industrial facility and high plant traffic.

- High-gloss surface resists marks and smudges
- Resistant to abrasions, water, chemicals and heat
- High tack, acrylic adhesive back minimizes peel or lift
- Applies to clean, noncoated, smooth or rough surfaces, including concrete
- Low-profile reduces tears and scratches from skids and pallet jacks
- Removes easily without leaving residue or damage to the floor
- Minimum application temperature: 50°F
- Available in solid colors or with messages





To Order Solid Color Tapes: Add color code after part number: Red – RED, Orange – ORN, Yellow – YEL, Green – GRN, Blue – BLU, White – WHT, Black – BLK. Example: Part No. PFMH2X100 + Color Code BLK = PFMH2X100BLK

Part No.	Size	UOM
PFMH2X100	2"W x 100-ft.	Roll
PFMH3X100	3"W x 100-ft.	Roll

Message Tapes

PFM0271

Size	UOM	(((((())		
3"W x 50-ft.	Roll	CAUT	ION	CAUTION
· · · · · · · · · · · · · · · · · · ·	···>	PFM0268		
CAUTION DO NOT E		JTION T ENTER		
PFM0270				
			TION OUR STEP	CAUTION WATCH YOUR STEP
		PFM0269		
RESTRIC AREA		 RICTED REA		
PFM0267		(())		
		WA' For Foi		WATCH For Forklifts
Allu		PFM0266		

Floor Label Frame System

Place and protect message, barcode and other identification on the floor in a sturdy frame system.

Metal frame mounts directly to the floor with four concrete screws (included) and contains a clear protective cover to protect your label (not included) underneath. Beveled edges prevent damage from rollover of pallet jacks and forklift vehicles.



Small size:

- 8 1/2" x 5 1/2" x 1/8" all-aluminum oval frame
- 3 1/2" x 5" x 0.063" clear visible protective polycarbonate cover

Large size:

- 12" x 7 1/2" x 1/8" all-aluminum oval frame
- 5" x 7" x 0.063" clear visible protective polycarbonate cover

Small Part No.	Large Part No.	Std, Pkg. Qty.	UOM
PBB0085	PBB0086	Each	Each
PBB0081	PFM0001	10	Pkg.
PBB0083	PFM0002	25	Pkg.
PBB0084	PFM0003	50	Pkg.
PBB0082	PFM0004	100	Pkg.

Textured Marking Tapes

Low-profile grip vinyl tapes are ideal for indoor/outdoor and wet or dry environments.

- Reinforced vinyl with weather-proof adhesive system
- Slip-resistant, mild abrasive surface
- Install on smooth, clean and dry surfaces
- · Low level reflectivity
- 3"W x 108-ft. long rolls
- Service temperature range: 0° to 150°F





To Order: Add color code after part number: Red – RED, Blue – BLU, Yellow – YEL, White – WHT. Green – GRN.

PFMT3X36 Roll

UOM



800.777.3300 | Panduit.com

Non-Slip Shape Floor Signs

Grab attention with non-slip floor message signs.

- · Bold colors and graphics in unique shapes
- · Self-adhesive vinyl floor signs are sub-surface printed
- · Overlaminated with pebble-textured, non-slip layer
- · Can withstand heavy foot traffic
- · Permanent adhesive back with peel-off liner
- · Signs adhere to smooth, clean, and dry surface

Diamond



Triangle













Pavement-Print Signs



Place message and graphic signs outdoors on pavement.

- · Adheres to asphalt, concrete and step-stones
- Conforms to rough, untreated surfaces like stone and cement
- · High-performance adhesive back, foil-base material
- · Non-laminate surface contains embedded glass beads for a non-slip texture - meeting NFSI and ASTM D2047 specifications
- · Withstands normal to heavy walking foot traffic and other abrasions
- · Apply to swept, clean, dry surface
- Application temperature range: 50° to 100°F
- For short- to long-term applications
- · Removes easily, usually without any residues





17" PFM0082

ONL

17"







PFM0083





SMOKING

17" PFM0081

17" PFM0085

PEDESTRIAN

CAOSSWA

FORE LOADING CHOCA THE UNLOADE PFM0077

PFM0087





PFM0084

PFM0089

ARNING

PFM0079

PFM0086

PANDUIT®

Non-Slip Floor Signs

Non-slip, pebble-textured, clear surface withstands heavy pedestrian traffic. Image is sub-surface printed. Permanent, self-adhesive vinyl with peel-off liner.

Description	UOM
Round-Style	Each
Round-Style Glow Adhesive	Each
Mat-Style	Each
Step-Style	Each



Round-Style



PFM0009





PFM0033



PFM0030



PFM0016



PFM0011



PFM0008



PFM0031



17" PFM0020



17" PFM0026



PFM0022



17" PFM0027



17" PFM0017



17" PFM0018



17" PFM0023



17" PFM0034



PFM0010



PFM0028



PFM0015



17" PFM0019

Glows



PFM0013



17" PFM0025



17" PFM0021











17" PFM0037



PFM0024



Mat-style



20" x 14" PFM0063



20" x 14" PFM0069











Step-Style















