

## Housing - HC-B 24-TMZ-H-O1STM32G - 1410822

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



HEAVYCON sleeve housing B24, with main latch, height 76 mm, with 1 x M32 thread, straight conductor outlet



### Key Commercial Data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Weight per Piece (excluding packing) | 396.0 g  |
| Custom tariff number                 | 85389099 |
| Country of origin                    | Germany  |

### Technical data

#### Dimensions

|        |       |
|--------|-------|
| Height | 76 mm |
| Width  | 43 mm |
| Length | 94 mm |

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 125 °C |
|---------------------------------|-------------------|

#### General

|                              |   |
|------------------------------|---|
| Note                         | For contact inserts HC-B24, BB46, D64, DD108, M |
| Size                         | B16   |
| Housing type                 | Sleeve housing                                  |
| Locking type                 | with main latch                                 |
| No. of cable outlets         | 1   |
| Cable exit                   | straight  |
| Screw connection             | none  |
| Type of the screw connection | 1x M32  |
| Housing material             | Aluminum die-cast                               |

# Housing - HC-B 24-TMZ-H-O1STM32G - 1410822

## Technical data

### General

|                          |                     |
|--------------------------|---------------------|
| Housing surface material | Powder-coated, gray |
| Material lock            | Steel, galvanized   |

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 272607xx |
| eCl@ss 4.1 | 27260701 |
| eCl@ss 5.0 | 27143424 |
| eCl@ss 5.1 | 27143424 |
| eCl@ss 6.0 | 27143424 |
| eCl@ss 7.0 | 27440209 |
| eCl@ss 8.0 | 27440202 |
| eCl@ss 9.0 | 27440202 |

### ETIM

|          |          |
|----------|----------|
| ETIM 4.0 | EC000437 |
| ETIM 5.0 | EC000437 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 31261502 |
| UNSPSC 7.0901 | 31261502 |
| UNSPSC 11     | 31261502 |
| UNSPSC 12.01  | 31261502 |
| UNSPSC 13.2   | 31261502 |

## Approvals

### Approvals

---

Approvals

EAC

---

Ex Approvals

---

Approvals submitted

# Housing - HC-B 24-TMZ-H-O1STM32G - 1410822

## Approvals


---

### Approval details

|     |
|-----|
| EAC |
|-----|

## Drawings

Dimensional drawing



### Dimensional drawing

---